



POLYCAB INDIA LIMITED

LDC LP No. 03/2022-23 Dtd : 1st July 2022

List of Products Covered in Our LDC LP

Coaxial Cables

Lan Cables

CCTV Cables

Telephone Switchboard Cables

Submersible Cables

Project Wires (200-300 Mtrs.)

Single Core Flexible Cables

Multicore Flexible Cables

Single Core XLPE Unarmoured/Armoured Cables

Solar Cables

BMS Cables

Braided Cables

Steel Braided Cables

Speaker Cables

Welding Cables

Aluminium Service Wires

Festoon Cables

Uninyvin Cables

**POLYCAB INDIA LIMITED**

LDC LP No. 03/2022-23 Dtd : 1st July 2022

POLYCAB INDUSTRIAL JELLY FLOODED COAXIAL CABLES

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.

Size	100m Unarmoured	305m Unarmoured	1000m Flexible Armoured
RG - 59	2705	8250	
RG - 6	3400	10350	80500
RG - 11	7600	23180	151500
RG-6 CCS	1850	5645	
RG-11 CCS	3750	11440	

POLYCAB LAN (COMPUTER) CABLES

Item	UOM	Rate in Rs.
CAT 5e UTP FR -PVC	305 MTRS.	12930
CAT 6 UTP PVC-FR (Without Separator)	305 MTRS.	13555
CAT 6 UTP PVC-FR (With Separator)	305 MTRS.	13770
CAT 6 FTP FR PVC (Without Separator)	305 MTRS.	16725
CAT 6 FTP FR PVC (With Separator)	305 MTRS.	16940
CAT 6A UTP PVC-FR	305 MTRS.	17085
CAT 6A FTP PVC-FR	305 MTRS.	20265
CAT6 UTP- Armoured / Flexible Armoured	1000 MTRS.	116000
CAT6 FTP- Armoured / Flexible Armoured	1000 MTRS.	130000
CAT6 A UTP- Armoured / Flexible Armoured	1000 MTRS.	130000
CAT6 A FTP- Armoured / Flexible Armoured	1000 MTRS.	144000

POLYCAB CCTV CABLES

Item	UOM	Rate in Rs.
CCTV 3+1	90 MTRS.	4155
CCTV 4+1	90 MTRS.	4650
CCTV 3+1	180 MTRS.	8310
CCTV 4+1	180 MTRS.	9300
CCTV 4+1 Armoured	1000 MTRS.	154000



POLYCAB INDIA LIMITED

LDC LP No. 03/2022-23 Dtd : 1st July 2022

POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD) CABLES

Polycab High Conductivity Solid Annealed Bare Copper industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired, Polyester and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outer Sheath generally conforming ITD Specification

No. of Pairs & Size	Price / 100 Mtr. (Rs.)		Price / 90 Mtr (Rs.)		Master Packing
	0.4 mm	0.5 mm	0.4 mm	0.5 mm	
1 Pair	835	1235	750	1110	20
2 Pair	1350	2095	1215	1885	20
3 Pair	1945	3010	1750	2710	16
4 Pair	2490	3970	2240	3570	12
5 Pair	3225	4725	2900	4250	8
10 Pair	6425	9750	5780	8775	1
20 Pair	12860	19750	11575	17770	1
50 Pair		49600			1
100 Pair		104200			1

POLYCAB INDUSTRIAL 3 CORE FLAT SUBMERSIBLE CABLES

Polycab PVC / Xlpe Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010

Size in Sq.mm.	PVC Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	Xlpe Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	PVC Insulated Price Per 100mtr. (Corrogated Box Packing)
1.5	9675	10200	9500
2.5	16100	17000	15800
4	23100	24300	22800
6	33700	35400	33100
10	56900	59900	
16	88600	93000	
25	145000	152100	
35	198600	208500	



POLYCAB INDIA LIMITED

LDC LP No. 03/2022-23 Dtd : 1st July 2022

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL(MULTISTRAND) CABLES
FLAME RETARDANT LEAD FREE (FRLF) / FLAME RETARDANT LOW SMOKE (FRLSH) / HEAT
RESISTANT FLAME RETARDANT LOW SMOKE HALOGEN - LEAD FREE CONFORMING TO IS-
694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE
GRADE 1100 VOLTS

POLYCAB PVC INSULATED SINGLE CORE
UNSHEATHED INDUSTRIAL(MULTISTRAND)
CABLES – HALOGEN FREE FLAME RETARDANT
(HFFR) WITH BRIGHT ANNEALED
ELECTROLYTIC BARE COPPER CONDUCTOR FOR
VOLTAGE GRADE 1100 VOLTS

Size (sq.mm.)	FRLF	FRLS-H	GREEN WIRES HR-FRLS-H-LF	HFFR	Coils Per Box
	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	
0.75	4510	4645	4715	4880	10
1	5910	6090	6180	6355	8
1.5	8705	8970	9095	9360	6
2.5	14140	14565	14780	15200	4
4	14315	14750	14960	15400	4
6	21420	22060	22385	23025	3
10	38100	39220	39795	40925	1
16	59800	61565	62465	64255	1

Notes

1. The above rates are exclusive of GST which shall be charged extra.
2. This Price List is subject to change without notice.
3. As per international practice which is also adopted by Bureau of Indian Standards, the diameter of the conductor shown above is nominal. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS 8130:1994 with its related classes and tables.



POLYCAB INDIA LIMITED

LDC LP No. 03/2022-23 Dtd : 1st July 2022

Polycab PVC Insulated, PVC Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	8850	10300	12800	15000
0.75	24/.2	8	12500	14700	18100	21400
1	32/.2	13	15900	18600	22800	27000
1.5	30/.25	17	22300	26100	31700	37700
2.5	50/.25	24	36700	41700	52300	61400
4	56/.3	30	58200	67500		
Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	17600	19700	22900	29100
0.75	24/.2	8	24900	28200	32700	41600
1	32/.2	13	31300	35800	42300	53400
1.5	30/.25	17	43900	50100	59200	74500
2.5	50/.25	24	72000	82300	97300	121700

Polycab Multi Strand Bare Copper conductor XLPE insulated PVC Sheathed Cables

Nominal Area	No/Dia of Strands	Current rating in Air at 40°C	Cu Conductor Unarmoured Cables	Cu Conductor Aluminium Armouring Cables
mm ²	No/mm		Rs/100 Mtr.	Rs/100 Mtr.
6	84/0.3	55	15500	21000
10	80/0.4	75	26000	35500
16	126/0.4	103	38500	44800
25	196/0.4	126	61500	68700
35	276/0.4	152	84100	92600
50	396/0.4	189	117500	128700
70	354/0.5	240	161700	177300
95	484/0.5	297	219700	228600
120	608/0.5	346	277500	288900
150	750/0.5	390	346700	361100
185	925/0.5	460	423300	436000
240	1210/0.5	552	550000	574100
300	1527/0.5	640	685800	722000
400	2036/0.5	753	914800	957300



POLYCAB INDIA LIMITED

LDC LP No. 03/2022-23 Dtd : 1st July 2022

Polycab FRLS Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	(Price in Rs./100m)	
			Single Core	Packing
0.5	16/.2	5	1075	24
0.75	24/.2	8	1550	24
1	32/.2	13	2025	20
1.5	30/.25	17	2865	16
2.5	50/.25	24	4745	12
4	56/.3	30	7305	8
6	84/.3	38	10900	6
10	80/.4	52	18700	1
16	126/.4	70	30200	1
25	196/.4	88	47200	1
35	276/.4	110	65500	1
50	396/.4	145	92900	1
70	354/.5	215	130400	1
95	484/.5	260	177800	1
120	608/.5	305	231300	1
150	750/.5	355	286500	1
185	925/.5	415	354000	1
240	1210/.5	500	461200	1
300	1527/.5	585	575100	1
400	2036/.5	695	765700	1
500			1014600	1
630			1279300	1

Polycab PVC Insulated and FRLS Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS: 694:2010

(Price in Rs./100m)					
2 Core	3 Core	4 Core	2 - 4 Core Packing	5 Core	6 Core
3350	4450	5575	5	7270	8550
4560	6050	7645	5	10000	12100
5605	7565	9630	5	12900	15400
7250	10000	13100	5	17500	20900
11700	16000	21000	4	27700	33500
17400	24700	32500		44800	53800
25500	36300	47500		65400	80800
43200	62000	81300		111100	135700
68900	97100	127400		172300	
111000	158400	208500		267600	
153200	220500	288200		370000	
219400	311300	410300		538100	
305600	433700	577000		742000	
	604500	793600			
	771800	1016900			
	975000	1285600			
	1173100	1556300			
	1546200	2045500			
	1922700	2435300			
	2563600	3247200			

**POLYCAB INDIA LIMITED****POLYCAB****LDC LP No. 03/2022-23 Dtd : 1st July 2022****Polycab PVC Insulated, FRLS Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts**

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	9500	11100	13700	16100
0.75	24/.2	8	13500	15800	19400	22900
1	32/.2	13	17100	20000	24500	29000
1.5	30/.25	17	23400	27400	33300	39500
2.5	50/.25	24	38500	43900	54900	64400
4	56/.3	30	61200	71000		
Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	18900	21200	24700	31300
0.75	24/.2	8	26700	30300	35200	44700
1	32/.2	13	33700	38500	45400	57500
1.5	30/.25	17	46100	52600	62100	78100
2.5	50/.25	24	75600	86400	102200	127800

		POLYCAB INDIA LIMITED							
		LDC LP No. 03/2022-23 Dtd : 1st July 2022							
POLYCAB SOLAR CABLES									
Flexible Tinned Copper Conductor/ Cross linkable (E Beam) LSZH Insulation/ Cross linkable (E Beam) LSZH Sheathed Solar Cable as per EN 50618			Flexible Tinned Copper Conductor Single Core Multistrand, Cross Linked, Zero Halogen Low Smoke Insulation and Cross Linked Low Smoke Sheathing , Heat Resistant upto 120°C and UV Resistant Solar Cables			Flexible Bare Copper Conductor Multistrand XLPE / PVC Insulated and UV Stabalized PVC Sheathed Single Core Solar Cables			
Size in Sq.mm.	Price in Rs./100 Mtr.		Size in Sq.mm.	Price in Rs./100 Mtr.		Size in Sq.mm.	Price in Rs./100 Mtr.		
2.5	5505		2.5	5150		4	7925		
4	8410		4	7965		6	10900		
6	11400		6	11000		10	22000		
10	23200		10	22100		16	34900		
16	37400		16	35100					
25	60300								
35	84200								
50	112100								
70	154400								
95	212000								
120	267700								
POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)									
Flexible Bare Copper Conductor, PVC Insulated,Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Price in Rs./100m)									
Cores	0.5 sq.mm	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm				
2	5785	7160	7900	10300	15800				
3	7400	9490	10700	13900	22000				
4	9030	11500	13400	17800	29200				
5	10600	13800	16000	21700	34600				
6	12300	16000	19100	25800	41600				
7	13500	18200	21500	28900	47000				
8	15700	20500	24200	33100	53500				
10	19200	25300	29700	41100	67200				
12	22300	29400	35000	48400	79200				
14	25300	34400	40800	56000	91900				
16	28500	38600	46100	63500	104400				
19	33500	45200	53800	74500	123200				
24	41600	56700	67600	94400	155200				
Packing - 100/300 Mtrs. Coils & 2000 Mtrs. Drums									
Note : 4% Extra Charges for Drum Packing									
Page 8 of 13									



POLYCAB INDIA LIMITED

LDC LP No. 03/2022-23 Dtd : 1st July 2022

POLYCAB INDUSTRIAL BRAIDED CABLES

Polycab Annealed Bare Cu Flexible Conductor PVC Insulated, Tinned Cu Braided (Screened) PVC Sheathed Flexible Unarmoured Cables 1100 Volts. (Price in Rs./100 Mtr)

Cores	0.5 Sq mm.	0.75 Sq mm.	1.0 Sq mm.	1.5 Sq mm.	2.5 Sq mm.	4 Sq mm.	6 Sq mm.	10 Sq mm.	16 Sq mm.	25 Sq mm.	35 Sq mm.
2	8750	9950	11300	14200	21700	35600	49900	80000	131900		
3	10200	12500	14200	18600	27800	44200	62000	99500	164200	270300	358400
4	12200	15600	18400	23500	36900	54400	77000	143000	209500	344100	454900
5	15100	19800	24200	28400	46900						
6	16100	21200	25600	32300	53100						
7	17800	24500	30600	39400	62800						
8	20800	29400	37900	44800	78400						
10	24300	32800	43200	55500	95400						
12	27100	36900	45900	63000	111000						
14	32000	45400	58800	78300	129600						
16	36500	58400	62800	86100	145100						
19	43700	68200	75100	103200	167300						
24	50500	73600	88500	128500	212300						

**POLYCAB INDIA LIMITED**

LDC LP No. 03/2022-23 Dtd : 1st July 2022

POLYCAB MULTICORE STEEL BRAIDED CABLES

Flex Bare Copper Conductor, PVC Insulated, Cores Laid Up Together PVC Inner Sheathed, GI Wire Braided (Flexible Armouring), Overall PVC Sheathed Steel Braided Cables. (Price in Rs./100 Mtr.)

Cores	0.5 Sq.mm.	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm	4 sq.mm	6 sq mm
2	9125	11100	12500	15600	22600	31900	44200
3	11200	13700	15800	20400	30100	44800	61700
4	13300	16800	19500	25600	38200	56000	80100
5	15600	19800	23800	31100	46400		
6	17800	23100	27400	36000	54800		
7	19400	25400	30300	40400	61600		
8	22100	28800	34300	46300	70800		
10	26700	35300	42500	56500	87500		
12	30400	40800	49000	65900	102600		
14	34700	46400	56000	76100	118000		
16	38900	52300	63400	85900	134200		
19	44600	60600	74200	100600	156900		
24	55800	75700	92800	126300	197400		

Cores	10 Sq.mm.	16 Sq.mm.	25 Sq.mm.	35 Sq.mm.	50 Sq.mm.	70 Sq.mm	95 Sq.mm.
2	72200	107900	163800	223200	317200	435200	581900
3	101700	153000	235200	321500	457200	631500	845400
4	132500	200400	309500	424300	603100	833400	1116900

Note : 3% Extra Charges for Drum Packing

POLYCAB INDUSTRIAL SPEAKER WIRES

Speaker Wires (Oxygen Free) (Price in Rs./90 mtr)

Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.
23/36	2225	23/38	1730	0.5 Sq.mm	2430	1.5 Sq.mm	6315
40/36	3380	40/38	2625	0.75 Sq.mm	3490	2 Sq.mm	8425
70/36	5855	70/38	4005	1 Sq.mm	4595	2.5 Sq.mm	10340

** Flame Retardant, Heat Resistant up to 90°C & Oil Resistant

POLYCAB INDUSTRIAL WELDING CABLES

Polycab Flexible Copper Conductor 1100 Volts Welding Cable

Nominal Area of Conductor (sq mm)	Current Carrying Capacity	Conductor Constn. Strands/ Dia in mm	HOFR Insulation Price/100m (Rs)
16	120	509/0.2	38500
25	160	796/0.2	57400
35	230	1115/0.2	80500
50	400	703/0.3	115200
70	600	999/0.3	160400
95	700	1346/0.3	217100
120	1100	1699/0.3	268700

**POLYCAB INDIA LIMITED**

LDC LP No. 03/2022-23 Dtd : 1st July 2022

POLYCAB ALUMINIUM WIRES & CABLES**POLYCAB SINGLE CORE PVC INSULATED 1100 VOLTS
SOLID ALUMINIUM CONDUCTOR WIRES AS PER IS 694**

Size in Sq.mm.	Price in Rs./100 Mtr.
1.5	820
2.5	1300
4	1845
6	2540
10	4235
16	6210
25	9610
35	13200
50	14950
70	19500
95	34700

**POLYCAB PVC INSULATED AND SHEATHED TWIN CORE_FLAT & THREE
CORE ROUND CABLES 1100 VOLTS EACH CORE HAVING SINGLE SOLID
ALUMINIUM CONDUCTOR SERVICE CABLES AS PER IS 694**

No. of Cores	Sq.mm.	Price in Rs./100 Mtr.
2 Core	2.5	4515
2 Core	4	6050
2 Core	6	8010
2 Core	10	11700
2 Core	16	16900
3 Core	2.5	6665
3 Core	4	8760
3 Core	6	10250
3 Core	10	19100
3 Core	16	25300
4 Core	2.5	8170
4 Core	4	11400
4 Core	6	16250
4 Core	10	23900
4 Core	16	31700



POLYCAB INDIA LIMITED

LDC LP No. 03/2022-23 Dtd : 1st July 2022

FESTOON CABLES

(Price in Rs./Mtr.)

Cores	0.5 Sq.mm.	0.75 Sq.mm.	1 Sq.mm.	1.5 Sq.mm.	2.5 Sq.mm.	4 Sq.mm.
3	67	83	102	136	223	341
4	87	112	135	186	293	458
5	121	158	200	258	408	613
6	144	193	239	306	491	741
7	165	218	276	355	572	860
8	192	249	313	407	657	985
9	221	293	366	467	757	1123
10	245	323	404	518	837	1252
12	288	384	481	614	998	1496
14	347	452	564	733	1174	1757
16	393	517	652	831	1346	2011
18	433	570	730	933	1493	2236
24	590	776	987	1129	2012	3025

**POLYCAB INDIA LIMITED**

LDC LP No. 03/2022-23 Dtd : 1st July 2022

UNINYVIN CABLES**Multistranded Annealed Tinned Copper Conductor 105° C PVC Insulation with Nylon Braiding with Lacquer Coating Uninyvin Cables**

Cable Size	Nom. Conductor Area (Sq.mm.)	Price in Rs./Mtr.
22	0.347	23.50
20	0.556	30.30
18	0.966	44.80
16	1.17	53.20
14	2.05	82.00
12	3.22	120.00
10	5.33	168.00
8	8.76	261.00
6	13.30	386.00
4	21.50	611.00
2	33.30	935.00
1	40.70	1131.00
0	53.00	1470.00
00	68.30	1871.00
000	84.20	2318.00
0000	109	2980.00