



**G-HOME**  
LED LIGHTING

LIGHT UP <sup>the</sup>  
DARKNESS!

**86%**  
SAVING

**90**  
LUMENS  
PER WATT

  
EXCELLENT  
CRI

**2**  
YEARS  
WARRANTY



G-HOME

# FILO

LED PANEL LIGHT

86%  
SAVING

90  
LUMENS  
PER WATT

2  
YEARS  
WARRANTY

ANTI-GLARE  
DIFFUSER

EXCELLENT  
CRI

LONG  
LIFE

FILO

**ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG.****FILO - 3 Watt Slim Panel Light - Round**

|         |   |       |      |         |    |    |     |        |     |
|---------|---|-------|------|---------|----|----|-----|--------|-----|
| GM 0515 | 3 | 3000K | >0.5 | 82 x 23 | 70 | 80 | 120 | 260.00 | 100 |
| GM 0516 | 3 | 4000K | >0.5 | 82 x 23 | 70 | 80 | 120 | 260.00 | 100 |
| GM 0517 | 3 | 6000K | >0.5 | 82 x 23 | 70 | 80 | 120 | 260.00 | 100 |
| GM 0380 | 3 | RED   | >0.5 | 82 x 23 | 70 | 80 | 120 | 260.00 | 100 |
| GM 0381 | 3 | GREEN | >0.5 | 82 x 23 | 70 | 80 | 120 | 260.00 | 100 |
| GM 0382 | 3 | BLUE  | >0.5 | 82 x 23 | 70 | 80 | 120 | 260.00 | 100 |

**FILO - 6 Watt Slim Panel Light - Round**

|         |   |       |      |          |     |    |     |        |    |
|---------|---|-------|------|----------|-----|----|-----|--------|----|
| GM 0518 | 6 | 3000K | >0.9 | 120 x 23 | 105 | 80 | 120 | 350.00 | 60 |
| GM 0519 | 6 | 4000K | >0.9 | 120 x 23 | 105 | 80 | 120 | 350.00 | 60 |
| GM 0520 | 6 | 6000K | >0.9 | 120 x 23 | 105 | 80 | 120 | 350.00 | 60 |

**FILO - 12 Watt Slim Panel Light - Round**

|         |    |       |      |          |     |    |     |        |    |
|---------|----|-------|------|----------|-----|----|-----|--------|----|
| GM 0521 | 12 | 3000K | >0.9 | 170 x 25 | 155 | 80 | 120 | 630.00 | 40 |
| GM 0522 | 12 | 4000K | >0.9 | 170 x 25 | 155 | 80 | 120 | 630.00 | 40 |
| GM 0523 | 12 | 6000K | >0.9 | 170 x 25 | 155 | 80 | 120 | 630.00 | 40 |

**FILO - 15 Watt Slim Panel Light - Round**

|         |    |       |      |          |     |    |     |        |    |
|---------|----|-------|------|----------|-----|----|-----|--------|----|
| GM 0524 | 15 | 3000K | >0.9 | 190 x 25 | 170 | 80 | 120 | 860.00 | 40 |
| GM 0525 | 15 | 4000K | >0.9 | 190 x 25 | 170 | 80 | 120 | 860.00 | 40 |
| GM 0526 | 15 | 6000K | >0.9 | 190 x 25 | 170 | 80 | 120 | 860.00 | 40 |

**FILO - 18 Watt Slim Panel Light - Round**

|         |    |       |      |          |     |    |     |        |    |
|---------|----|-------|------|----------|-----|----|-----|--------|----|
| GM 0527 | 18 | 3000K | >0.9 | 220 x 25 | 205 | 80 | 120 | 970.00 | 20 |
| GM 0528 | 18 | 4000K | >0.9 | 220 x 25 | 205 | 80 | 120 | 970.00 | 20 |
| GM 0529 | 18 | 6000K | >0.9 | 220 x 25 | 205 | 80 | 120 | 970.00 | 20 |

**FILO - 24 Watt Slim Panel Light - Round**

|         |    |       |      |          |     |    |     |         |    |
|---------|----|-------|------|----------|-----|----|-----|---------|----|
| GM 0530 | 24 | 3000K | >0.9 | 295 x 25 | 280 | 80 | 120 | 1440.00 | 10 |
| GM 0531 | 24 | 4000K | >0.9 | 295 x 25 | 280 | 80 | 120 | 1440.00 | 10 |
| GM 0532 | 24 | 6000K | >0.9 | 295 x 25 | 280 | 80 | 120 | 1440.00 | 10 |

**FILO - 6 Watt / 11 Watt & 16 Watt Slim Panel Light - Round**

|         |    |        |      |          |     |    |     |         |    |
|---------|----|--------|------|----------|-----|----|-----|---------|----|
| GM 0918 | 6  | 3 in 1 | >0.9 | 120 x 23 | 105 | 80 | 120 | 490.00  | 60 |
| GM 0919 | 11 | 3 in 1 | >0.9 | 170 x 25 | 155 | 80 | 120 | 850.00  | 40 |
| GM 0920 | 16 | 3 in 1 | >0.9 | 190 x 25 | 200 | 80 | 120 | 1190.00 | 40 |

**FILO - 3 Watt Slim Panel Light - Square**

|         |   |       |      |         |    |    |     |        |     |
|---------|---|-------|------|---------|----|----|-----|--------|-----|
| GM 0533 | 3 | 3000K | >0.5 | 82 x 82 | 70 | 80 | 120 | 260.00 | 100 |
| GM 0534 | 3 | 4000K | >0.5 | 82 x 82 | 70 | 80 | 120 | 260.00 | 100 |
| GM 0535 | 3 | 6000K | >0.5 | 82 x 82 | 70 | 80 | 120 | 260.00 | 100 |
| GM 0383 | 3 | RED   | >0.5 | 82 x 82 | 70 | 80 | 120 | 260.00 | 100 |
| GM 0384 | 3 | GREEN | >0.5 | 82 x 82 | 70 | 80 | 120 | 260.00 | 100 |
| GM 0385 | 3 | BLUE  | >0.5 | 82 x 82 | 70 | 80 | 120 | 260.00 | 100 |

All dimensions in mm





| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|

| FILO - 6 Watt Slim Panel Light - Square |   |       |      |           |     |    |     |        |    |
|-----------------------------------------|---|-------|------|-----------|-----|----|-----|--------|----|
| GM 0536                                 | 6 | 3000K | >0.9 | 120 x 120 | 105 | 80 | 120 | 350.00 | 60 |
| GM 0537                                 | 6 | 4000K | >0.9 | 120 x 120 | 105 | 80 | 120 | 350.00 | 60 |
| GM 0538                                 | 6 | 6000K | >0.9 | 120 x 120 | 105 | 80 | 120 | 350.00 | 60 |



| FILO - 12 Watt Slim Panel Light - Square |  |  |  |  |  |  |  |  |  |
|------------------------------------------|--|--|--|--|--|--|--|--|--|
|------------------------------------------|--|--|--|--|--|--|--|--|--|

|         |    |       |      |           |     |    |     |        |    |
|---------|----|-------|------|-----------|-----|----|-----|--------|----|
| GM 0539 | 12 | 3000K | >0.9 | 170 x 170 | 155 | 80 | 120 | 630.00 | 40 |
| GM 0540 | 12 | 4000K | >0.9 | 170 x 170 | 155 | 80 | 120 | 630.00 | 40 |
| GM 0541 | 12 | 6000K | >0.9 | 170 x 170 | 155 | 80 | 120 | 630.00 | 40 |

| FILO - 15 Watt Slim Panel Light - Square |  |  |  |  |  |  |  |  |  |
|------------------------------------------|--|--|--|--|--|--|--|--|--|
|------------------------------------------|--|--|--|--|--|--|--|--|--|

|         |    |       |      |           |     |    |     |        |    |
|---------|----|-------|------|-----------|-----|----|-----|--------|----|
| GM 0542 | 15 | 3000K | >0.9 | 190 x 190 | 170 | 80 | 120 | 860.00 | 40 |
| GM 0543 | 15 | 4000K | >0.9 | 190 x 190 | 170 | 80 | 120 | 860.00 | 40 |
| GM 0544 | 15 | 6000K | >0.9 | 190 x 190 | 170 | 80 | 120 | 860.00 | 40 |



| FILO - 18 Watt Slim Panel Light - Square |  |  |  |  |  |  |  |  |  |
|------------------------------------------|--|--|--|--|--|--|--|--|--|
|------------------------------------------|--|--|--|--|--|--|--|--|--|

|         |    |       |      |           |     |    |     |        |    |
|---------|----|-------|------|-----------|-----|----|-----|--------|----|
| GM 0545 | 18 | 3000K | >0.9 | 220 x 220 | 205 | 80 | 120 | 970.00 | 20 |
| GM 0546 | 18 | 4000K | >0.9 | 220 x 220 | 205 | 80 | 120 | 970.00 | 20 |
| GM 0547 | 18 | 6000K | >0.9 | 220 x 220 | 205 | 80 | 120 | 970.00 | 20 |

| FILO - 24 Watt Slim Panel Light - Square |  |  |  |  |  |  |  |  |  |
|------------------------------------------|--|--|--|--|--|--|--|--|--|
|------------------------------------------|--|--|--|--|--|--|--|--|--|

|         |    |       |      |           |     |    |     |         |    |
|---------|----|-------|------|-----------|-----|----|-----|---------|----|
| GM 0548 | 24 | 3000K | >0.9 | 295 x 295 | 280 | 80 | 120 | 1440.00 | 10 |
| GM 0549 | 24 | 4000K | >0.9 | 295 x 295 | 280 | 80 | 120 | 1440.00 | 10 |
| GM 0550 | 24 | 6000K | >0.9 | 295 x 295 | 280 | 80 | 120 | 1440.00 | 10 |

| FILO - 6 Watt / 11 Watt & 16 Watt Slim Panel Light - Square |  |  |  |  |  |  |  |  |  |
|-------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
|-------------------------------------------------------------|--|--|--|--|--|--|--|--|--|

|         |    |        |      |           |     |    |     |         |    |
|---------|----|--------|------|-----------|-----|----|-----|---------|----|
| GM 0921 | 6  | 3 in 1 | >0.9 | 120 x 120 | 105 | 80 | 120 | 490.00  | 60 |
| GM 0922 | 11 | 3 in 1 | >0.9 | 170 x 170 | 155 | 80 | 120 | 850.00  | 40 |
| GM 0923 | 16 | 3 in 1 | >0.9 | 190 x 190 | 180 | 80 | 120 | 1190.00 | 40 |



FILO RING

| FILO - Surface Ring - Round |  |  |  |  |  |  |  |  |  |
|-----------------------------|--|--|--|--|--|--|--|--|--|
|-----------------------------|--|--|--|--|--|--|--|--|--|

|         |    |   |   |          |   |   |   |        |    |
|---------|----|---|---|----------|---|---|---|--------|----|
| GM 0900 | 6  | - | - | 123 x 26 | - | - | - | 100.00 | 60 |
| GM 0901 | 12 | - | - | 172 x 26 | - | - | - | 160.00 | 40 |
| GM 0902 | 18 | - | - | 225 x 26 | - | - | - | 230.00 | 30 |



| FILO - Surface Ring - Square |  |  |  |  |  |  |  |  |  |
|------------------------------|--|--|--|--|--|--|--|--|--|
|------------------------------|--|--|--|--|--|--|--|--|--|


|         |    |   |   |          |   |   |   |        |    |
|---------|----|---|---|----------|---|---|---|--------|----|
| GM 0903 | 6  | - | - | 122 x 26 | - | - | - | 100.00 | 60 |
| GM 0904 | 12 | - | - | 175 x 26 | - | - | - | 160.00 | 40 |
| GM 0905 | 18 | - | - | 225 x 26 | - | - | - | 230.00 | 30 |

All dimensions in mm



**G-HOME**  
LED LIGHTING

MORE THAN  
JUST A **LIGHT!**



**3 IN 1** **TWILITE**

DUAL  
LED PANEL  
LIGHT

| ITEM CODE                                     | POWER | COL.TEMP   | PF   | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹  | PKG. |
|-----------------------------------------------|-------|------------|------|-----------|-----------|-----|-------|--------|------|
| <b>TWILITE - 3+2 Dual Panel Light - Round</b> |       |            |      |           |           |     |       |        |      |
| GH07-3+2-3K+B-RD                              | 3+2   | 3000K+Blue | >0.5 | 105 x 25  | 75        | 80  | 105   | 450.00 | 40   |
| GH07-3+2-6K+B-RD                              | 3+2   | 6000K+Blue | >0.5 | 105 x 25  | 75        | 80  | 105   | 450.00 | 40   |

|                                               |     |            |      |          |     |    |     |        |    |
|-----------------------------------------------|-----|------------|------|----------|-----|----|-----|--------|----|
| <b>TWILITE - 6+3 Dual Panel Light - Round</b> |     |            |      |          |     |    |     |        |    |
| GH07-6+3-3K+B-RD                              | 6+3 | 3000K+Blue | >0.5 | 145 x 25 | 120 | 80 | 105 | 660.00 | 40 |
| GH07-6+3-6K+B-RD                              | 6+3 | 6000K+Blue | >0.5 | 145 x 25 | 120 | 80 | 105 | 660.00 | 40 |

|                                                |      |            |      |          |     |    |     |        |    |
|------------------------------------------------|------|------------|------|----------|-----|----|-----|--------|----|
| <b>TWILITE - 12+4 Dual Panel Light - Round</b> |      |            |      |          |     |    |     |        |    |
| GH07-12+4-3K+B-RD                              | 12+4 | 3000K+Blue | >0.5 | 190 x 25 | 170 | 80 | 105 | 970.00 | 20 |
| GH07-12+4-6K+B-RD                              | 12+4 | 6000K+Blue | >0.5 | 190 x 25 | 170 | 80 | 105 | 970.00 | 20 |

|                                                |      |            |      |          |     |    |     |         |    |
|------------------------------------------------|------|------------|------|----------|-----|----|-----|---------|----|
| <b>TWILITE - 18+6 Dual Panel Light - Round</b> |      |            |      |          |     |    |     |         |    |
| GH07-18+6-3K+B-RD                              | 18+6 | 3000K+Blue | >0.5 | 245 x 25 | 220 | 80 | 105 | 1280.00 | 20 |
| GH07-18+6-6K+B-RD                              | 18+6 | 6000K+Blue | >0.5 | 245 x 25 | 220 | 80 | 105 | 1280.00 | 20 |

|                                                |     |            |      |                |         |    |     |        |    |
|------------------------------------------------|-----|------------|------|----------------|---------|----|-----|--------|----|
| <b>TWILITE - 3+2 Dual Panel Light - Square</b> |     |            |      |                |         |    |     |        |    |
| GH07-3+2-3K+B-SQ                               | 3+2 | 3000K+Blue | >0.5 | 105 x 105 x 25 | 75 x 75 | 80 | 105 | 450.00 | 40 |
| GH07-3+2-6K+B-SQ                               | 3+2 | 6000K+Blue | >0.5 | 105 x 105 x 25 | 75 x 75 | 80 | 105 | 450.00 | 40 |

|                                                |     |            |      |                |           |    |     |        |    |
|------------------------------------------------|-----|------------|------|----------------|-----------|----|-----|--------|----|
| <b>TWILITE - 6+3 Dual Panel Light - Square</b> |     |            |      |                |           |    |     |        |    |
| GH07-6+3-3K+B-SQ                               | 6+3 | 3000K+Blue | >0.5 | 145 x 145 x 25 | 120 x 120 | 80 | 105 | 660.00 | 40 |
| GH07-6+3-6K+B-SQ                               | 6+3 | 6000K+Blue | >0.5 | 145 x 145 x 25 | 120 x 120 | 80 | 105 | 660.00 | 40 |

|                                                 |      |            |      |                |           |    |     |        |    |
|-------------------------------------------------|------|------------|------|----------------|-----------|----|-----|--------|----|
| <b>TWILITE - 12+4 Dual Panel Light - Square</b> |      |            |      |                |           |    |     |        |    |
| GH07-12+4-3K+B-SQ                               | 12+4 | 3000K+Blue | >0.5 | 190 x 190 x 25 | 170 x 170 | 80 | 105 | 970.00 | 20 |
| GH07-12+4-6K+B-SQ                               | 12+4 | 6000K+Blue | >0.5 | 190 x 190 x 25 | 170 x 170 | 80 | 105 | 970.00 | 20 |

|                                                 |      |            |      |                |           |    |     |         |    |
|-------------------------------------------------|------|------------|------|----------------|-----------|----|-----|---------|----|
| <b>TWILITE - 18+6 Dual Panel Light - Square</b> |      |            |      |                |           |    |     |         |    |
| GH07-18+6-3K+B-SQ                               | 18+6 | 3000K+Blue | >0.5 | 245 x 245 x 25 | 220 x 220 | 80 | 105 | 1280.00 | 20 |
| GH07-18+6-6K+B-SQ                               | 18+6 | 6000K+Blue | >0.5 | 245 x 245 x 25 | 220 x 220 | 80 | 105 | 1280.00 | 20 |

All dimensions in mm

# G-HOME

LED LIGHTING



ARIO



ROXX RD



SUPERIOR  
HEAT SINK



TOUGHEST  
ALUMINIUM  
BODY



STRIKER SQ



FESTO MINI



NANO



ROCO

ILLUMINATION  
& EXPRESSION

86%  
SAVINGS

EXCELLENT  
CRI

80  
LUMENS  
PER WATT

LONG  
LIFE

ANTI GLARE  
DIFFUSER\*

|                                                                                     | ITEM CODE                                    | POWER | COL.TEMP | PF   | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹  | PKG. |
|-------------------------------------------------------------------------------------|----------------------------------------------|-------|----------|------|-----------|-----------|-----|-------|--------|------|
|    | <b>ROCO - 3 Watt Down Light - Round</b>      |       |          |      |           |           |     |       |        |      |
|                                                                                     | GH09-3-3K-01                                 | 3     | 3000K    | >0.5 | 70 x 35   | 47        | 80  | 120   | 180.00 | 100  |
|                                                                                     | GH09-3-4K-01                                 | 3     | 4000K    | >0.5 | 70 x 35   | 47        | 80  | 120   | 180.00 | 100  |
|                                                                                     | GH09-3-6K-01                                 | 3     | 6000K    | >0.5 | 70 x 35   | 47        | 80  | 120   | 180.00 | 100  |
|                                                                                     | GH09-3-P-01                                  | 3     | PINK     | >0.5 | 70 x 35   | 47        | 80  | 120   | 180.00 | 100  |
|                                                                                     | GH09-3-B-01                                  | 3     | BLUE     | >0.5 | 70 x 35   | 47        | 80  | 120   | 180.00 | 100  |
|                                                                                     | GH09-3-G-01                                  | 3     | GREEN    | >0.5 | 70 x 35   | 47        | 80  | 120   | 180.00 | 100  |
|    | <b>ROCO - 7 Watt Down Light - Round</b>      |       |          |      |           |           |     |       |        |      |
|                                                                                     | GH09-7-3K-01                                 | 7     | 3000K    | >0.5 | 110 x 58  | 75        | 80  | 120   | 345.00 | 60   |
|                                                                                     | GH09-7-4K-01                                 | 7     | 4000K    | >0.5 | 110 x 58  | 75        | 80  | 120   | 345.00 | 60   |
|                                                                                     | GH09-7-6K-01                                 | 7     | 6000K    | >0.5 | 110 x 58  | 75        | 80  | 120   | 345.00 | 60   |
|                                                                                     | GH09-7-P-01                                  | 7     | PINK     | >0.5 | 110 x 58  | 75        | 80  | 120   | 345.00 | 60   |
|                                                                                     | GH09-7-B-01                                  | 7     | BLUE     | >0.5 | 110 x 58  | 75        | 80  | 120   | 345.00 | 60   |
|                                                                                     | GH09-7-G-01                                  | 7     | GREEN    | >0.5 | 110 x 58  | 75        | 80  | 120   | 345.00 | 60   |
|    | <b>ARIO - 3 Watt COB Down Light - Round</b>  |       |          |      |           |           |     |       |        |      |
|                                                                                     | GH09-3-3K-02                                 | 3     | 3000K    | >0.5 | 70 x 35   | 52        | 80  | 38    | 250.00 | 100  |
|                                                                                     | GH09-3-4K-02                                 | 3     | 4000K    | >0.5 | 70 x 35   | 52        | 80  | 38    | 250.00 | 100  |
|                                                                                     | GH09-3-6K-02                                 | 3     | 6000K    | >0.5 | 70 x 35   | 52        | 80  | 38    | 250.00 | 100  |
|                                                                                     | GH09-3-P-02                                  | 3     | PINK     | >0.5 | 70 x 35   | 52        | 80  | 38    | 250.00 | 100  |
|                                                                                     | GH09-3-B-02                                  | 3     | BLUE     | >0.5 | 70 x 35   | 52        | 80  | 38    | 250.00 | 100  |
|                                                                                     | GH09-3-G-02                                  | 3     | GREEN    | >0.5 | 70 x 35   | 52        | 80  | 38    | 250.00 | 100  |
|   | <b>ARIO - 7 Watt COB Down Light - Round</b>  |       |          |      |           |           |     |       |        |      |
|                                                                                     | GH09-7-3K-02                                 | 7     | 3000K    | >0.5 | 110 x 58  | 70        | 80  | 38    | 410.00 | 60   |
|                                                                                     | GH09-7-4K-02                                 | 7     | 4000K    | >0.5 | 110 x 58  | 70        | 80  | 38    | 410.00 | 60   |
|                                                                                     | GH09-7-6K-02                                 | 7     | 6000K    | >0.5 | 110 x 58  | 70        | 80  | 38    | 410.00 | 60   |
|                                                                                     | GH09-7-P-02                                  | 7     | PINK     | >0.5 | 110 x 58  | 70        | 80  | 38    | 410.00 | 60   |
|                                                                                     | GH09-7-B-02                                  | 7     | BLUE     | >0.5 | 110 x 58  | 70        | 80  | 38    | 410.00 | 60   |
|                                                                                     | GH09-7-G-02                                  | 7     | GREEN    | >0.5 | 110 x 58  | 70        | 80  | 38    | 410.00 | 60   |
|  | <b>CENT - 3 Watt Down Light - Round</b>      |       |          |      |           |           |     |       |        |      |
|                                                                                     | GH01-3-R                                     | 3     | RED      | >0.5 | 82 x 34   | 58        | 80  | 120   | 210.00 | 100  |
|                                                                                     | GH01-3-G                                     | 3     | GREEN    | >0.5 | 82 x 34   | 58        | 80  | 120   | 210.00 | 100  |
|                                                                                     | GH01-3-B                                     | 3     | BLUE     | >0.5 | 82 x 34   | 58        | 80  | 120   | 210.00 | 100  |
|                                                                                     | GH01-3-3K                                    | 3     | 3000K    | >0.5 | 82 x 34   | 58        | 80  | 120   | 210.00 | 100  |
|                                                                                     | GH01-3-6K                                    | 3     | 6500K    | >0.5 | 82 x 34   | 58        | 80  | 120   | 210.00 | 100  |
|  | <b>CENTO - 3 Watt COB Down Light - Round</b> |       |          |      |           |           |     |       |        |      |
|                                                                                     | GH02-3-R                                     | 3     | RED      | >0.5 | 65 x 16   | 52        | 80  | 90    | 360.00 | 100  |
|                                                                                     | GH02-3-G                                     | 3     | GREEN    | >0.5 | 65 x 16   | 52        | 80  | 90    | 360.00 | 100  |
|                                                                                     | GH02-3-B                                     | 3     | BLUE     | >0.5 | 65 x 16   | 52        | 80  | 90    | 360.00 | 100  |
|                                                                                     | GH02-3-3K                                    | 3     | 3000K    | >0.5 | 65 x 16   | 52        | 80  | 90    | 360.00 | 100  |
|                                                                                     | GH02-3-6K                                    | 3     | 6500K    | >0.5 | 65 x 16   | 52        | 80  | 90    | 360.00 | 100  |

All dimensions in mm

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|

**NANO****NANO - 1 Watt Spot Light**

|         |   |       |      |         |    |    |    |        |     |
|---------|---|-------|------|---------|----|----|----|--------|-----|
| GH10004 | 1 | 3000K | >0.5 | 38 x 20 | 28 | 80 | 38 | 130.00 | 200 |
| GH10005 | 1 | 6000K | >0.5 | 38 x 20 | 28 | 80 | 38 | 130.00 | 200 |
| GH10006 | 1 | RED   | >0.5 | 38 x 20 | 28 | 80 | 38 | 130.00 | 200 |
| GH10007 | 1 | PINK  | >0.5 | 38 x 20 | 28 | 80 | 38 | 130.00 | 200 |
| GH10008 | 1 | GREEN | >0.5 | 38 x 20 | 28 | 80 | 38 | 130.00 | 200 |
| GH10009 | 1 | BLUE  | >0.5 | 38 x 20 | 28 | 80 | 38 | 130.00 | 200 |

**FESTO MINI****FESTO MINI - 1 Watt COB Spot Light - Round**

|              |   |       |      |         |    |    |    |        |     |
|--------------|---|-------|------|---------|----|----|----|--------|-----|
| GH03-1-R-RD  | 1 | RED   | >0.5 | 31 x 25 | 21 | 80 | 38 | 210.00 | 100 |
| GH03-1-G-RD  | 1 | GREEN | >0.5 | 31 x 25 | 21 | 80 | 38 | 210.00 | 100 |
| GH03-1-B-RD  | 1 | BLUE  | >0.5 | 31 x 25 | 21 | 80 | 38 | 210.00 | 100 |
| GH03-1-3K-RD | 1 | 3000K | >0.5 | 31 x 25 | 21 | 80 | 38 | 210.00 | 100 |
| GH03-1-6K-RD | 1 | 6500K | >0.5 | 31 x 25 | 21 | 80 | 38 | 210.00 | 100 |

**FESTO MINI - 1 Watt COB Spot Light - Square**


|              |   |       |      |         |    |    |    |        |     |
|--------------|---|-------|------|---------|----|----|----|--------|-----|
| GH03-1-R-SQ  | 1 | RED   | >0.5 | 31 x 25 | 21 | 80 | 38 | 210.00 | 100 |
| GH03-1-G-SQ  | 1 | GREEN | >0.5 | 31 x 25 | 21 | 80 | 38 | 210.00 | 100 |
| GH03-1-B-SQ  | 1 | BLUE  | >0.5 | 31 x 25 | 21 | 80 | 38 | 210.00 | 100 |
| GH03-1-3K-SQ | 1 | 3000K | >0.5 | 31 x 25 | 21 | 80 | 38 | 210.00 | 100 |
| GH03-1-6K-SQ | 1 | 6500K | >0.5 | 31 x 25 | 21 | 80 | 38 | 210.00 | 100 |

**FESTO MINI - 1 Watt COB Spot Light - Round Silver**

|                 |   |       |      |         |    |    |    |        |     |
|-----------------|---|-------|------|---------|----|----|----|--------|-----|
| GH03-1-R-RD-SN  | 1 | RED   | >0.5 | 31 x 25 | 21 | 80 | 38 | 230.00 | 100 |
| GH03-1-G-RD-SN  | 1 | GREEN | >0.5 | 31 x 25 | 21 | 80 | 38 | 230.00 | 100 |
| GH03-1-B-RD-SN  | 1 | BLUE  | >0.5 | 31 x 25 | 21 | 80 | 38 | 230.00 | 100 |
| GH03-1-3K-RD-SN | 1 | 3000K | >0.5 | 31 x 25 | 21 | 80 | 38 | 230.00 | 100 |
| GH03-1-6K-RD-SN | 1 | 6500K | >0.5 | 31 x 25 | 21 | 80 | 38 | 230.00 | 100 |

**FESTO MINI - 1 Watt COB Spot Light - Square Silver**

|                 |   |       |      |         |    |    |    |        |     |
|-----------------|---|-------|------|---------|----|----|----|--------|-----|
| GH03-1-R-SQ-SN  | 1 | RED   | >0.5 | 31 x 25 | 21 | 80 | 38 | 230.00 | 100 |
| GH03-1-G-SQ-SN  | 1 | GREEN | >0.5 | 31 x 25 | 21 | 80 | 38 | 230.00 | 100 |
| GH03-1-B-SQ-SN  | 1 | BLUE  | >0.5 | 31 x 25 | 21 | 80 | 38 | 230.00 | 100 |
| GH03-1-3K-SQ-SN | 1 | 3000K | >0.5 | 31 x 25 | 21 | 80 | 38 | 230.00 | 100 |
| GH03-1-6K-SQ-SN | 1 | 6500K | >0.5 | 31 x 25 | 21 | 80 | 38 | 230.00 | 100 |



All dimensions in mm





FESTO

| ITEM CODE                                    | POWER | COL.TEMP | PF   | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹  | PKG. |
|----------------------------------------------|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| <b>FESTO - 3 Watt COB Spot Light - Round</b> |       |          |      |           |           |     |       |        |      |
| GH08-3-3K                                    | 3     | 3000K    | >0.5 | 63 x 45   | 57        | 80  | 38    | 440.00 | 100  |
| GH08-3-4K                                    | 3     | 4000K    | >0.5 | 63 x 45   | 57        | 80  | 38    | 440.00 | 100  |
| GH08-3-6K                                    | 3     | 6000K    | >0.5 | 63 x 45   | 57        | 80  | 38    | 440.00 | 100  |

**FESTO - 6 Watt COB Spot Light - Round**

|           |   |       |      |         |    |    |    |        |    |
|-----------|---|-------|------|---------|----|----|----|--------|----|
| GH08-6-3K | 6 | 3000K | >0.5 | 89 x 61 | 80 | 80 | 38 | 650.00 | 50 |
| GH08-6-4K | 6 | 4000K | >0.5 | 89 x 61 | 80 | 80 | 38 | 650.00 | 50 |
| GH08-6-6K | 6 | 6000K | >0.5 | 89 x 61 | 80 | 80 | 38 | 650.00 | 50 |

**FESTO - 9 Watt COB Spot Light - Round**

|           |   |       |      |         |    |    |    |        |    |
|-----------|---|-------|------|---------|----|----|----|--------|----|
| GH08-9-3K | 9 | 3000K | >0.5 | 89 x 61 | 80 | 80 | 38 | 880.00 | 50 |
| GH08-9-4K | 9 | 4000K | >0.5 | 89 x 61 | 80 | 80 | 38 | 880.00 | 50 |
| GH08-9-6K | 9 | 6000K | >0.5 | 89 x 61 | 80 | 80 | 38 | 880.00 | 50 |

**FESTO - 16 Watt COB Spot Light - Round**

|            |    |       |      |          |     |    |    |         |    |
|------------|----|-------|------|----------|-----|----|----|---------|----|
| GH08-16-3K | 16 | 3000K | >0.5 | 115 x 78 | 100 | 80 | 38 | 1260.00 | 20 |
| GH08-16-4K | 16 | 4000K | >0.5 | 115 x 78 | 100 | 80 | 38 | 1260.00 | 20 |
| GH08-16-6K | 16 | 6000K | >0.5 | 115 x 78 | 100 | 80 | 38 | 1260.00 | 20 |

**FESTO - 24 Watt COB Spot Light - Round**

|            |    |       |      |           |     |    |    |         |    |
|------------|----|-------|------|-----------|-----|----|----|---------|----|
| GH08-24-3K | 24 | 3000K | >0.5 | 135 x 102 | 125 | 80 | 38 | 2180.00 | 20 |
| GH08-24-4K | 24 | 4000K | >0.5 | 135 x 102 | 125 | 80 | 38 | 2180.00 | 20 |
| GH08-24-6K | 24 | 6000K | >0.5 | 135 x 102 | 125 | 80 | 38 | 2180.00 | 20 |

**FESTO - 30 Watt COB Spot Light - Round**

|            |    |       |      |           |     |    |    |         |    |
|------------|----|-------|------|-----------|-----|----|----|---------|----|
| GH08-30-3K | 30 | 3000K | >0.5 | 160 x 102 | 145 | 80 | 38 | 2650.00 | 10 |
| GH08-30-4K | 30 | 4000K | >0.5 | 160 x 102 | 145 | 80 | 38 | 2650.00 | 10 |
| GH08-30-6K | 30 | 6000K | >0.5 | 160 x 102 | 145 | 80 | 38 | 2650.00 | 10 |

All dimensions in mm

**STRIKER**

| ITEM CODE                                          | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|----------------------------------------------------|-------|----------|----|-----------|-----------|-----|-------|-------|------|
| <b>STRIKER - 3 Watt Surface Down Light - Round</b> |       |          |    |           |           |     |       |       |      |

|              |   |       |      |         |   |    |     |        |     |
|--------------|---|-------|------|---------|---|----|-----|--------|-----|
| GH06-3-3K-RD | 3 | 3000K | >0.5 | 60 x 10 | - | 80 | 120 | 220.00 | 100 |
| GH06-3-6K-RD | 3 | 6000K | >0.5 | 60 x 10 | - | 80 | 120 | 220.00 | 100 |


**STRIKER - 6 Watt Surface Down Light - Round**

|              |   |       |      |         |   |    |     |        |    |
|--------------|---|-------|------|---------|---|----|-----|--------|----|
| GH06-6-3K-RD | 6 | 3000K | >0.9 | 87 x 18 | - | 80 | 120 | 430.00 | 50 |
| GH06-6-6K-RD | 6 | 6000K | >0.9 | 87 x 18 | - | 80 | 120 | 430.00 | 50 |


**STRIKER - 12 Watt Surface Down Light - Round**

|               |    |       |      |          |   |    |     |        |    |
|---------------|----|-------|------|----------|---|----|-----|--------|----|
| GH06-12-3K-RD | 12 | 3000K | >0.9 | 146 x 18 | - | 80 | 120 | 730.00 | 40 |
| GH06-12-6K-RD | 12 | 6000K | >0.9 | 146 x 18 | - | 80 | 120 | 730.00 | 40 |


**STRIKER - 3 Watt Surface Down Light - Square**

|              |   |       |      |         |   |    |     |        |     |
|--------------|---|-------|------|---------|---|----|-----|--------|-----|
| GH06-3-3K-SQ | 3 | 3000K | >0.5 | 60 x 10 | - | 80 | 120 | 220.00 | 100 |
| GH06-3-6K-SQ | 3 | 6000K | >0.5 | 60 x 10 | - | 80 | 120 | 220.00 | 100 |


**STRIKER - 6 Watt Surface Down Light - Square**

|              |   |       |      |         |   |    |     |        |    |
|--------------|---|-------|------|---------|---|----|-----|--------|----|
| GH06-6-3K-SQ | 6 | 3000K | >0.9 | 87 x 18 | - | 80 | 120 | 430.00 | 50 |
| GH06-6-6K-SQ | 6 | 6000K | >0.9 | 87 x 18 | - | 80 | 120 | 430.00 | 50 |


**STRIKER - 12 Watt Surface Down Light - Square**

|               |    |       |      |          |   |    |     |        |    |
|---------------|----|-------|------|----------|---|----|-----|--------|----|
| GH06-12-3K-SQ | 12 | 3000K | >0.9 | 146 x 18 | - | 80 | 120 | 730.00 | 40 |
| GH06-12-6K-SQ | 12 | 6000K | >0.9 | 146 x 18 | - | 80 | 120 | 730.00 | 40 |



All dimensions in mm





ROXX

| ITEM CODE                                       | POWER | COL.TEMP | PF   | DIMENSION      | CUT. DIA. | CRI | ANGLE | MRP ₹  | PKG. |
|-------------------------------------------------|-------|----------|------|----------------|-----------|-----|-------|--------|------|
| <b>ROXX - 3 Watt Surface Down Light - Round</b> |       |          |      |                |           |     |       |        |      |
| GH12-3-3K-RD                                    | 3     | 3000K    | >0.5 | 61 x 61 x 20.5 | -         | 70  | 110   | 260.00 | 100  |
| GH12-3-6K-RD                                    | 3     | 6000K    | >0.5 | 61 x 61 x 20.5 | -         | 70  | 110   | 260.00 | 100  |

**ROXX - 6 Watt Surface Down Light - Round**

|              |   |       |      |              |   |    |     |        |     |
|--------------|---|-------|------|--------------|---|----|-----|--------|-----|
| GH12-6-3K-RD | 6 | 3000K | >0.5 | 82 x 82 x 20 | - | 70 | 110 | 540.00 | 100 |
| GH12-6-6K-RD | 6 | 6000K | >0.5 | 82 x 82 x 20 | - | 70 | 110 | 540.00 | 100 |

**ROXX - 12 Watt Surface Down Light - Round**

|               |    |       |      |                |   |    |     |        |    |
|---------------|----|-------|------|----------------|---|----|-----|--------|----|
| GH12-12-3K-RD | 12 | 3000K | >0.5 | 133 x 133 x 20 | - | 70 | 110 | 880.00 | 50 |
| GH12-12-6K-RD | 12 | 6000K | >0.5 | 133 x 133 x 20 | - | 70 | 110 | 880.00 | 50 |

**ROXX - 18 Watt Surface Down Light - Round**

|               |    |       |      |                |   |    |     |         |    |
|---------------|----|-------|------|----------------|---|----|-----|---------|----|
| GH12-18-3K-RD | 18 | 3000K | >0.5 | 163 x 163 x 25 | - | 70 | 110 | 1180.00 | 40 |
| GH12-18-6K-RD | 18 | 6000K | >0.5 | 163 x 163 x 25 | - | 70 | 110 | 1180.00 | 40 |

**ROXX - 24 Watt Surface Down Light - Round**

|               |    |       |      |                |   |    |     |         |    |
|---------------|----|-------|------|----------------|---|----|-----|---------|----|
| GH12-24-3K-RD | 24 | 3000K | >0.5 | 204 x 204 x 25 | - | 70 | 110 | 1400.00 | 20 |
| GH12-24-6K-RD | 24 | 6000K | >0.5 | 204 x 204 x 25 | - | 70 | 110 | 1400.00 | 20 |



ARCO 03



ARCO 02



ARCO 09



ARCO 09



ARCO 04



ARCO 06

All dimensions in mm



| ITEM CODE                                        | POWER | COL. TEMP | PF   | DIMENSION      | CUT. DIA. | CRI | ANGLE | MRP ₹  | PKG. |
|--------------------------------------------------|-------|-----------|------|----------------|-----------|-----|-------|--------|------|
| <b>ROXX - 3 Watt Surface Down Light - Square</b> |       |           |      |                |           |     |       |        |      |
| GH12-3-3K-SQ                                     | 3     | 3000K     | >0.5 | 61 x 61 x 20.5 | -         | 70  | 110   | 260.00 | 100  |
| GH12-3-6K-SQ                                     | 3     | 6000K     | >0.5 | 61 x 61 x 20.5 | -         | 70  | 110   | 260.00 | 100  |


**ROXX - 6 Watt Surface Down Light - Square**

|              |   |       |      |                    |   |    |     |        |     |
|--------------|---|-------|------|--------------------|---|----|-----|--------|-----|
| GH12-6-3K-SQ | 6 | 3000K | >0.5 | 71.5 x 71.5 x 21.5 | - | 70 | 110 | 540.00 | 100 |
| GH12-6-6K-SQ | 6 | 6000K | >0.5 | 71.5 x 71.5 x 21.5 | - | 70 | 110 | 540.00 | 100 |


**ROXX - 12 Watt Surface Down Light - Square**

|               |    |       |      |                |   |    |     |        |    |
|---------------|----|-------|------|----------------|---|----|-----|--------|----|
| GH12-12-3K-SQ | 12 | 3000K | >0.5 | 108 x 108 x 22 | - | 70 | 110 | 880.00 | 50 |
| GH12-12-6K-SQ | 12 | 6000K | >0.5 | 108 x 108 x 22 | - | 70 | 110 | 880.00 | 50 |


**ROXX - 18 Watt Surface Down Light - Square**

|               |    |       |      |                    |   |    |     |         |    |
|---------------|----|-------|------|--------------------|---|----|-----|---------|----|
| GH12-18-3K-SQ | 18 | 3000K | >0.5 | 146.5 x 146.5 x 26 | - | 70 | 110 | 1180.00 | 40 |
| GH12-18-6K-SQ | 18 | 6000K | >0.5 | 146.5 x 146.5 x 26 | - | 70 | 110 | 1180.00 | 40 |


**ROXX - 24 Watt Surface Down Light - Square**

|               |    |       |      |                |   |    |     |         |    |
|---------------|----|-------|------|----------------|---|----|-----|---------|----|
| GH12-24-3K-SQ | 24 | 3000K | >0.5 | 188 x 188 x 26 | - | 70 | 110 | 1400.00 | 20 |
| GH12-24-6K-SQ | 24 | 6000K | >0.5 | 188 x 188 x 26 | - | 70 | 110 | 1400.00 | 20 |



ARCO 08



ARCO 07



ARCO 09

**ARCO** | OUTDOOR WALL LIGHT

www.gmmmodular.com

All dimensions in mm



**FOCUS**

| ITEM CODE                        | POWER | COL.TEMP | PF   | DIMENSION | CUT.DIA. | CRI | ANGLE | MRP ₹  | PKG. |
|----------------------------------|-------|----------|------|-----------|----------|-----|-------|--------|------|
| <b>FOCUS - 3 Watt Wall Light</b> |       |          |      |           |          |     |       |        |      |
| GH05-3-3K                        | 3     | 3000K    | >0.5 | 110 x 70  | -        | 80  | 38    | 550.00 | 50   |
| GH05-3-4K                        | 3     | 4000K    | >0.5 | 110 x 70  | -        | 80  | 38    | 550.00 | 50   |
| GH05-3-6K                        | 3     | 6000K    | >0.5 | 110 x 70  | -        | 80  | 38    | 550.00 | 50   |



|                                  |   |       |      |          |   |    |    |        |    |
|----------------------------------|---|-------|------|----------|---|----|----|--------|----|
| <b>FOCUS - 6 Watt Wall Light</b> |   |       |      |          |   |    |    |        |    |
| GH05-6-3K                        | 6 | 3000K | >0.5 | 123 x 98 | - | 80 | 38 | 690.00 | 20 |
| GH05-6-4K                        | 6 | 4000K | >0.5 | 123 x 98 | - | 80 | 38 | 690.00 | 20 |
| GH05-6-6K                        | 6 | 6000K | >0.5 | 123 x 98 | - | 80 | 38 | 690.00 | 20 |

|                                  |   |       |      |           |   |    |    |        |    |
|----------------------------------|---|-------|------|-----------|---|----|----|--------|----|
| <b>FOCUS - 9 Watt Wall Light</b> |   |       |      |           |   |    |    |        |    |
| GH05-9-3K                        | 9 | 3000K | >0.5 | 140 x 115 | - | 80 | 38 | 890.00 | 20 |
| GH05-9-4K                        | 9 | 4000K | >0.5 | 140 x 115 | - | 80 | 38 | 890.00 | 20 |
| GH05-9-6K                        | 9 | 6000K | >0.5 | 140 x 115 | - | 80 | 38 | 890.00 | 20 |



|                                   |    |       |      |           |   |    |    |         |    |
|-----------------------------------|----|-------|------|-----------|---|----|----|---------|----|
| <b>FOCUS - 16 Watt Wall Light</b> |    |       |      |           |   |    |    |         |    |
| GH05-16-3K                        | 16 | 3000K | >0.9 | 195 x 170 | - | 80 | 38 | 1950.00 | 10 |
| GH05-16-4K                        | 16 | 4000K | >0.9 | 195 x 170 | - | 80 | 38 | 1950.00 | 10 |
| GH05-16-6K                        | 16 | 6000K | >0.9 | 195 x 170 | - | 80 | 38 | 1950.00 | 10 |

|                                   |    |       |      |           |   |    |    |         |    |
|-----------------------------------|----|-------|------|-----------|---|----|----|---------|----|
| <b>FOCUS - 30 Watt Wall Light</b> |    |       |      |           |   |    |    |         |    |
| GH05-30-3K                        | 30 | 3000K | >0.9 | 210 x 180 | - | 80 | 38 | 2800.00 | 10 |
| GH05-30-4K                        | 30 | 4000K | >0.9 | 210 x 180 | - | 80 | 38 | 2800.00 | 10 |
| GH05-30-6K                        | 30 | 6000K | >0.9 | 210 x 180 | - | 80 | 38 | 2800.00 | 10 |

**PATIO**

| PATIO - 5 Watt Garden Light |   |       |      |          |      |   |    |    |        |    |
|-----------------------------|---|-------|------|----------|------|---|----|----|--------|----|
| GH20-5-R                    | 5 | RED   | >0.5 | 270 x 60 | IP65 | - | 80 | 38 | 630.00 | 20 |
| GH20-5-G                    | 5 | GREEN | >0.5 | 270 x 60 | IP65 | - | 80 | 38 | 630.00 | 20 |
| GH20-5-B                    | 5 | BLUE  | >0.5 | 270 x 60 | IP65 | - | 80 | 38 | 630.00 | 20 |
| GH20-5-3K                   | 5 | 3000K | >0.5 | 270 x 60 | IP65 | - | 80 | 38 | 630.00 | 20 |
| GH20-5-6K                   | 5 | 6000K | >0.5 | 270 x 60 | IP65 | - | 80 | 38 | 630.00 | 20 |



| PATIO - 6 Watt Garden Light |   |     |      |          |      |   |    |    |        |    |
|-----------------------------|---|-----|------|----------|------|---|----|----|--------|----|
| GH20-6-RGB                  | 6 | RGB | >0.5 | 270 x 60 | IP65 | - | 80 | 38 | 860.00 | 20 |

| PATIO - 9 Watt Garden Light |   |       |      |           |      |   |    |    |         |    |
|-----------------------------|---|-------|------|-----------|------|---|----|----|---------|----|
| GH20-9-R                    | 9 | RED   | >0.5 | 260 x 135 | IP65 | - | 80 | 38 | 1200.00 | 20 |
| GH20-9-G                    | 9 | GREEN | >0.5 | 260 x 135 | IP65 | - | 80 | 38 | 1200.00 | 20 |
| GH20-9-B                    | 9 | BLUE  | >0.5 | 260 x 135 | IP65 | - | 80 | 38 | 1200.00 | 20 |
| GH20-9-3K                   | 9 | 3000K | >0.5 | 260 x 135 | IP65 | - | 80 | 38 | 1200.00 | 20 |
| GH20-9-6K                   | 9 | 6000K | >0.5 | 260 x 135 | IP65 | - | 80 | 38 | 1200.00 | 20 |



| PATIO - 12 Watt Garden Light |    |     |      |           |      |   |    |    |         |    |
|------------------------------|----|-----|------|-----------|------|---|----|----|---------|----|
| GH20-12-RGB                  | 12 | RGB | >0.5 | 260 x 135 | IP65 | - | 80 | 38 | 1720.00 | 20 |

All dimensions in mm

**G-HOME**  
LED LIGHTING

When you think  
of a light, think  
**bigger**

**ARCO** | **PATIO**  
OUTDOOR WALL LIGHT | GARDEN LIGHT

OUTDOOR





ARCO

| ITEM CODE                            | POWER | COL.TEMP | PF   | DIMENSION | IP   | CUT. DIA. | CRI | ANGLE | MRP ₹   | PKG. |
|--------------------------------------|-------|----------|------|-----------|------|-----------|-----|-------|---------|------|
| <b>ARCO 01 - 2x5 Watt Wall Light</b> |       |          |      |           |      |           |     |       |         |      |
| GH21-2X5-3K                          | 2x5   | 3000K    | >0.5 | 125 x 82  | IP65 | -         | 85  | 38    | 1490.00 | 20   |
| GH21-2X5-3K-SN                       | 2x5   | 3000K    | >0.5 | 125 x 82  | IP65 | -         | 85  | 38    | 1690.00 | 20   |

**ARCO 02 - 3+6 Watt Wall Light**

|             |     |       |      |          |      |   |    |    |         |    |
|-------------|-----|-------|------|----------|------|---|----|----|---------|----|
| GH22-3+6-3K | 3+6 | 3000K | >0.5 | 170 x 81 | IP65 | - | 85 | 60 | 1590.00 | 50 |
|-------------|-----|-------|------|----------|------|---|----|----|---------|----|

**ARCO 03 - 12 Watt Wall Light**

|            |   |       |      |          |      |   |    |    |         |    |
|------------|---|-------|------|----------|------|---|----|----|---------|----|
| GH23-12-3K | 3 | 3000K | >0.5 | 210 x 55 | IP65 | - | 85 | 90 | 1790.00 | 20 |
|------------|---|-------|------|----------|------|---|----|----|---------|----|

**ARCO 04 - 5 Watt Wall Light**

|           |   |       |      |               |      |   |    |     |        |    |
|-----------|---|-------|------|---------------|------|---|----|-----|--------|----|
| GH24-5-3K | 5 | 3000K | >0.5 | 80 x 110 x 98 | IP65 | - | 70 | 110 | 800.00 | 20 |
|-----------|---|-------|------|---------------|------|---|----|-----|--------|----|

**ARCO 04 - 10 Watt Wall Light**

|             |    |       |      |               |      |   |    |     |         |    |
|-------------|----|-------|------|---------------|------|---|----|-----|---------|----|
| GH24-2X5-3K | 10 | 3000K | >0.5 | 80 x 170 x 92 | IP65 | - | 70 | 110 | 1800.00 | 20 |
|-------------|----|-------|------|---------------|------|---|----|-----|---------|----|

**ARCO 05 - 12 Watt Wall Light**

|            |    |       |      |                |      |   |    |     |         |    |
|------------|----|-------|------|----------------|------|---|----|-----|---------|----|
| GH26-12-3K | 12 | 3000K | >0.5 | 230 x 108 x 50 | IP65 | - | 70 | 110 | 1450.00 | 20 |
|------------|----|-------|------|----------------|------|---|----|-----|---------|----|

**ARCO 06 - 12 Watt Wall Light**

|            |    |       |      |                |      |   |    |     |         |    |
|------------|----|-------|------|----------------|------|---|----|-----|---------|----|
| GH27-12-3K | 12 | 3000K | >0.5 | 231 x 101 x 60 | IP65 | - | 70 | 110 | 1450.00 | 20 |
|------------|----|-------|------|----------------|------|---|----|-----|---------|----|

**ARCO 07 - 12 Watt Wall Light**

|            |    |       |      |                |      |   |    |     |         |    |
|------------|----|-------|------|----------------|------|---|----|-----|---------|----|
| GH28-12-3K | 12 | 3000K | >0.5 | 164 x 205 x 55 | IP65 | - | 70 | 110 | 1550.00 | 20 |
|------------|----|-------|------|----------------|------|---|----|-----|---------|----|

All dimensions in mm

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | IP | CUT.DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|----|----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|----|----------|-----|-------|-------|------|

**ARCO 08 - 12 Watt Wall Light**

|            |    |       |      |                |      |   |    |    |         |    |
|------------|----|-------|------|----------------|------|---|----|----|---------|----|
| GH29-12-3K | 12 | 3000K | >0.5 | 210 x 160 x 57 | IP65 | - | 70 | 45 | 1550.00 | 20 |
|------------|----|-------|------|----------------|------|---|----|----|---------|----|

**ARCO 09 - 5 Watt Wall Light - Round**

|         |   |       |      |              |      |   |    |    |        |    |
|---------|---|-------|------|--------------|------|---|----|----|--------|----|
| GH10000 | 5 | 3000K | >0.5 | 80 x 75 x 64 | IP65 | - | 80 | 45 | 780.00 | 50 |
|---------|---|-------|------|--------------|------|---|----|----|--------|----|

**ARCO 09 - 2 X 5 Watt Wall Light - Round**

|         |       |       |      |               |      |   |    |    |         |    |
|---------|-------|-------|------|---------------|------|---|----|----|---------|----|
| GH10001 | 2 x 5 | 3000K | >0.5 | 80 x 142 x 64 | IP65 | - | 80 | 45 | 1150.00 | 20 |
|---------|-------|-------|------|---------------|------|---|----|----|---------|----|

**ARCO 09 - 3 Watt Wall Light - Square**

|         |   |       |      |              |      |   |    |     |        |    |
|---------|---|-------|------|--------------|------|---|----|-----|--------|----|
| GH10002 | 3 | 3000K | >0.5 | 81 x 76 x 66 | IP65 | - | 80 | 110 | 650.00 | 50 |
|---------|---|-------|------|--------------|------|---|----|-----|--------|----|

**ARCO 09 - 2 X 3 Watt Wall Light - Square**

|         |       |       |      |               |      |   |    |     |        |    |
|---------|-------|-------|------|---------------|------|---|----|-----|--------|----|
| GH10003 | 2 x 3 | 3000K | >0.5 | 81 x 142 x 66 | IP65 | - | 80 | 110 | 870.00 | 20 |
|---------|-------|-------|------|---------------|------|---|----|-----|--------|----|

**STEP - 3 Watt Step Light**

|           |   |       |      |         |      |         |    |    |        |    |
|-----------|---|-------|------|---------|------|---------|----|----|--------|----|
| GH25-3-3K | 3 | 3000K | >0.5 | 85 x 85 | IP65 | 70 x 70 | 80 | 45 | 580.00 | 50 |
|-----------|---|-------|------|---------|------|---------|----|----|--------|----|

**STEP - 6 Watt Step Light**

|           |   |       |      |          |      |          |    |    |        |    |
|-----------|---|-------|------|----------|------|----------|----|----|--------|----|
| GH25-6-3K | 6 | 3000K | >0.5 | 180 x 85 | IP65 | 160 x 70 | 80 | 45 | 980.00 | 20 |
|-----------|---|-------|------|----------|------|----------|----|----|--------|----|



All dimensions in mm





## Giving you our best

GM has been extending innovative technology and luxury experiences for more than two decades. Our years of experience and expertise provide invaluable benefits for our production facility in Mumbai as well as in close co-operation with our global suppliers. It is of vital importance to us that we only work with suppliers that share our commitment to high quality. That is why our association has always been with talented, creative designers who have a responsible attitude towards design. And that is why we carefully select our suppliers so that we can work closely with them and supervise the whole production affair.

To achieve a perfect balance between carefully selected raw materials, beautiful design, functionality and good value is our moto. Every little piece, detail, line and material has been meticulously considered to ensure that the end result will work wonders in your home.

The entire GM product range catalogue can be found online on our website [www.gmmodule.com](http://www.gmmodule.com).

You can follow GM on Facebook, Twitter, Instagram, YouTube and LinkedIn.



PL LD SM JAN 21

gmmodular.com



AS ILLUMINATING  
AS THE SUN!

PRODUCTS AND  
PRICING MANUAL  
JAN | 2021



# DIS COVER ER





# DISCOVER NEW IDEAS EVERYDAY

Look through the enlightening discoveries  
offered to you over the years by our inventive LEDs.

**G-luxLED**  
G1 LED DOWN LIGHT

2015



2015

**G2020**  
LED PANEL LIGHT

**GZERO**  
SLIM LED PANEL LIGHT

2016





2017

XZORO  
SURFACE LIGHT

YOLO

SLIM PANEL LIGHT

2017



2018

GOCO  
SLIM PANEL LIGHT

G·LO

TRIMLESS DOWN LIGHT

2018





2019



LED TRACK LIGHT

**LATO**

LED TRACK LIGHT



2019

PHOCUS

CONVERTIBLE DOWN LIGHT



2020

G·L<sup>o</sup> AIR

TRIMLESS DOWN LIGHT

2020



**GM LED**



[www.gmmodular.com](http://www.gmmodular.com)

 **IGNITO** RECHARGEABLE  
LANTERNS

# BEING THE INSTRUMENT OF LIGHT!



Light in an aesthetical mould changes its behavior. It emits rays in an impressive manner and exudes artistic elegance, as a conclusion to the creative design. With inventive features it adds convenience to the lighting entity and further grants a refined upgrade to lifestyle with modernizing the spaces.



|                                                          |    |
|----------------------------------------------------------|----|
| ▪ G2020 Panel Light                                      | 01 |
| ▪ G2020 Surface Light                                    | 02 |
| ▪ GOCO Panel Light                                       | 03 |
| ▪ PHANTOM Down Light                                     | 04 |
| ▪ TABLA Down Light                                       | 05 |
| ▪ YOLO Slim Panel Light                                  | 06 |
| ▪ G-LO Trimless Down Light                               | 07 |
| ▪ STALO Down Light                                       | 08 |
| ▪ PLANO Ultra Slim Panel Light Round                     | 09 |
| ▪ PLANO Ultra Slim Panel Light Square                    | 10 |
| ▪ PLANO Surface Panel Light Round                        | 11 |
| ▪ PLANO Surface Panel Light Square                       | 12 |
| ▪ SENSO Sensor Panel Light Round                         | 12 |
| ▪ XZORO Surface Light                                    | 13 |
| ▪ G-LUX Series                                           | 14 |
| ▪ FALCON COB Down Light                                  | 18 |
| ▪ FIESTA COB Spot Light                                  | 19 |
| ▪ TROY COB Down Light                                    | 20 |
| ▪ CROY COB Down Light   ARA LED Ceiling Down Light       | 21 |
| ▪ DOME Wall Light   CHAPPIE Down Light                   | 21 |
| ▪ G90 COB Spot Light                                     | 22 |
| ▪ RANGOLI   RANGOLI PLUS Dual Light   PHOCUS Down Light  | 23 |
| ▪ TINO COB Down Light   G-TWIST Down Light               | 23 |
| ▪ SITO   OTIS   GATO   DOT Down Light                    | 24 |
| ▪ HELI COB Spot Light   TOYO   TISSO Deep Down Light     | 25 |
| ▪ G-LO AIR Trimless Down Light   G31 AIR COB Down Light  | 26 |
| ▪ G32 AIR COB Down Light   GLITZ Smart Bluetooth Bulb    | 27 |
| ▪ UV Sterilization Box / Cabinet / Bag / Wand            | 28 |
| ▪ DAZO   STRATO   ATMOS   ATLAS   CENTILO Tube Lights    | 29 |
| ▪ EXORA   LUXON   DUOS Tube Light                        | 30 |
| ▪ EVO Bulb                                               | 31 |
| ▪ EVO Emergency Bulb   EVO CANDLE LAMP   EVO Rocket Lamp | 32 |
| ▪ EVO Sensor Highbay Light   EVO Highbay   UFO Highbay   | 32 |
| ▪ IGNITO-1   IGNITO-2   IGNITO-3                         | 33 |
| ▪ GLO Bulb   GLO T-Bulb   INSTA Lamp                     | 34 |
| ▪ RADION   ZODION Strip Light                            | 35 |
| ▪ PRODION   ODION   KODION   TODION Strip Light          | 36 |
| ▪ LED DRIVERS                                            | 37 |
| ▪ FANON   XERON Neon Light   RAYON   NIYON Rope Light    | 38 |
| ▪ STREET Lights                                          | 39 |
| ▪ FLOOD Light                                            | 40 |
| ▪ GM-FL Foot Light   BLK-01   BLK-02 Bulkhead Light      | 41 |
| ▪ GM-WL-01   GM-WL-02   GM-WL-03 Wall Light              | 42 |
| ▪ GM-GL-01   GM-GL-02 Garden Light                       | 42 |
| ▪ SKY LAMP   SKY BRIGHT Flat Panels                      | 43 |
| ▪ SKY SQUARE Frame Panel Light                           | 43 |

|                  |    |
|------------------|----|
| ▪ PROFILE LIGHTS | 44 |
|------------------|----|

|                                          |    |
|------------------------------------------|----|
| ▪ FILO - Slim Panel Light Round          | 47 |
| ▪ FILO - Surface Ring                    | 48 |
| ▪ TWILITE Dual Panel Light               | 49 |
| ▪ ROCO Down Light   ARIO COB Down Light  | 50 |
| ▪ CENT Down Light   CENTO COB Down Light | 50 |
| ▪ NANO Spot Light                        | 51 |
| ▪ FESTO MINI COB Spot Light              | 51 |
| ▪ FESTO COB Spot Light                   | 52 |
| ▪ STRIKER Surface Down Light             | 53 |
| ▪ ROXX Surface Down Light Round          | 54 |
| ▪ ROXX Surface Down Light Square         | 55 |
| ▪ FOCUS Wall Light                       | 56 |
| ▪ PATIO Garden Light                     | 56 |
| ▪ ARCO Wall Light                        | 57 |
| ▪ STEP Light                             | 58 |

**G-HOME**  
LED

PROFILE  
LIGHTING

**G-HOME**  
LED LIGHTING



# C O N T E N T S




## LIGHT CARRIES MEMORIES!

Light inspires a blissful mood and boosts a soothing ambience that creates and reminds of good times. It holds the potential of transforming the atmosphere and becomes influential in crafting moments of contentment. Moreover, it transforms interiors with its dramatic appearances and grants the bliss of vibrant aesthetics.



# Get the BEST of both the worlds!

## B22 + DOWN LIGHT CONVERTIBLE



15w

EXCELLENT  
CRI

1  
YEAR  
WARRANTY

86%  
SAVINGS

Col.Temp: 3K/4K/6K/3in1



Cut.Dia.: Ø45 mm





DOWN  
LIGHT



**PHOCUS**

B22 LAMP / DOWN LIGHT

LIGHT  
TAKES  
YOU  TO  
LENGTHS



# DISTINCT design



With world's  
first modular  
detachable  
driver.

**G2020**  
Tomorrow >> today  
LED PANEL LIGHT

Energy  Saving



G2020

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|

**G2020 - 8 Watt Panel Light - Round**

|                  |   |       |      |          |     |    |     |        |    |
|------------------|---|-------|------|----------|-----|----|-----|--------|----|
| G20-8-3K-N-RC-RD | 8 | 3000K | >0.9 | 125 x 32 | 100 | 83 | 120 | 990.00 | 40 |
| G20-8-4K-N-RC-RD | 8 | 4000K | >0.9 | 125 x 32 | 100 | 83 | 120 | 990.00 | 40 |
| G20-8-6K-N-RC-RD | 8 | 6000K | >0.9 | 125 x 32 | 100 | 83 | 120 | 990.00 | 40 |

**G2020 - 12 Watt Panel Light - Round**

|                   |    |       |      |          |     |    |     |         |    |
|-------------------|----|-------|------|----------|-----|----|-----|---------|----|
| G20-12-3K-N-RC-RD | 12 | 3000K | >0.9 | 150 x 32 | 125 | 83 | 120 | 1200.00 | 40 |
| G20-12-4K-N-RC-RD | 12 | 4000K | >0.9 | 150 x 32 | 125 | 83 | 120 | 1200.00 | 40 |
| G20-12-6K-N-RC-RD | 12 | 6000K | >0.9 | 150 x 32 | 125 | 83 | 120 | 1200.00 | 40 |

**G2020 - 18 Watt Panel Light - Round**

|                   |    |       |      |          |     |    |     |         |    |
|-------------------|----|-------|------|----------|-----|----|-----|---------|----|
| G20-18-3K-N-RC-RD | 18 | 3000K | >0.9 | 175 x 32 | 150 | 83 | 120 | 1620.00 | 20 |
| G20-18-4K-N-RC-RD | 18 | 4000K | >0.9 | 175 x 32 | 150 | 83 | 120 | 1620.00 | 20 |
| G20-18-6K-N-RC-RD | 18 | 6000K | >0.9 | 175 x 32 | 150 | 83 | 120 | 1620.00 | 20 |

**G2020 - 25 Watt Panel Light - Round**

|                   |    |       |      |          |     |    |     |         |    |
|-------------------|----|-------|------|----------|-----|----|-----|---------|----|
| G20-25-3K-N-RC-RD | 25 | 3000K | >0.9 | 225 x 32 | 200 | 83 | 120 | 2200.00 | 20 |
| G20-25-4K-N-RC-RD | 25 | 4000K | >0.9 | 225 x 32 | 200 | 83 | 120 | 2200.00 | 20 |
| G20-25-6K-N-RC-RD | 25 | 6000K | >0.9 | 225 x 32 | 200 | 83 | 120 | 2200.00 | 20 |

**G2020 - 8 Watt Panel Light - Square**

|                  |   |       |      |          |           |    |     |        |    |
|------------------|---|-------|------|----------|-----------|----|-----|--------|----|
| G20-8-3K-N-RC-SQ | 8 | 3000K | >0.9 | 125 x 32 | 100 x 100 | 83 | 120 | 990.00 | 40 |
| G20-8-4K-N-RC-SQ | 8 | 4000K | >0.9 | 125 x 32 | 100 x 100 | 83 | 120 | 990.00 | 40 |
| G20-8-6K-N-RC-SQ | 8 | 6000K | >0.9 | 125 x 32 | 100 x 100 | 83 | 120 | 990.00 | 40 |

**G2020 - 12 Watt Panel Light - Square**

|                   |    |       |      |          |           |    |     |         |    |
|-------------------|----|-------|------|----------|-----------|----|-----|---------|----|
| G20-12-3K-N-RC-SQ | 12 | 3000K | >0.9 | 150 x 32 | 125 x 125 | 83 | 120 | 1200.00 | 40 |
| G20-12-4K-N-RC-SQ | 12 | 4000K | >0.9 | 150 x 32 | 125 x 125 | 83 | 120 | 1200.00 | 40 |
| G20-12-6K-N-RC-SQ | 12 | 6000K | >0.9 | 150 x 32 | 125 x 125 | 83 | 120 | 1200.00 | 40 |

**G2020 - 18 Watt Panel Light - Square**

|                   |    |       |      |          |           |    |     |         |    |
|-------------------|----|-------|------|----------|-----------|----|-----|---------|----|
| G20-18-3K-N-RC-SQ | 18 | 3000K | >0.9 | 175 x 32 | 150 x 150 | 83 | 120 | 1620.00 | 20 |
| G20-18-4K-N-RC-SQ | 18 | 4000K | >0.9 | 175 x 32 | 150 x 150 | 83 | 120 | 1620.00 | 20 |
| G20-18-6K-N-RC-SQ | 18 | 6000K | >0.9 | 175 x 32 | 150 x 150 | 83 | 120 | 1620.00 | 20 |

**G2020 - 25 Watt Panel Light - Square**

|                   |    |       |      |          |           |    |     |         |    |
|-------------------|----|-------|------|----------|-----------|----|-----|---------|----|
| G20-25-3K-N-RC-SQ | 25 | 3000K | >0.9 | 225 x 32 | 200 x 200 | 83 | 120 | 2200.00 | 20 |
| G20-25-4K-N-RC-SQ | 25 | 4000K | >0.9 | 225 x 32 | 200 x 200 | 83 | 120 | 2200.00 | 20 |
| G20-25-6K-N-RC-SQ | 25 | 6000K | >0.9 | 225 x 32 | 200 x 200 | 83 | 120 | 2200.00 | 20 |



All dimensions in mm





G2020

| ITEM CODE                                          | POWER | COL.TEMP | PF   | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹   | PKG. |
|----------------------------------------------------|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| <b>G2020 - 12 Watt Surface Panel Light - Round</b> |       |          |      |           |           |     |       |         |      |
| G20-12-3K-N-SF-RD                                  | 12    | 3000K    | >0.9 | 155 x 36  | -         | 83  | 120   | 1590.00 | 20   |
| G20-12-4K-N-SF-RD                                  | 12    | 4000K    | >0.9 | 155 x 36  | -         | 83  | 120   | 1590.00 | 20   |
| G20-12-6K-N-SF-RD                                  | 12    | 6000K    | >0.9 | 155 x 36  | -         | 83  | 120   | 1590.00 | 20   |

**G2020 - 18 Watt Surface Panel Light - Round**

|                   |    |       |      |          |   |    |     |         |    |
|-------------------|----|-------|------|----------|---|----|-----|---------|----|
| G20-18-3K-N-SF-RD | 18 | 3000K | >0.9 | 181 x 36 | - | 83 | 120 | 2150.00 | 20 |
| G20-18-4K-N-SF-RD | 18 | 4000K | >0.9 | 181 x 36 | - | 83 | 120 | 2150.00 | 20 |
| G20-18-6K-N-SF-RD | 18 | 6000K | >0.9 | 181 x 36 | - | 83 | 120 | 2150.00 | 20 |

**G2020 - 25 Watt Surface Panel Light - Round**

|                   |    |       |      |          |   |    |     |         |    |
|-------------------|----|-------|------|----------|---|----|-----|---------|----|
| G20-25-3K-N-SF-RD | 25 | 3000K | >0.9 | 229 x 36 | - | 83 | 120 | 2590.00 | 16 |
| G20-25-4K-N-SF-RD | 25 | 4000K | >0.9 | 229 x 36 | - | 83 | 120 | 2590.00 | 16 |
| G20-25-6K-N-SF-RD | 25 | 6000K | >0.9 | 229 x 36 | - | 83 | 120 | 2590.00 | 16 |

**G2020 - 12 Watt Surface Panel Light - Square**

|                   |    |       |      |          |   |    |     |         |    |
|-------------------|----|-------|------|----------|---|----|-----|---------|----|
| G20-12-3K-N-SF-SQ | 12 | 3000K | >0.9 | 155 x 36 | - | 83 | 120 | 1590.00 | 20 |
| G20-12-4K-N-SF-SQ | 12 | 4000K | >0.9 | 155 x 36 | - | 83 | 120 | 1590.00 | 20 |
| G20-12-6K-N-SF-SQ | 12 | 6000K | >0.9 | 155 x 36 | - | 83 | 120 | 1590.00 | 20 |

**G2020 - 18 Watt Surface Panel Light - Square**

|                   |    |       |      |          |   |    |     |         |    |
|-------------------|----|-------|------|----------|---|----|-----|---------|----|
| G20-18-3K-N-SF-SQ | 18 | 3000K | >0.9 | 181 x 36 | - | 83 | 120 | 2150.00 | 20 |
| G20-18-4K-N-SF-SQ | 18 | 4000K | >0.9 | 181 x 36 | - | 83 | 120 | 2150.00 | 20 |
| G20-18-6K-N-SF-SQ | 18 | 6000K | >0.9 | 181 x 36 | - | 83 | 120 | 2150.00 | 20 |

**G2020 - 25 Watt Surface Panel Light - Square**

|                   |    |       |      |          |   |    |     |         |    |
|-------------------|----|-------|------|----------|---|----|-----|---------|----|
| G20-25-3K-N-SF-SQ | 25 | 3000K | >0.9 | 229 x 36 | - | 83 | 120 | 2590.00 | 16 |
| G20-25-4K-N-SF-SQ | 25 | 4000K | >0.9 | 229 x 36 | - | 83 | 120 | 2590.00 | 16 |
| G20-25-6K-N-SF-SQ | 25 | 6000K | >0.9 | 229 x 36 | - | 83 | 120 | 2590.00 | 16 |

All dimensions in mm

# Twist in twist out



With world's  
first modular  
detachable  
driver.

#### GOCO LED PANEL LIGHT

The new generation GOCO LED is designed for high performance with an innovative detachable driver. The twist-in twist-out driver design makes installation easy with a complimenting look to any home/ office décor. The panel lights have a longer life span delivering high lumens per watt, thus emitting better light.

**GOCO**  
LED PANEL LIGHT





GOCO

| ITEM CODE                                | POWER | COL.TEMP | PF   | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹  | PKG. |
|------------------------------------------|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| <b>GOCO - 6 Watt Panel Light - Round</b> |       |          |      |           |           |     |       |        |      |
| GCO-6-3K-N-RC-RD                         | 6     | 3000K    | >0.9 | 119 x 28  | 100       | 83  | 120   | 710.00 | 40   |
| GCO-6-4K-N-RC-RD                         | 6     | 4000K    | >0.9 | 119 x 28  | 100       | 83  | 120   | 710.00 | 40   |
| GCO-6-6K-N-RC-RD                         | 6     | 6000K    | >0.9 | 119 x 28  | 100       | 83  | 120   | 710.00 | 40   |

**GOCO - 10 Watt Panel Light - Round**

|                   |    |       |      |          |     |    |     |        |    |
|-------------------|----|-------|------|----------|-----|----|-----|--------|----|
| GCO-10-3K-N-RC-RD | 10 | 3000K | >0.9 | 144 x 28 | 125 | 83 | 120 | 920.00 | 40 |
| GCO-10-4K-N-RC-RD | 10 | 4000K | >0.9 | 144 x 28 | 125 | 83 | 120 | 920.00 | 40 |
| GCO-10-6K-N-RC-RD | 10 | 6000K | >0.9 | 144 x 28 | 125 | 83 | 120 | 920.00 | 40 |

**GOCO - 15 Watt Panel Light - Round**

|                   |    |       |      |          |     |    |     |         |    |
|-------------------|----|-------|------|----------|-----|----|-----|---------|----|
| GCO-15-3K-N-RC-RD | 15 | 3000K | >0.9 | 169 x 28 | 150 | 83 | 120 | 1190.00 | 20 |
| GCO-15-4K-N-RC-RD | 15 | 4000K | >0.9 | 169 x 28 | 150 | 83 | 120 | 1190.00 | 20 |
| GCO-15-6K-N-RC-RD | 15 | 6000K | >0.9 | 169 x 28 | 150 | 83 | 120 | 1190.00 | 20 |

**GOCO - 22 Watt Panel Light - Round**

|                   |    |       |      |          |     |    |     |         |    |
|-------------------|----|-------|------|----------|-----|----|-----|---------|----|
| GCO-22-3K-N-RC-RD | 22 | 3000K | >0.9 | 219 x 28 | 200 | 83 | 120 | 1690.00 | 20 |
| GCO-22-4K-N-RC-RD | 22 | 4000K | >0.9 | 219 x 28 | 200 | 83 | 120 | 1690.00 | 20 |
| GCO-22-6K-N-RC-RD | 22 | 6000K | >0.9 | 219 x 28 | 200 | 83 | 120 | 1690.00 | 20 |

**GOCO - 6 Watt Panel Light - Square**

|                  |   |       |      |          |           |    |     |        |    |
|------------------|---|-------|------|----------|-----------|----|-----|--------|----|
| GCO-6-3K-N-RC-SQ | 6 | 3000K | >0.9 | 119 x 28 | 100 x 100 | 83 | 120 | 710.00 | 40 |
| GCO-6-4K-N-RC-SQ | 6 | 4000K | >0.9 | 119 x 28 | 100 x 100 | 83 | 120 | 710.00 | 40 |
| GCO-6-6K-N-RC-SQ | 6 | 6000K | >0.9 | 119 x 28 | 100 x 100 | 83 | 120 | 710.00 | 40 |

**GOCO - 10 Watt Panel Light - Square**

|                   |    |       |      |          |           |    |     |        |    |
|-------------------|----|-------|------|----------|-----------|----|-----|--------|----|
| GCO-10-3K-N-RC-SQ | 10 | 3000K | >0.9 | 144 x 28 | 125 x 125 | 83 | 120 | 920.00 | 40 |
| GCO-10-4K-N-RC-SQ | 10 | 4000K | >0.9 | 144 x 28 | 125 x 125 | 83 | 120 | 920.00 | 40 |
| GCO-10-6K-N-RC-SQ | 10 | 6000K | >0.9 | 144 x 28 | 125 x 125 | 83 | 120 | 920.00 | 40 |

**GOCO - 15 Watt Panel Light - Square**

|                   |    |       |      |          |           |    |     |         |    |
|-------------------|----|-------|------|----------|-----------|----|-----|---------|----|
| GCO-15-3K-N-RC-SQ | 15 | 3000K | >0.9 | 169 x 28 | 150 x 150 | 83 | 120 | 1190.00 | 20 |
| GCO-15-4K-N-RC-SQ | 15 | 4000K | >0.9 | 169 x 28 | 150 x 150 | 83 | 120 | 1190.00 | 20 |
| GCO-15-6K-N-RC-SQ | 15 | 6000K | >0.9 | 169 x 28 | 150 x 150 | 83 | 120 | 1190.00 | 20 |

**GOCO - 22 Watt Panel Light - Square**

|                   |    |       |      |          |           |    |     |         |    |
|-------------------|----|-------|------|----------|-----------|----|-----|---------|----|
| GCO-22-3K-N-RC-SQ | 22 | 3000K | >0.9 | 219 x 28 | 200 x 200 | 83 | 120 | 1690.00 | 20 |
| GCO-22-4K-N-RC-SQ | 22 | 4000K | >0.9 | 219 x 28 | 200 x 200 | 83 | 120 | 1690.00 | 20 |
| GCO-22-6K-N-RC-SQ | 22 | 6000K | >0.9 | 219 x 28 | 200 x 200 | 83 | 120 | 1690.00 | 20 |

All dimensions in mm

Glide through  
the newest  
entrant



10w | 15w | 20w

300K | 400K | 650K



phan  
tom

LED DOWN LIGHT

[www.gmmodular.com](http://www.gmmodular.com)


**PHANTOM**

| ITEM CODE                                   | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---------------------------------------------|-------|----------|----|-----------|-----------|-----|-------|-------|------|
| <b>PHANTOM - 10 Watt Down Light - Round</b> |       |          |    |           |           |     |       |       |      |

|           |    |       |      |          |     |    |     |         |    |
|-----------|----|-------|------|----------|-----|----|-----|---------|----|
| PHA-10-3K | 10 | 3000K | >0.9 | 118 X 52 | 100 | 80 | 120 | 1190.00 | 40 |
| PHA-10-4K | 10 | 4000K | >0.9 | 118 X 52 | 100 | 80 | 120 | 1190.00 | 40 |
| PHA-10-6K | 10 | 6000K | >0.9 | 118 X 52 | 100 | 80 | 120 | 1190.00 | 40 |

**PHANTOM - 15 Watt Down Light - Round**

|           |    |       |      |          |     |    |     |         |    |
|-----------|----|-------|------|----------|-----|----|-----|---------|----|
| PHA-15-3K | 15 | 3000K | >0.9 | 148 X 52 | 125 | 80 | 120 | 1590.00 | 30 |
| PHA-15-4K | 15 | 4000K | >0.9 | 148 X 52 | 125 | 80 | 120 | 1590.00 | 30 |
| PHA-15-6K | 15 | 6000K | >0.9 | 148 X 52 | 125 | 80 | 120 | 1590.00 | 30 |

**PHANTOM - 20 Watt Down Light - Round**

|           |    |       |      |          |     |    |     |         |    |
|-----------|----|-------|------|----------|-----|----|-----|---------|----|
| PHA-20-3K | 20 | 3000K | >0.9 | 178 X 56 | 150 | 80 | 120 | 2140.00 | 20 |
| PHA-20-4K | 20 | 4000K | >0.9 | 178 X 56 | 150 | 80 | 120 | 2140.00 | 20 |
| PHA-20-6K | 20 | 6000K | >0.9 | 178 X 56 | 150 | 80 | 120 | 2140.00 | 20 |

TABLA

**ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT.DIA. | CRI | ANGLE | MRP ₹ | PKG.**
**TABLA - 8 Watt Down Light - Round**

|         |   |       |      |          |     |    |     |        |    |
|---------|---|-------|------|----------|-----|----|-----|--------|----|
| GM 0451 | 8 | 3000K | >0.9 | 120 x 27 | 109 | 80 | 110 | 660.00 | 30 |
| GM 0450 | 8 | 4000K | >0.9 | 120 x 27 | 109 | 80 | 110 | 660.00 | 30 |
| GM 0449 | 8 | 6500K | >0.9 | 120 x 27 | 109 | 80 | 110 | 660.00 | 30 |


**TABLA - 15 Watt Down Light - Round**

|         |    |       |      |          |     |    |     |         |    |
|---------|----|-------|------|----------|-----|----|-----|---------|----|
| GM 0454 | 15 | 3000K | >0.9 | 172 x 27 | 159 | 80 | 110 | 1060.00 | 20 |
| GM 0453 | 15 | 4000K | >0.9 | 172 x 27 | 159 | 80 | 110 | 1060.00 | 20 |
| GM 0452 | 15 | 6500K | >0.9 | 172 x 27 | 159 | 80 | 110 | 1060.00 | 20 |


**TABLA - 22 Watt Down Light - Round**

|         |    |       |      |          |     |    |     |         |    |
|---------|----|-------|------|----------|-----|----|-----|---------|----|
| GM 0457 | 22 | 3000K | >0.9 | 227 x 27 | 215 | 80 | 110 | 1620.00 | 20 |
| GM 0456 | 22 | 4000K | >0.9 | 227 x 27 | 215 | 80 | 110 | 1620.00 | 20 |
| GM 0455 | 22 | 6500K | >0.9 | 227 x 27 | 215 | 80 | 110 | 1620.00 | 20 |


**TABLA - 8 Watt Down Light - Square**

|         |   |       |      |          |           |    |     |        |    |
|---------|---|-------|------|----------|-----------|----|-----|--------|----|
| GM 0463 | 8 | 3000K | >0.9 | 120 x 27 | 109 x 109 | 80 | 110 | 660.00 | 30 |
| GM 0462 | 8 | 4000K | >0.9 | 120 x 27 | 109 x 109 | 80 | 110 | 660.00 | 30 |
| GM 0461 | 8 | 6500K | >0.9 | 120 x 27 | 109 x 109 | 80 | 110 | 660.00 | 30 |

**TABLA - 15 Watt Down Light - Square**

|         |    |       |      |          |           |    |     |         |    |
|---------|----|-------|------|----------|-----------|----|-----|---------|----|
| GM 0466 | 15 | 3000K | >0.9 | 172 x 27 | 159 x 159 | 80 | 110 | 1060.00 | 20 |
| GM 0465 | 15 | 4000K | >0.9 | 172 x 27 | 159 x 159 | 80 | 110 | 1060.00 | 20 |
| GM 0464 | 15 | 6500K | >0.9 | 172 x 27 | 159 x 159 | 80 | 110 | 1060.00 | 20 |


**TABLA - 22 Watt Down Light - Square**

|         |    |       |      |          |           |    |     |         |    |
|---------|----|-------|------|----------|-----------|----|-----|---------|----|
| GM 0469 | 22 | 3000K | >0.9 | 227 x 27 | 215 x 215 | 80 | 110 | 1620.00 | 20 |
| GM 0468 | 22 | 4000K | >0.9 | 227 x 27 | 215 x 215 | 80 | 110 | 1620.00 | 20 |
| GM 0467 | 22 | 6500K | >0.9 | 227 x 27 | 215 x 215 | 80 | 110 | 1620.00 | 20 |

All dimensions in mm



# Slimmer, Lighter and POWERFUL

**86%**  
SAVINGS

  
EXCELLENT  
CRI

  
ANTI GLARE  
DIFFUSER

**97**  
LUMENS  
PER WATT

  
BETTER  
LUX LEVEL

  
LED LIFE UPTO  
50000 HOURS\*

  
BIS APPROVED



**YOLO**  
SLIM PANEL LIGHT

- Light shielding polycarbonate.
- High grade aluminium heat sink.
- Inbuilt driver withstand 85V to 400V.
- Anti depression glare.
- High quality LED Chip.
- PMMA diffuser gives high temperature performance and has excellent resistance to weather, it will not turn yellow.

**3**  
YEAR  
GUARANTEE

www.  
gmmodular  
.com

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|

**YOLO - 3 Watt Slim Panel Light - Round**

|                  |   |       |      |         |    |    |     |        |    |
|------------------|---|-------|------|---------|----|----|-----|--------|----|
| YLO-3-3K-N-RC-RD | 3 | 3000K | >0.5 | 93 x 28 | 75 | 80 | 120 | 350.00 | 60 |
| YLO-3-4K-N-RC-RD | 3 | 4000K | >0.5 | 93 x 28 | 75 | 80 | 120 | 350.00 | 60 |
| YLO-3-6K-N-RC-RD | 3 | 6000K | >0.5 | 93 x 28 | 75 | 80 | 120 | 350.00 | 60 |

**YOLO - 6 Watt Slim Panel Light - Round**

|                  |   |       |      |          |     |    |     |        |    |
|------------------|---|-------|------|----------|-----|----|-----|--------|----|
| YLO-6-3K-N-RC-RD | 6 | 3000K | >0.5 | 118 x 28 | 100 | 80 | 120 | 520.00 | 60 |
| YLO-6-4K-N-RC-RD | 6 | 4000K | >0.5 | 118 x 28 | 100 | 80 | 120 | 520.00 | 60 |
| YLO-6-6K-N-RC-RD | 6 | 6000K | >0.5 | 118 x 28 | 100 | 80 | 120 | 520.00 | 60 |

**YOLO - 10 Watt Slim Panel Light - Round**

|                   |    |       |      |          |     |    |     |        |    |
|-------------------|----|-------|------|----------|-----|----|-----|--------|----|
| YLO-10-3K-N-RC-RD | 10 | 3000K | >0.9 | 142 x 28 | 125 | 80 | 120 | 740.00 | 40 |
| YLO-10-4K-N-RC-RD | 10 | 4000K | >0.9 | 142 x 28 | 125 | 80 | 120 | 740.00 | 40 |
| YLO-10-6K-N-RC-RD | 10 | 6000K | >0.9 | 142 x 28 | 125 | 80 | 120 | 740.00 | 40 |

**YOLO - 15 Watt Slim Panel Light - Round**

|                   |    |       |      |          |     |    |     |        |    |
|-------------------|----|-------|------|----------|-----|----|-----|--------|----|
| YLO-15-3K-N-RC-RD | 15 | 3000K | >0.9 | 168 x 28 | 150 | 80 | 120 | 920.00 | 40 |
| YLO-15-4K-N-RC-RD | 15 | 4000K | >0.9 | 168 x 28 | 150 | 80 | 120 | 920.00 | 40 |
| YLO-15-6K-N-RC-RD | 15 | 6000K | >0.9 | 168 x 28 | 150 | 80 | 120 | 920.00 | 40 |

**YOLO - 20 Watt Slim Panel Light - Round**

|                   |    |       |      |          |     |    |     |         |    |
|-------------------|----|-------|------|----------|-----|----|-----|---------|----|
| YLO-20-3K-N-RC-RD | 20 | 3000K | >0.9 | 218 x 28 | 200 | 80 | 120 | 1300.00 | 20 |
| YLO-20-4K-N-RC-RD | 20 | 4000K | >0.9 | 218 x 28 | 200 | 80 | 120 | 1300.00 | 20 |
| YLO-20-6K-N-RC-RD | 20 | 6000K | >0.9 | 218 x 28 | 200 | 80 | 120 | 1300.00 | 20 |

**YOLO - 3 Watt Slim Panel Light - Square**

|                  |   |       |      |         |         |    |     |        |    |
|------------------|---|-------|------|---------|---------|----|-----|--------|----|
| YLO-3-3K-N-RC-SQ | 3 | 3000K | >0.5 | 93 x 28 | 75 x 75 | 80 | 120 | 350.00 | 60 |
| YLO-3-4K-N-RC-SQ | 3 | 4000K | >0.5 | 93 x 28 | 75 x 75 | 80 | 120 | 350.00 | 60 |
| YLO-3-6K-N-RC-SQ | 3 | 6000K | >0.5 | 93 x 28 | 75 x 75 | 80 | 120 | 350.00 | 60 |

**YOLO - 6 Watt Slim Panel Light - Square**

|                  |   |       |      |          |           |    |     |        |    |
|------------------|---|-------|------|----------|-----------|----|-----|--------|----|
| YLO-6-3K-N-RC-SQ | 6 | 3000K | >0.5 | 118 x 28 | 100 x 100 | 80 | 120 | 520.00 | 60 |
| YLO-6-4K-N-RC-SQ | 6 | 4000K | >0.5 | 118 x 28 | 100 x 100 | 80 | 120 | 520.00 | 60 |
| YLO-6-6K-N-RC-SQ | 6 | 6000K | >0.5 | 118 x 28 | 100 x 100 | 80 | 120 | 520.00 | 60 |

**YOLO - 10 Watt Slim Panel Light - Square**

|                   |    |       |      |          |           |    |     |        |    |
|-------------------|----|-------|------|----------|-----------|----|-----|--------|----|
| YLO-10-3K-N-RC-SQ | 10 | 3000K | >0.9 | 142 x 28 | 125 x 125 | 80 | 120 | 740.00 | 40 |
| YLO-10-4K-N-RC-SQ | 10 | 4000K | >0.9 | 142 x 28 | 125 x 125 | 80 | 120 | 740.00 | 40 |
| YLO-10-6K-N-RC-SQ | 10 | 6000K | >0.9 | 142 x 28 | 125 x 125 | 80 | 120 | 740.00 | 40 |

**YOLO - 15 Watt Slim Panel Light - Square**

|                   |    |       |      |          |           |    |     |        |    |
|-------------------|----|-------|------|----------|-----------|----|-----|--------|----|
| YLO-15-3K-N-RC-SQ | 15 | 3000K | >0.9 | 168 x 28 | 150 x 150 | 80 | 120 | 920.00 | 40 |
| YLO-15-4K-N-RC-SQ | 15 | 4000K | >0.9 | 168 x 28 | 150 x 150 | 80 | 120 | 920.00 | 40 |
| YLO-15-6K-N-RC-SQ | 15 | 6000K | >0.9 | 168 x 28 | 150 x 150 | 80 | 120 | 920.00 | 40 |

**YOLO - 20 Watt Slim Panel Light - Square**

|                   |    |       |      |          |           |    |     |         |    |
|-------------------|----|-------|------|----------|-----------|----|-----|---------|----|
| YLO-20-3K-N-RC-SQ | 20 | 3000K | >0.9 | 218 x 28 | 200 x 200 | 80 | 120 | 1300.00 | 20 |
| YLO-20-4K-N-RC-SQ | 20 | 4000K | >0.9 | 218 x 28 | 200 x 200 | 80 | 120 | 1300.00 | 20 |
| YLO-20-6K-N-RC-SQ | 20 | 6000K | >0.9 | 218 x 28 | 200 x 200 | 80 | 120 | 1300.00 | 20 |

All dimensions in mm







**G·LO**

TRIMLESS  
DOWN LIGHT

TRUELY TRIMLESS



**3**  
YEARS  
WARRANTY

**100**  
LUMENS  
PER WATT

**86%**  
SAVINGS

  
EXCELLENT  
CRI

  
LONG  
LIFE

G-LO

**ITEM CODE** | **POWER** | **COL.TEMP** | **PF** | **DIMENSION** | **CUT. DIA.** | **CRI** | **ANGLE** | **MRP ₹** | **PKG.****G-LO - 6 Watt Trimless Down Light - Round**

|                   |   |       |      |          |     |    |     |        |    |
|-------------------|---|-------|------|----------|-----|----|-----|--------|----|
| G-LO-6-3K-N-RC-RD | 6 | 3000K | >0.9 | 118 x 28 | 100 | 80 | 120 | 420.00 | 60 |
| G-LO-6-4K-N-RC-RD | 6 | 4000K | >0.9 | 118 x 28 | 100 | 80 | 120 | 420.00 | 60 |
| G-LO-6-6K-N-RC-RD | 6 | 6000K | >0.9 | 118 x 28 | 100 | 80 | 120 | 420.00 | 60 |

**G-LO - 10 Watt Trimless Down Light - Round**

|                    |    |       |      |          |     |    |     |        |    |
|--------------------|----|-------|------|----------|-----|----|-----|--------|----|
| G-LO-10-3K-N-RC-RD | 10 | 3000K | >0.9 | 150 x 28 | 125 | 80 | 120 | 710.00 | 40 |
| G-LO-10-4K-N-RC-RD | 10 | 4000K | >0.9 | 150 x 28 | 125 | 80 | 120 | 710.00 | 40 |
| G-LO-10-6K-N-RC-RD | 10 | 6000K | >0.9 | 150 x 28 | 125 | 80 | 120 | 710.00 | 40 |

**G-LO - 16 Watt Trimless Down Light - Round**

|                    |    |       |      |          |     |    |     |        |    |
|--------------------|----|-------|------|----------|-----|----|-----|--------|----|
| G-LO-16-3K-N-RC-RD | 16 | 3000K | >0.9 | 168 x 28 | 150 | 80 | 120 | 950.00 | 40 |
| G-LO-16-4K-N-RC-RD | 16 | 4000K | >0.9 | 168 x 28 | 150 | 80 | 120 | 950.00 | 40 |
| G-LO-16-6K-N-RC-RD | 16 | 6000K | >0.9 | 168 x 28 | 150 | 80 | 120 | 950.00 | 40 |

**G-LO - 22 Watt Trimless Down Light - Round**

|                    |    |       |      |          |     |    |     |         |    |
|--------------------|----|-------|------|----------|-----|----|-----|---------|----|
| G-LO-22-3K-N-RC-RD | 22 | 3000K | >0.9 | 218 x 28 | 200 | 80 | 120 | 1250.00 | 20 |
| G-LO-22-4K-N-RC-RD | 22 | 4000K | >0.9 | 218 x 28 | 200 | 80 | 120 | 1250.00 | 20 |
| G-LO-22-6K-N-RC-RD | 22 | 6000K | >0.9 | 218 x 28 | 200 | 80 | 120 | 1250.00 | 20 |

**G-LO - 6 Watt Trimless Down Light - Square**

|                   |   |       |      |          |           |    |     |        |    |
|-------------------|---|-------|------|----------|-----------|----|-----|--------|----|
| G-LO-6-3K-N-RC-SQ | 6 | 3000K | >0.9 | 118 x 28 | 100 x 100 | 80 | 120 | 420.00 | 60 |
| G-LO-6-4K-N-RC-SQ | 6 | 4000K | >0.9 | 118 x 28 | 100 x 100 | 80 | 120 | 420.00 | 60 |
| G-LO-6-6K-N-RC-SQ | 6 | 6000K | >0.9 | 118 x 28 | 100 x 100 | 80 | 120 | 420.00 | 60 |

**G-LO - 10 Watt Trimless Down Light - Square**

|                    |    |       |      |          |           |    |     |        |    |
|--------------------|----|-------|------|----------|-----------|----|-----|--------|----|
| G-LO-10-3K-N-RC-SQ | 10 | 3000K | >0.9 | 150 x 28 | 125 x 125 | 80 | 120 | 420.00 | 40 |
| G-LO-10-4K-N-RC-SQ | 10 | 4000K | >0.9 | 150 x 28 | 125 x 125 | 80 | 120 | 420.00 | 40 |
| G-LO-10-6K-N-RC-SQ | 10 | 6000K | >0.9 | 150 x 28 | 125 x 125 | 80 | 120 | 420.00 | 40 |

**G-LO - 16 Watt Trimless Down Light - Square**

|                    |    |       |      |          |           |    |     |        |    |
|--------------------|----|-------|------|----------|-----------|----|-----|--------|----|
| G-LO-16-3K-N-RC-SQ | 16 | 3000K | >0.9 | 168 x 28 | 150 x 150 | 80 | 120 | 950.00 | 40 |
| G-LO-16-4K-N-RC-SQ | 16 | 4000K | >0.9 | 168 x 28 | 150 x 150 | 80 | 120 | 950.00 | 40 |
| G-LO-16-6K-N-RC-SQ | 16 | 6000K | >0.9 | 168 x 28 | 150 x 150 | 80 | 120 | 950.00 | 40 |

**G-LO - 22 Watt Trimless Down Light - Square**

|                    |    |       |      |          |           |    |     |         |    |
|--------------------|----|-------|------|----------|-----------|----|-----|---------|----|
| G-LO-22-3K-N-RC-SQ | 22 | 3000K | >0.9 | 218 x 28 | 200 x 200 | 80 | 120 | 1250.00 | 20 |
| G-LO-22-4K-N-RC-SQ | 22 | 4000K | >0.9 | 218 x 28 | 200 x 200 | 80 | 120 | 1250.00 | 20 |
| G-LO-22-6K-N-RC-SQ | 22 | 6000K | >0.9 | 218 x 28 | 200 x 200 | 80 | 120 | 1250.00 | 20 |



All dimensions in mm



IT'S A BRIGHT DAY  
ANY TIME OF  
THE DAY



**STALO**  
LED DOWN LIGHT

100  
Lumens  
per Watt

Eco  
Friendly

Excellent  
CRI

Long  
Life



STALO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|

**STALO - 10 Watt Down Light**

|                 |    |       |      |          |    |    |     |        |    |
|-----------------|----|-------|------|----------|----|----|-----|--------|----|
| STA-10-3K-RC-RD | 10 | 3000K | >0.9 | 110 x 30 | 75 | 80 | 120 | 670.00 | 40 |
| STA-10-4K-RC-RD | 10 | 4000K | >0.9 | 110 x 30 | 75 | 80 | 120 | 670.00 | 40 |
| STA-10-6K-RC-RD | 10 | 6000K | >0.9 | 110 x 30 | 75 | 80 | 120 | 670.00 | 40 |

**STALO - 15 Watt Down Light**

|                 |    |       |      |          |     |    |     |        |    |
|-----------------|----|-------|------|----------|-----|----|-----|--------|----|
| STA-15-3K-RC-RD | 15 | 3000K | >0.9 | 145 x 30 | 125 | 80 | 120 | 870.00 | 40 |
| STA-15-4K-RC-RD | 15 | 4000K | >0.9 | 145 x 30 | 125 | 80 | 120 | 870.00 | 40 |
| STA-15-6K-RC-RD | 15 | 6000K | >0.9 | 145 x 30 | 125 | 80 | 120 | 870.00 | 40 |

**STALO - 20 Watt Down Light**


|                 |    |       |      |          |     |    |     |         |    |
|-----------------|----|-------|------|----------|-----|----|-----|---------|----|
| STA-20-3K-RC-RD | 20 | 3000K | >0.9 | 170 x 30 | 150 | 80 | 120 | 1100.00 | 20 |
| STA-20-4K-RC-RD | 20 | 4000K | >0.9 | 170 x 30 | 150 | 80 | 120 | 1100.00 | 20 |
| STA-20-6K-RC-RD | 20 | 6000K | >0.9 | 170 x 30 | 150 | 80 | 120 | 1100.00 | 20 |



All dimensions in mm







LIGHT is a guiding  
FORCE



Light gives a sense of fulfilment. It fills you with immense joy and makes you content. The LED lights attempt to keep you close to the nature by being eco-friendly. Their efficient functionality serves the purpose exceedingly well and engaging appearance effectively holds attention. They make each day worth living and full of new experiences.






**PLANO**

| ITEM CODE                                            | POWER | COL.TEMP | PF   | DIMENSION | CUT.DIA. | CRI | ANGLE | MRP ₹  | PKG. |
|------------------------------------------------------|-------|----------|------|-----------|----------|-----|-------|--------|------|
| <b>PLANO - 3 Watt Ultra Slim Panel Light - Round</b> |       |          |      |           |          |     |       |        |      |
| GM 0235                                              | 3     | 3000K    | >0.5 | 90 x 25   | 75       | 80  | 120   | 350.00 | 100  |
| GM 0234                                              | 3     | 4000K    | >0.5 | 90 x 25   | 75       | 80  | 120   | 350.00 | 100  |
| GM 0233                                              | 3     | 6500K    | >0.5 | 90 x 25   | 75       | 80  | 120   | 350.00 | 100  |
| GM 0317                                              | 3     | RED      | >0.5 | 90 x 25   | 75       | 80  | 120   | 350.00 | 100  |
| GM 0318                                              | 3     | GREEN    | >0.5 | 90 x 25   | 75       | 80  | 120   | 350.00 | 100  |
| GM 0319                                              | 3     | BLUE     | >0.5 | 90 x 25   | 75       | 80  | 120   | 350.00 | 100  |



|                                                      |   |       |      |          |     |    |     |        |    |
|------------------------------------------------------|---|-------|------|----------|-----|----|-----|--------|----|
| <b>PLANO - 6 Watt Ultra Slim Panel Light - Round</b> |   |       |      |          |     |    |     |        |    |
| GM 0238                                              | 6 | 3000K | >0.5 | 126 x 25 | 110 | 80 | 120 | 530.00 | 40 |
| GM 0237                                              | 6 | 4000K | >0.5 | 126 x 25 | 110 | 80 | 120 | 530.00 | 40 |
| GM 0236                                              | 6 | 6500K | >0.5 | 126 x 25 | 110 | 80 | 120 | 530.00 | 40 |



|                                                       |    |       |      |          |     |    |     |        |    |
|-------------------------------------------------------|----|-------|------|----------|-----|----|-----|--------|----|
| <b>PLANO - 12 Watt Ultra Slim Panel Light - Round</b> |    |       |      |          |     |    |     |        |    |
| GM 0241                                               | 12 | 3000K | >0.9 | 178 x 25 | 155 | 80 | 120 | 790.00 | 30 |
| GM 0240                                               | 12 | 4000K | >0.9 | 178 x 25 | 155 | 80 | 120 | 790.00 | 30 |
| GM 0239                                               | 12 | 6500K | >0.9 | 178 x 25 | 155 | 80 | 120 | 790.00 | 30 |



|                                                       |    |       |      |          |     |    |     |        |    |
|-------------------------------------------------------|----|-------|------|----------|-----|----|-----|--------|----|
| <b>PLANO - 15 Watt Ultra Slim Panel Light - Round</b> |    |       |      |          |     |    |     |        |    |
| GM 0244                                               | 15 | 3000K | >0.9 | 190 x 25 | 180 | 80 | 120 | 870.00 | 20 |
| GM 0243                                               | 15 | 4000K | >0.9 | 190 x 25 | 180 | 80 | 120 | 870.00 | 20 |
| GM 0242                                               | 15 | 6500K | >0.9 | 190 x 25 | 180 | 80 | 120 | 870.00 | 20 |



|                                                       |    |       |      |          |     |    |     |         |    |
|-------------------------------------------------------|----|-------|------|----------|-----|----|-----|---------|----|
| <b>PLANO - 18 Watt Ultra Slim Panel Light - Round</b> |    |       |      |          |     |    |     |         |    |
| GM 0247                                               | 18 | 3000K | >0.9 | 225 x 25 | 210 | 80 | 120 | 1130.00 | 20 |
| GM 0246                                               | 18 | 4000K | >0.9 | 225 x 25 | 210 | 80 | 120 | 1130.00 | 20 |
| GM 0245                                               | 18 | 6500K | >0.9 | 225 x 25 | 210 | 80 | 120 | 1130.00 | 20 |

|                                                       |    |       |      |          |     |    |     |         |    |
|-------------------------------------------------------|----|-------|------|----------|-----|----|-----|---------|----|
| <b>PLANO - 24 Watt Ultra Slim Panel Light - Round</b> |    |       |      |          |     |    |     |         |    |
| GM 0388                                               | 24 | 3000K | >0.9 | 300 x 25 | 285 | 80 | 120 | 1650.00 | 10 |
| GM 0387                                               | 24 | 4000K | >0.9 | 300 x 25 | 285 | 80 | 120 | 1650.00 | 10 |
| GM 0386                                               | 24 | 6500K | >0.9 | 300 x 25 | 285 | 80 | 120 | 1650.00 | 10 |

All dimensions in mm

PLANO

**ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT.DIA. | CRI | ANGLE | MRP ₹ | PKG.**  
**PLANO - 3 Watt Ultra Slim Panel Light - Square**

|         |   |       |      |         |         |    |     |        |     |
|---------|---|-------|------|---------|---------|----|-----|--------|-----|
| GM 0250 | 3 | 3000K | >0.5 | 90 x 25 | 75 x 75 | 80 | 120 | 350.00 | 100 |
| GM 0249 | 3 | 4000K | >0.5 | 90 x 25 | 75 x 75 | 80 | 120 | 350.00 | 100 |
| GM 0248 | 3 | 6500K | >0.5 | 90 x 25 | 75 x 75 | 80 | 120 | 350.00 | 100 |
| GM 0320 | 3 | RED   | >0.5 | 90 x 25 | 75 x 75 | 80 | 120 | 350.00 | 100 |
| GM 0321 | 3 | GREEN | >0.5 | 90 x 25 | 75 x 75 | 80 | 120 | 350.00 | 100 |
| GM 0322 | 3 | BLUE  | >0.5 | 90 x 25 | 75 x 75 | 80 | 120 | 350.00 | 100 |


**PLANO - 6 Watt Ultra Slim Panel Light - Square**

|         |   |       |      |          |           |    |     |        |    |
|---------|---|-------|------|----------|-----------|----|-----|--------|----|
| GM 0253 | 6 | 3000K | >0.5 | 126 x 25 | 110 x 110 | 80 | 120 | 530.00 | 40 |
| GM 0252 | 6 | 4000K | >0.5 | 126 x 25 | 110 x 110 | 80 | 120 | 530.00 | 40 |
| GM 0251 | 6 | 6500K | >0.5 | 126 x 25 | 110 x 110 | 80 | 120 | 530.00 | 40 |


**PLANO - 12 Watt Ultra Slim Panel Light - Square**

|         |    |       |      |          |           |    |     |        |    |
|---------|----|-------|------|----------|-----------|----|-----|--------|----|
| GM 0256 | 12 | 3000K | >0.9 | 178 x 25 | 155 x 155 | 80 | 120 | 790.00 | 30 |
| GM 0255 | 12 | 4000K | >0.9 | 178 x 25 | 155 x 155 | 80 | 120 | 790.00 | 30 |
| GM 0254 | 12 | 6500K | >0.9 | 178 x 25 | 155 x 155 | 80 | 120 | 790.00 | 30 |


**PLANO - 15 Watt Ultra Slim Panel Light - Square**

|         |    |       |      |          |           |    |     |        |    |
|---------|----|-------|------|----------|-----------|----|-----|--------|----|
| GM 0259 | 15 | 3000K | >0.9 | 190 x 25 | 180 x 180 | 80 | 120 | 870.00 | 20 |
| GM 0258 | 15 | 4000K | >0.9 | 190 x 25 | 180 x 180 | 80 | 120 | 870.00 | 20 |
| GM 0257 | 15 | 6500K | >0.9 | 190 x 25 | 180 x 180 | 80 | 120 | 870.00 | 20 |


**PLANO - 18 Watt Ultra Slim Panel Light - Square**

|         |    |       |      |          |           |    |     |         |    |
|---------|----|-------|------|----------|-----------|----|-----|---------|----|
| GM 0262 | 18 | 3000K | >0.9 | 225 x 25 | 210 x 210 | 80 | 120 | 1130.00 | 20 |
| GM 0261 | 18 | 4000K | >0.9 | 225 x 25 | 210 x 210 | 80 | 120 | 1130.00 | 20 |
| GM 0260 | 18 | 6500K | >0.9 | 225 x 25 | 210 x 210 | 80 | 120 | 1130.00 | 20 |


**PLANO - 24 Watt Ultra Slim Panel Light - Square**

|         |    |       |      |          |           |    |     |         |    |
|---------|----|-------|------|----------|-----------|----|-----|---------|----|
| GM 0391 | 24 | 3000K | >0.9 | 300 x 25 | 285 x 285 | 80 | 120 | 1650.00 | 10 |
| GM 0390 | 24 | 4000K | >0.9 | 300 x 25 | 285 x 285 | 80 | 120 | 1650.00 | 10 |
| GM 0389 | 24 | 6500K | >0.9 | 300 x 25 | 285 x 285 | 80 | 120 | 1650.00 | 10 |



All dimensions in mm





PLANO

| ITEM CODE                                         | POWER | COL.TEMP | PF   | DIMENSION | CUT.DIA. | CRI | ANGLE | MRP ₹  | PKG. |
|---------------------------------------------------|-------|----------|------|-----------|----------|-----|-------|--------|------|
| <b>PLANO - 5 Watt Surface Panel Light - Round</b> |       |          |      |           |          |     |       |        |      |
| GM 0265                                           | 5     | 3000K    | >0.5 | 95 x 35   | -        | 80  | 120   | 570.00 | 60   |
| GM 0264                                           | 5     | 4000K    | >0.5 | 95 x 35   | -        | 80  | 120   | 570.00 | 60   |
| GM 0263                                           | 5     | 6500K    | >0.5 | 95 x 35   | -        | 80  | 120   | 570.00 | 60   |

**PLANO - 8 Watt Surface Panel Light - Round**

|         |   |       |      |          |   |    |     |        |    |
|---------|---|-------|------|----------|---|----|-----|--------|----|
| GM 0268 | 8 | 3000K | >0.5 | 130 x 33 | - | 80 | 120 | 730.00 | 45 |
| GM 0267 | 8 | 4000K | >0.5 | 130 x 33 | - | 80 | 120 | 730.00 | 45 |
| GM 0266 | 8 | 6500K | >0.5 | 130 x 33 | - | 80 | 120 | 730.00 | 45 |

**PLANO - 16 Watt Surface Panel Light - Round**

|         |    |       |      |          |   |    |     |         |    |
|---------|----|-------|------|----------|---|----|-----|---------|----|
| GM 0271 | 16 | 3000K | >0.9 | 180 x 33 | - | 80 | 120 | 1290.00 | 20 |
| GM 0270 | 16 | 4000K | >0.9 | 180 x 33 | - | 80 | 120 | 1290.00 | 20 |
| GM 0269 | 16 | 6500K | >0.9 | 180 x 33 | - | 80 | 120 | 1290.00 | 20 |

**PLANO - 22 Watt Surface Panel Light - Round**

|         |    |       |      |          |   |    |     |         |    |
|---------|----|-------|------|----------|---|----|-----|---------|----|
| GM 0274 | 22 | 3000K | >0.9 | 227 x 37 | - | 80 | 120 | 1960.00 | 10 |
| GM 0273 | 22 | 4000K | >0.9 | 227 x 37 | - | 80 | 120 | 1960.00 | 10 |
| GM 0272 | 22 | 6500K | >0.9 | 227 x 37 | - | 80 | 120 | 1960.00 | 10 |

**PLANO - 30 Watt Surface Panel Light - Round**

|         |    |       |      |          |   |    |     |         |    |
|---------|----|-------|------|----------|---|----|-----|---------|----|
| GM 0277 | 30 | 3000K | >0.9 | 273 x 37 | - | 80 | 120 | 2430.00 | 10 |
| GM 0276 | 30 | 4000K | >0.9 | 273 x 37 | - | 80 | 120 | 2430.00 | 10 |
| GM 0275 | 30 | 6500K | >0.9 | 273 x 37 | - | 80 | 120 | 2430.00 | 10 |

**PLANO - 5 Watt Surface Panel Light - Square**

|         |   |       |      |         |   |    |     |        |    |
|---------|---|-------|------|---------|---|----|-----|--------|----|
| GM 0280 | 5 | 3000K | >0.5 | 96 x 96 | - | 80 | 120 | 570.00 | 60 |
| GM 0279 | 5 | 4000K | >0.5 | 96 x 96 | - | 80 | 120 | 570.00 | 60 |
| GM 0278 | 5 | 6500K | >0.5 | 96 x 96 | - | 80 | 120 | 570.00 | 60 |

**PLANO - 8 Watt Surface Panel Light - Square**

|         |   |       |      |           |   |    |     |        |    |
|---------|---|-------|------|-----------|---|----|-----|--------|----|
| GM 0283 | 8 | 3000K | >0.5 | 127 x 127 | - | 80 | 120 | 730.00 | 45 |
| GM 0282 | 8 | 4000K | >0.5 | 127 x 127 | - | 80 | 120 | 730.00 | 45 |
| GM 0281 | 8 | 6500K | >0.5 | 127 x 127 | - | 80 | 120 | 730.00 | 45 |

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT.DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|----------|-----|-------|-------|------|

**PLANO - 16 Watt Surface Panel Light - Square**

|         |    |       |      |           |   |    |     |         |    |
|---------|----|-------|------|-----------|---|----|-----|---------|----|
| GM 0286 | 16 | 3000K | >0.9 | 176 x 176 | - | 80 | 120 | 1290.00 | 20 |
| GM 0285 | 16 | 4000K | >0.9 | 176 x 176 | - | 80 | 120 | 1290.00 | 20 |
| GM 0284 | 16 | 6500K | >0.9 | 176 x 176 | - | 80 | 120 | 1290.00 | 20 |

**PLANO - 22 Watt Surface Panel Light - Square**

|         |    |       |      |           |   |    |     |         |    |
|---------|----|-------|------|-----------|---|----|-----|---------|----|
| GM 0289 | 22 | 3000K | >0.9 | 226 x 226 | - | 80 | 120 | 1960.00 | 10 |
| GM 0288 | 22 | 4000K | >0.9 | 226 x 226 | - | 80 | 120 | 1960.00 | 10 |
| GM 0287 | 22 | 6500K | >0.9 | 226 x 226 | - | 80 | 120 | 1960.00 | 10 |

**PLANO - 30 Watt Surface Panel Light - Square**

|         |    |       |      |           |   |    |     |         |    |
|---------|----|-------|------|-----------|---|----|-----|---------|----|
| GM 0292 | 30 | 3000K | >0.9 | 273 x 273 | - | 80 | 120 | 2430.00 | 10 |
| GM 0291 | 30 | 4000K | >0.9 | 273 x 273 | - | 80 | 120 | 2430.00 | 10 |
| GM 0290 | 30 | 6500K | >0.9 | 273 x 273 | - | 80 | 120 | 2430.00 | 10 |



SENSOR  
PANEL LIGHT

MICROWAVE

LIVE  
TOUCHLESS!

Motion Detection Microwave Sensor for rooms, passages, balconies, hallways & parking areas.

GM LED



Choose your ambience

Cool White : Neutral White : Warm White



INBUILT  
MOTION SENSOR



2  
YEARS  
WARRANTY



EXCELLENT  
CRI



100  
LUMEN  
PER WATT



86%  
SAVINGS



WARM TO  
COOL

SENSO) SENSOR  
PANEL LIGHT

SENSO

**SENSO - 18 Watt Sensor Panel Light - Round**

|          |    |      |      |            |   |    |     |         |    |
|----------|----|------|------|------------|---|----|-----|---------|----|
| GM 10021 | 18 | 3in1 | >0.9 | 220 x 18.8 | - | 80 | 120 | 2100.00 | 40 |
|----------|----|------|------|------------|---|----|-----|---------|----|



All dimensions in mm



50%  
Energy Saving  
over CFLs



ZERO  
maintenance



4 times more  
life over CFLs



ZERO  
Mercury



CE | RoHS



IP20



12

# A DESIGN YOU WILL LOVE TO CURATE



3  
YEARS  
WARRANTY

86%  
SAVINGS

100  
LUMENS  
PER WATT

LONG LIFE

ROBUST  
DESIGN

EXCELLENT  
CRI

## XZORO

SURFACE LIGHT



Replacement  
of Angle &  
Batten Holder

[www.gmmodular.com](http://www.gmmodular.com)





| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT.DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|----------|-----|-------|-------|------|

XZORO

**XZORO - 7 Watt Surface Light - Round**

|                  |   |       |      |         |   |    |     |        |    |
|------------------|---|-------|------|---------|---|----|-----|--------|----|
| XZO-7-3K-N-SF-RD | 7 | 3000K | >0.9 | 85 x 47 | - | 83 | 120 | 460.00 | 60 |
| XZO-7-4K-N-SF-RD | 7 | 4000K | >0.9 | 85 x 47 | - | 83 | 120 | 460.00 | 60 |
| XZO-7-6K-N-SF-RD | 7 | 6000K | >0.9 | 85 x 47 | - | 83 | 120 | 460.00 | 60 |

**XZORO - 9 Watt Surface Light - Round**

|                  |   |       |      |          |   |    |     |        |    |
|------------------|---|-------|------|----------|---|----|-----|--------|----|
| XZO-9-3K-N-SF-RD | 9 | 3000K | >0.9 | 110 x 47 | - | 83 | 120 | 590.00 | 40 |
| XZO-9-4K-N-SF-RD | 9 | 4000K | >0.9 | 110 x 47 | - | 83 | 120 | 590.00 | 40 |
| XZO-9-6K-N-SF-RD | 9 | 6000K | >0.9 | 110 x 47 | - | 83 | 120 | 590.00 | 40 |


**XZORO - 12 Watt Surface Light - Round**

|                   |    |       |      |          |   |    |     |        |    |
|-------------------|----|-------|------|----------|---|----|-----|--------|----|
| XZO-12-3K-N-SF-RD | 12 | 3000K | >0.9 | 135 x 47 | - | 83 | 120 | 710.00 | 40 |
| XZO-12-4K-N-SF-RD | 12 | 4000K | >0.9 | 135 x 47 | - | 83 | 120 | 710.00 | 40 |
| XZO-12-6K-N-SF-RD | 12 | 6000K | >0.9 | 135 x 47 | - | 83 | 120 | 710.00 | 40 |

**XZORO - 20 Watt Surface Light - Round**

|                   |    |       |      |          |   |    |     |         |    |
|-------------------|----|-------|------|----------|---|----|-----|---------|----|
| XZO-20-3K-N-SF-RD | 20 | 3000K | >0.9 | 185 x 51 | - | 83 | 120 | 1340.00 | 20 |
| XZO-20-4K-N-SF-RD | 20 | 4000K | >0.9 | 185 x 51 | - | 83 | 120 | 1340.00 | 20 |
| XZO-20-6K-N-SF-RD | 20 | 6000K | >0.9 | 185 x 51 | - | 83 | 120 | 1340.00 | 20 |





THE BEST **3 IN 1** SURFACE LIGHT IN TOWN



**3in1**

**XZORO**  
SURFACE LIGHT

3 YEARS WARRANTY

86% SAVINGS

100 LUMENS PER WATT

LONG LIFE

ROBUST DESIGN

EXCELLENT CRI

www.gmintodular.com

XZORO 3in1

**XZORO - 3in1 Surface Light - Round**

|                     |    |      |      |          |   |    |     |         |    |
|---------------------|----|------|------|----------|---|----|-----|---------|----|
| XZO-7-3in1-N-SF-RD  | 7  | 3in1 | >0.9 | 85 x 47  | - | 83 | 120 | 625.00  | 60 |
| XZO-9-3in1-N-SF-RD  | 9  | 3in1 | >0.9 | 110 x 47 | - | 83 | 120 | 800.00  | 40 |
| XZO-12-3in1-N-SF-RD | 12 | 3in1 | >0.9 | 135 x 47 | - | 83 | 120 | 960.00  | 40 |
| XZO-20-3in1-N-SF-RD | 20 | 3in1 | >0.9 | 185 x 51 | - | 83 | 120 | 1800.00 | 20 |



All dimensions in mm



| ITEM CODE                                                                  | POWER | COL.TEMP | PF   | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹   | PKG. |
|----------------------------------------------------------------------------|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| <b>G-LUX G1 LED - 4.5 Watt Non Dimmable with Substitutable Head+Driver</b> |       |          |      |           |           |     |       |         |      |
| G1-4.5-3K-N                                                                | 4.5   | 3000K    | >0.9 | 94 x 75   | 75 - 80   | 85  | 60    | 1010.00 | 50   |
| G1-4.5-4K-N                                                                | 4.5   | 4000K    | >0.9 | 94 x 75   | 75 - 80   | 85  | 60    | 1010.00 | 50   |
| G1-4.5-6K-N                                                                | 4.5   | 6000K    | >0.9 | 94 x 75   | 75 - 80   | 85  | 60    | 1010.00 | 50   |

|                                                                        |     |       |       |         |         |    |    |         |    |
|------------------------------------------------------------------------|-----|-------|-------|---------|---------|----|----|---------|----|
| <b>G-LUX G1 LED - 4.5 Watt Dimmable with Substitutable Head+Driver</b> |     |       |       |         |         |    |    |         |    |
| G1-4.5-3K-D                                                            | 4.5 | 3000K | >0.56 | 94 x 75 | 75 - 80 | 85 | 60 | 1180.00 | 50 |
| G1-4.5-6K-D                                                            | 4.5 | 6000K | >0.56 | 94 x 75 | 75 - 80 | 85 | 60 | 1180.00 | 50 |

|                                                                            |     |       |      |         |         |    |    |         |    |
|----------------------------------------------------------------------------|-----|-------|------|---------|---------|----|----|---------|----|
| <b>G-LUX G2 LED - 6.5 Watt Non Dimmable with Substitutable Head+Driver</b> |     |       |      |         |         |    |    |         |    |
| G2-6.5-3K-N                                                                | 6.5 | 3000K | >0.9 | 94 x 75 | 75 - 80 | 80 | 38 | 1130.00 | 50 |
| G2-6.5-4K-N                                                                | 6.5 | 4000K | >0.9 | 94 x 75 | 75 - 80 | 80 | 38 | 1130.00 | 50 |
| G2-6.5-6K-N                                                                | 6.5 | 6000K | >0.9 | 94 x 75 | 75 - 80 | 80 | 38 | 1130.00 | 50 |

|                                                                        |     |       |       |         |         |    |    |         |    |
|------------------------------------------------------------------------|-----|-------|-------|---------|---------|----|----|---------|----|
| <b>G-LUX G2 LED - 5.5 Watt Dimmable with Substitutable Head+Driver</b> |     |       |       |         |         |    |    |         |    |
| G2-5.5-3K-D                                                            | 5.5 | 3000K | >0.56 | 94 x 75 | 75 - 80 | 80 | 38 | 1320.00 | 50 |
| G2-5.5-4K-D                                                            | 5.5 | 4000K | >0.56 | 94 x 75 | 75 - 80 | 80 | 38 | 1320.00 | 50 |
| G2-5.5-6K-D                                                            | 5.5 | 6000K | >0.56 | 94 x 75 | 75 - 80 | 80 | 38 | 1320.00 | 50 |

|                                             |     |       |      |         |         |    |     |        |    |
|---------------------------------------------|-----|-------|------|---------|---------|----|-----|--------|----|
| <b>G-LUX G3 LED - 6.5 Watt Non Dimmable</b> |     |       |      |         |         |    |     |        |    |
| G3-6.5-3K-N                                 | 6.5 | 3000K | >0.9 | 94 x 75 | 75 - 80 | 83 | 100 | 890.00 | 50 |
| G3-6.5-4K-N                                 | 6.5 | 4000K | >0.9 | 94 x 75 | 75 - 80 | 83 | 100 | 890.00 | 50 |
| G3-6.5-6K-N                                 | 6.5 | 6000K | >0.9 | 94 x 75 | 75 - 80 | 83 | 100 | 890.00 | 50 |

|                                         |     |       |       |         |         |    |     |         |    |
|-----------------------------------------|-----|-------|-------|---------|---------|----|-----|---------|----|
| <b>G-LUX G3 LED - 5.5 Watt Dimmable</b> |     |       |       |         |         |    |     |         |    |
| G3-5.5-3K-D                             | 5.5 | 3000K | >0.56 | 94 x 75 | 75 - 80 | 83 | 100 | 1080.00 | 50 |
| G3-5.5-4K-D                             | 5.5 | 4000K | >0.56 | 94 x 75 | 75 - 80 | 83 | 100 | 1080.00 | 50 |
| G3-5.5-6K-D                             | 5.5 | 6000K | >0.56 | 94 x 75 | 75 - 80 | 83 | 100 | 1080.00 | 50 |

|                                             |     |       |      |         |         |    |    |        |    |
|---------------------------------------------|-----|-------|------|---------|---------|----|----|--------|----|
| <b>G-LUX G5 LED - 4.5 Watt Non Dimmable</b> |     |       |      |         |         |    |    |        |    |
| G5-4.5-3K-N                                 | 4.5 | 3000K | >0.9 | 94 x 75 | 75 - 80 | 83 | 60 | 860.00 | 50 |
| G5-4.5-4K-N                                 | 4.5 | 4000K | >0.9 | 94 x 75 | 75 - 80 | 83 | 60 | 860.00 | 50 |
| G5-4.5-6K-N                                 | 4.5 | 6000K | >0.9 | 94 x 75 | 75 - 80 | 83 | 60 | 860.00 | 50 |

|                                         |     |       |       |         |         |    |    |         |    |
|-----------------------------------------|-----|-------|-------|---------|---------|----|----|---------|----|
| <b>G-LUX G5 LED - 4.5 Watt Dimmable</b> |     |       |       |         |         |    |    |         |    |
| G5-4.5-3K-D                             | 4.5 | 3000K | >0.56 | 94 x 75 | 75 - 80 | 83 | 60 | 1060.00 | 50 |
| G5-4.5-6K-D                             | 4.5 | 6000K | >0.56 | 94 x 75 | 75 - 80 | 83 | 60 | 1060.00 | 50 |

G-LUX

**G-LUX G6 LED - 6.5 Watt Non Dimmable**

| ITEM CODE   | POWER | COL. TEMP | PF   | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹   | PKG. |
|-------------|-------|-----------|------|-----------|-----------|-----|-------|---------|------|
| G6-6.5-3K-N | 6.5   | 3000K     | >0.9 | 94 x 75   | 75 - 80   | 80  | 38    | 1080.00 | 50   |
| G6-6.5-4K-N | 6.5   | 4000K     | >0.9 | 94 x 75   | 75 - 80   | 80  | 38    | 1080.00 | 50   |
| G6-6.5-6K-N | 6.5   | 6000K     | >0.9 | 94 x 75   | 75 - 80   | 80  | 38    | 1080.00 | 50   |

**G-LUX G6 LED - 5.5 Watt Dimmable**

|             |     |       |       |         |         |    |    |         |    |
|-------------|-----|-------|-------|---------|---------|----|----|---------|----|
| G6-5.5-3K-D | 5.5 | 3000K | >0.56 | 94 x 75 | 75 - 80 | 80 | 38 | 1250.00 | 50 |
| G6-5.5-6K-D | 5.5 | 6000K | >0.56 | 94 x 75 | 75 - 80 | 80 | 38 | 1250.00 | 50 |

**G-LUX G8 LED - 6.5 Watt Non Dimmable (Element Spotlight)**

|             |     |       |      |         |         |    |    |        |    |
|-------------|-----|-------|------|---------|---------|----|----|--------|----|
| G8-6.5-3K-N | 6.5 | 3000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 860.00 | 50 |
| G8-6.5-4K-N | 6.5 | 4000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 860.00 | 50 |
| G8-6.5-6K-N | 6.5 | 6000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 860.00 | 50 |

**G-LUX G8 LED - 6.5 Watt Dimmable (Element Spotlight)**

|             |     |       |       |         |         |    |    |         |    |
|-------------|-----|-------|-------|---------|---------|----|----|---------|----|
| G8-6.5-3K-D | 6.5 | 3000K | >0.56 | 94 x 49 | 75 - 80 | 83 | 38 | 1030.00 | 50 |
| G8-6.5-6K-D | 6.5 | 6000K | >0.56 | 94 x 49 | 75 - 80 | 83 | 38 | 1030.00 | 50 |

**G-LUX G8 LED - 8 Watt Non Dimmable (Element Spotlight)**

|           |   |       |      |         |         |    |    |        |    |
|-----------|---|-------|------|---------|---------|----|----|--------|----|
| G8-8-3K-N | 8 | 3000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 960.00 | 50 |
| G8-8-4K-N | 8 | 4000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 960.00 | 50 |
| G8-8-6K-N | 8 | 6000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 960.00 | 50 |

**G-LUX G8 LED - 8 Watt Dimmable (Element Spotlight)**

|           |   |       |       |         |         |    |    |         |    |
|-----------|---|-------|-------|---------|---------|----|----|---------|----|
| G8-8-3K-D | 8 | 3000K | >0.56 | 94 x 49 | 75 - 80 | 83 | 38 | 1140.00 | 50 |
| G8-8-6K-D | 8 | 6000K | >0.56 | 94 x 49 | 75 - 80 | 83 | 38 | 1140.00 | 50 |

**G-LUX G9 LED - 6.5 Watt Non Dimmable (Wall Washer Spotlight)**

|             |     |       |      |         |         |    |    |        |    |
|-------------|-----|-------|------|---------|---------|----|----|--------|----|
| G9-6.5-3K-N | 6.5 | 3000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 860.00 | 50 |
| G9-6.5-4K-N | 6.5 | 4000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 860.00 | 50 |
| G9-6.5-6K-N | 6.5 | 6000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 860.00 | 50 |

**G-LUX G9 LED - 6.5 Watt Dimmable (Wall Washer Spotlight)**

|             |     |       |       |         |         |    |    |         |    |
|-------------|-----|-------|-------|---------|---------|----|----|---------|----|
| G9-6.5-3K-D | 6.5 | 3000K | >0.56 | 94 x 49 | 75 - 80 | 83 | 38 | 1030.00 | 50 |
| G9-6.5-6K-D | 6.5 | 6000K | >0.56 | 94 x 49 | 75 - 80 | 83 | 38 | 1030.00 | 50 |



All dimensions in mm



| ITEM CODE                                                         | POWER | COL.TEMP | PF   | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹  | PKG. |
|-------------------------------------------------------------------|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| <b>G-LUX G9 LED - 8 Watt Non Dimmable (Wall Washer Spotlight)</b> |       |          |      |           |           |     |       |        |      |
| G9-8-3K-N                                                         | 8     | 3000K    | >0.9 | 94 x 49   | 75 - 80   | 83  | 38    | 960.00 | 50   |
| G9-8-4K-N                                                         | 8     | 4000K    | >0.9 | 94 x 49   | 75 - 80   | 83  | 38    | 960.00 | 50   |
| G9-8-6K-N                                                         | 8     | 6000K    | >0.9 | 94 x 49   | 75 - 80   | 83  | 38    | 960.00 | 50   |

|                                                               |   |       |       |         |         |    |    |         |    |
|---------------------------------------------------------------|---|-------|-------|---------|---------|----|----|---------|----|
| <b>G-LUX G9 LED - 8 Watt Dimmable (Wall Washer Spotlight)</b> |   |       |       |         |         |    |    |         |    |
| G9-8-3K-D                                                     | 8 | 3000K | >0.56 | 94 x 49 | 75 - 80 | 83 | 38 | 1150.00 | 50 |
| G9-8-6K-D                                                     | 8 | 6000K | >0.56 | 94 x 49 | 75 - 80 | 83 | 38 | 1150.00 | 50 |

**G-LUX Q3X LED - 6.5 Watt Non Dimmable**

|              |     |       |      |         |         |    |    |        |    |
|--------------|-----|-------|------|---------|---------|----|----|--------|----|
| Q3X-6.5-3K-N | 6.5 | 3000K | >0.9 | 94 x 31 | 75 - 80 | 80 | 38 | 900.00 | 50 |
| Q3X-6.5-4K-N | 6.5 | 4000K | >0.9 | 94 x 31 | 75 - 80 | 80 | 38 | 900.00 | 50 |
| Q3X-6.5-6K-N | 6.5 | 6000K | >0.9 | 94 x 31 | 75 - 80 | 80 | 38 | 900.00 | 50 |

**G-LUX Q3X LED - 6.5 Watt Dimmable**

|              |     |       |       |         |         |    |    |         |    |
|--------------|-----|-------|-------|---------|---------|----|----|---------|----|
| Q3X-6.5-3K-D | 6.5 | 3000K | >0.56 | 94 x 31 | 75 - 80 | 80 | 38 | 1110.00 | 50 |
| Q3X-6.5-6K-D | 6.5 | 6000K | >0.56 | 94 x 31 | 75 - 80 | 80 | 38 | 1110.00 | 50 |

**G-LUX Q4X LED - 6.5 Watt Non Dimmable**

|              |     |       |      |         |         |    |    |        |    |
|--------------|-----|-------|------|---------|---------|----|----|--------|----|
| Q4X-6.5-3K-N | 6.5 | 3000K | >0.9 | 94 x 49 | 75 - 80 | 81 | 38 | 930.00 | 50 |
|--------------|-----|-------|------|---------|---------|----|----|--------|----|

**G-LUX Q4X LED - 6.5 Watt Dimmable**

|              |     |       |       |         |         |    |    |         |    |
|--------------|-----|-------|-------|---------|---------|----|----|---------|----|
| Q4X-6.5-3K-D | 6.5 | 3000K | >0.56 | 94 x 49 | 75 - 80 | 81 | 38 | 1100.00 | 50 |
| Q4X-6.5-6K-D | 6.5 | 6000K | >0.56 | 94 x 49 | 75 - 80 | 81 | 38 | 1100.00 | 50 |

**G-LUX Q4X LED - 8 Watt Non Dimmable**

|            |   |       |      |         |         |    |    |         |    |
|------------|---|-------|------|---------|---------|----|----|---------|----|
| Q4X-8-3K-N | 8 | 3000K | >0.9 | 94 x 49 | 75 - 80 | 81 | 38 | 1000.00 | 50 |
| Q4X-8-4K-N | 8 | 4000K | >0.9 | 94 x 49 | 75 - 80 | 81 | 38 | 1000.00 | 50 |
| Q4X-8-6K-N | 8 | 6000K | >0.9 | 94 x 49 | 75 - 80 | 81 | 38 | 1000.00 | 50 |

**G-LUX Q4X LED - 8 Watt Dimmable**

|            |   |       |       |         |         |    |    |         |    |
|------------|---|-------|-------|---------|---------|----|----|---------|----|
| Q4X-8-3K-D | 8 | 3000K | >0.56 | 94 x 49 | 75 - 80 | 81 | 38 | 1170.00 | 50 |
| Q4X-8-6K-D | 8 | 6000K | >0.56 | 94 x 49 | 75 - 80 | 81 | 38 | 1170.00 | 50 |

G-LUX

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|

**G-LUX Q5X LED - 6.5 Watt Non Dimmable**

|              |     |       |      |         |         |    |    |        |    |
|--------------|-----|-------|------|---------|---------|----|----|--------|----|
| Q5X-6.5-3K-N | 6.5 | 3000K | >0.9 | 94 x 31 | 75 - 80 | 81 | 38 | 930.00 | 50 |
| Q5X-6.5-6K-N | 6.5 | 6000K | >0.9 | 94 x 31 | 75 - 80 | 81 | 38 | 930.00 | 50 |

**G-LUX Q5X LED - 6.5 Watt Dimmable**

|              |     |       |       |         |         |    |    |         |    |
|--------------|-----|-------|-------|---------|---------|----|----|---------|----|
| Q5X-6.5-3K-D | 6.5 | 3000K | >0.56 | 94 x 31 | 75 - 80 | 81 | 38 | 1100.00 | 50 |
| Q5X-6.5-6K-D | 6.5 | 6000K | >0.56 | 94 x 31 | 75 - 80 | 81 | 38 | 1100.00 | 50 |

**G-LUX Q3.5C LED - 5 Watt Non Dimmable with Substitutable Head + Driver**

|              |   |       |       |         |        |    |    |         |    |
|--------------|---|-------|-------|---------|--------|----|----|---------|----|
| Q3.5C-5-3K-N | 5 | 3000K | >0.56 | 99 x 74 | 80- 85 | 81 | 90 | 1030.00 | 50 |
| Q3.5C-5-6K-N | 5 | 6000K | >0.56 | 99 x 74 | 80- 85 | 81 | 90 | 1030.00 | 50 |

**G-LUX Q6X LED - 12 Watt Non Dimmable**

|             |    |       |      |          |        |    |    |         |    |
|-------------|----|-------|------|----------|--------|----|----|---------|----|
| Q6X-12-3K-N | 12 | 3000K | >0.9 | 122 x 60 | 90-100 | 83 | 38 | 1300.00 | 50 |
| Q6X-12-4K-N | 12 | 4000K | >0.9 | 122 x 60 | 90-100 | 83 | 38 | 1300.00 | 50 |
| Q6X-12-6K-N | 12 | 6000K | >0.9 | 122 x 60 | 90-100 | 83 | 38 | 1300.00 | 50 |

**G-LUX Q8X LED - 8 Watt Non Dimmable**

|            |   |       |      |         |         |    |    |         |    |
|------------|---|-------|------|---------|---------|----|----|---------|----|
| Q8X-8-3K-N | 8 | 3000K | >0.9 | 95 x 51 | 75 - 80 | 83 | 38 | 1070.00 | 50 |
| Q8X-8-4K-N | 8 | 4000K | >0.9 | 95 x 51 | 75 - 80 | 83 | 38 | 1070.00 | 50 |
| Q8X-8-6K-N | 8 | 6000K | >0.9 | 95 x 51 | 75 - 80 | 83 | 38 | 1070.00 | 50 |

**G-LUX Q9X LED - 12 Watt Non Dimmable**

|             |    |       |      |          |        |    |     |         |    |
|-------------|----|-------|------|----------|--------|----|-----|---------|----|
| Q9X-12-3K-N | 12 | 3000K | >0.9 | 122 x 60 | 90-100 | 83 | 100 | 1220.00 | 50 |
| Q9X-12-4K-N | 12 | 4000K | >0.9 | 122 x 60 | 90-100 | 83 | 100 | 1220.00 | 50 |
| Q9X-12-6K-N | 12 | 6000K | >0.9 | 122 x 60 | 90-100 | 83 | 100 | 1220.00 | 50 |

**G-LUX Q10X LED - 8 Watt Non Dimmable**

|             |   |       |      |         |         |    |     |         |    |
|-------------|---|-------|------|---------|---------|----|-----|---------|----|
| Q10X-8-3K-N | 8 | 3000K | >0.9 | 95 x 51 | 75 - 80 | 83 | 100 | 1010.00 | 50 |
| Q10X-8-4K-N | 8 | 4000K | >0.9 | 95 x 51 | 75 - 80 | 83 | 100 | 1010.00 | 50 |
| Q10X-8-6K-N | 8 | 6000K | >0.9 | 95 x 51 | 75 - 80 | 83 | 100 | 1010.00 | 50 |



All dimensions in mm





# THE FALCON OF LED IS HERE!



Adjustable  
beam angle



**FALCON**  
COB  
DOWN  
LIGHT

**2**  
YEAR  
WARRANTY

**86%**  
SAVING

**85**  
LMS  
PERWATT

**LONG  
LIFE**

**EXCELLENT  
CRI**

Energy  Saving



FALCON

**FALCON - 3 Watt LED COB Light - Round**

| ITEM CODE | POWER | COL.TEMP | PF    | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹  | PKG. |
|-----------|-------|----------|-------|-----------|-----------|-----|-------|--------|------|
| GM 10036  | 3     | 3000K    | >0.65 | 66 x 30   | 55        | 80  | 38    | 490.00 | 100  |
| GM 10035  | 3     | 4000K    | >0.65 | 66 x 30   | 55        | 80  | 38    | 490.00 | 100  |
| GM 10034  | 3     | 6500K    | >0.65 | 66 x 30   | 55        | 80  | 38    | 490.00 | 100  |

**FALCON - 6 Watt LED COB Light - Round**

|          |   |       |       |         |    |    |    |        |    |
|----------|---|-------|-------|---------|----|----|----|--------|----|
| GM 10039 | 6 | 3000K | >0.65 | 80 x 40 | 65 | 80 | 38 | 770.00 | 50 |
| GM 10038 | 6 | 4000K | >0.65 | 80 x 40 | 65 | 80 | 38 | 770.00 | 50 |
| GM 10037 | 6 | 6500K | >0.65 | 80 x 40 | 65 | 80 | 38 | 770.00 | 50 |

**FALCON - 9 Watt LED COB Light - Round**

|          |   |       |       |         |    |    |    |         |    |
|----------|---|-------|-------|---------|----|----|----|---------|----|
| GM 10042 | 9 | 3000K | >0.65 | 90 x 50 | 75 | 80 | 38 | 1060.00 | 50 |
| GM 10041 | 9 | 4000K | >0.65 | 90 x 50 | 75 | 80 | 38 | 1060.00 | 50 |
| GM 10040 | 9 | 6500K | >0.65 | 90 x 50 | 75 | 80 | 38 | 1060.00 | 50 |

**FALCON - 12 Watt LED COB Light - Round**

|          |    |       |       |         |    |    |    |         |    |
|----------|----|-------|-------|---------|----|----|----|---------|----|
| GM 10045 | 12 | 3000K | >0.65 | 98 x 55 | 85 | 80 | 38 | 1300.00 | 50 |
| GM 10044 | 12 | 4000K | >0.65 | 98 x 55 | 85 | 80 | 38 | 1300.00 | 50 |
| GM 10043 | 12 | 6500K | >0.65 | 98 x 55 | 85 | 80 | 38 | 1300.00 | 50 |

**FALCON - 18 Watt LED COB Light - Round**

|          |    |       |       |          |    |    |    |         |    |
|----------|----|-------|-------|----------|----|----|----|---------|----|
| GM 10048 | 18 | 3000K | >0.95 | 110 x 65 | 90 | 80 | 38 | 1940.00 | 20 |
| GM 10047 | 18 | 4000K | >0.95 | 110 x 65 | 90 | 80 | 38 | 1940.00 | 20 |
| GM 10046 | 18 | 6500K | >0.95 | 110 x 65 | 90 | 80 | 38 | 1940.00 | 20 |

**FALCON - 24 Watt LED COB Light - Round**

|          |    |       |       |          |     |    |    |         |    |
|----------|----|-------|-------|----------|-----|----|----|---------|----|
| GM 10051 | 24 | 3000K | >0.95 | 145 x 84 | 135 | 80 | 38 | 2410.00 | 20 |
| GM 10050 | 24 | 4000K | >0.95 | 145 x 84 | 135 | 80 | 38 | 2410.00 | 20 |
| GM 10049 | 24 | 6500K | >0.95 | 145 x 84 | 135 | 80 | 38 | 2410.00 | 20 |

**FALCON - 30 Watt LED COB Light - Round**

|          |    |       |       |          |     |    |    |         |    |
|----------|----|-------|-------|----------|-----|----|----|---------|----|
| GM 10054 | 30 | 3000K | >0.95 | 145 x 84 | 135 | 80 | 38 | 3060.00 | 20 |
| GM 10053 | 30 | 4000K | >0.95 | 145 x 84 | 135 | 80 | 38 | 3060.00 | 20 |
| GM 10052 | 30 | 6500K | >0.95 | 145 x 84 | 135 | 80 | 38 | 3060.00 | 20 |

**FALCON - 40 Watt LED COB Light - Round**

|          |    |       |       |          |     |    |    |         |    |
|----------|----|-------|-------|----------|-----|----|----|---------|----|
| GM 10057 | 40 | 3000K | >0.95 | 175 x 90 | 155 | 80 | 38 | 3980.00 | 10 |
| GM 10056 | 40 | 4000K | >0.95 | 175 x 90 | 155 | 80 | 38 | 3980.00 | 10 |
| GM 10055 | 40 | 6500K | >0.95 | 175 x 90 | 155 | 80 | 38 | 3980.00 | 10 |

All dimensions in mm





# BETTER stability & RELIABILITY



## FIESTA COB SPOT LIGHT

The LED innovation gives you the technological novelty of COB LED lights. The Multi-LED chips are clubbed together as one lighting module. This Chip-on-Board type of LED produces a high luminous flux directed towards the surface of the object to be lit. The Fiesta COB Spot Lights have a better life, stability and reliability.

**Fiesta**LED  
COB Spot Light

FIESTA

**ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT.DIA. | CRI | ANGLE | MRP ₹ | PKG.**
**FIESTA - 1 Watt Mini COB Spot Light - Round**

|         |   |       |      |         |    |    |    |        |     |
|---------|---|-------|------|---------|----|----|----|--------|-----|
| GM 0205 | 1 | 3000K | >0.5 | 32 x 25 | 25 | 80 | 60 | 290.00 | 200 |
| GM 0204 | 1 | 4000K | >0.5 | 32 x 25 | 25 | 80 | 60 | 290.00 | 200 |
| GM 0203 | 1 | 6500K | >0.5 | 32 x 25 | 25 | 80 | 60 | 290.00 | 200 |
| GM 0848 | 1 | RED   | >0.5 | 32 x 25 | 25 | 80 | 60 | 290.00 | 200 |
| GM 0849 | 1 | GREEN | >0.5 | 32 x 25 | 25 | 80 | 60 | 290.00 | 200 |
| GM 0850 | 1 | BLUE  | >0.5 | 32 x 25 | 25 | 80 | 60 | 290.00 | 200 |


**FIESTA - 3 Watt Mini COB Spot Light - Round**

|         |   |       |      |         |    |    |    |        |     |
|---------|---|-------|------|---------|----|----|----|--------|-----|
| GM 0214 | 3 | 3000K | >0.5 | 40 x 28 | 35 | 80 | 60 | 500.00 | 200 |
| GM 0213 | 3 | 4000K | >0.5 | 40 x 28 | 35 | 80 | 60 | 500.00 | 200 |
| GM 0212 | 3 | 6500K | >0.5 | 40 x 28 | 35 | 80 | 60 | 500.00 | 200 |
| GM 0854 | 3 | RED   | >0.5 | 40 x 28 | 35 | 80 | 60 | 500.00 | 200 |
| GM 0855 | 3 | GREEN | >0.5 | 40 x 28 | 35 | 80 | 60 | 500.00 | 200 |
| GM 0856 | 3 | BLUE  | >0.5 | 40 x 28 | 35 | 80 | 60 | 500.00 | 200 |


**FIESTA - 1 Watt Mini COB Spot Light - Square**

|         |   |       |      |         |         |    |    |        |     |
|---------|---|-------|------|---------|---------|----|----|--------|-----|
| GM 0208 | 1 | 3000K | >0.5 | 30 x 25 | 25 x 25 | 80 | 60 | 290.00 | 200 |
| GM 0207 | 1 | 4000K | >0.5 | 30 x 25 | 25 x 25 | 80 | 60 | 290.00 | 200 |
| GM 0206 | 1 | 6500K | >0.5 | 30 x 25 | 25 x 25 | 80 | 60 | 290.00 | 200 |
| GM 0851 | 1 | RED   | >0.5 | 30 x 25 | 25 x 25 | 80 | 60 | 290.00 | 200 |
| GM 0852 | 1 | GREEN | >0.5 | 30 x 25 | 25 x 25 | 80 | 60 | 290.00 | 200 |
| GM 0853 | 1 | BLUE  | >0.5 | 30 x 25 | 25 x 25 | 80 | 60 | 290.00 | 200 |


**FIESTA - 3 Watt Mini COB Spot Light - Square**

|         |   |       |      |         |         |    |    |        |     |
|---------|---|-------|------|---------|---------|----|----|--------|-----|
| GM 0211 | 3 | 3000K | >0.5 | 36 x 28 | 35 x 35 | 80 | 60 | 500.00 | 200 |
| GM 0210 | 3 | 4000K | >0.5 | 36 x 28 | 35 x 35 | 80 | 60 | 500.00 | 200 |
| GM 0209 | 3 | 6500K | >0.5 | 36 x 28 | 35 x 35 | 80 | 60 | 500.00 | 200 |
| GM 0857 | 3 | RED   | >0.5 | 36 x 28 | 35 x 35 | 80 | 60 | 500.00 | 200 |
| GM 0858 | 3 | GREEN | >0.5 | 36 x 28 | 35 x 35 | 80 | 60 | 500.00 | 200 |
| GM 0859 | 3 | BLUE  | >0.5 | 36 x 28 | 35 x 35 | 80 | 60 | 500.00 | 200 |


**FIESTA - 3 Watt COB Spot Light - Round**

|         |   |       |      |         |    |    |    |        |    |
|---------|---|-------|------|---------|----|----|----|--------|----|
| GM 0184 | 3 | 3000K | >0.5 | 63 x 50 | 55 | 80 | 24 | 520.00 | 30 |
| GM 0183 | 3 | 4000K | >0.5 | 63 x 50 | 55 | 80 | 24 | 520.00 | 30 |
| GM 0182 | 3 | 6500K | >0.5 | 63 x 50 | 55 | 80 | 24 | 520.00 | 30 |


**FIESTA - 5 Watt COB Spot Light - Round**

|         |   |       |      |         |    |    |    |        |    |
|---------|---|-------|------|---------|----|----|----|--------|----|
| GM 0187 | 5 | 3000K | >0.5 | 85 x 65 | 70 | 80 | 24 | 820.00 | 30 |
| GM 0186 | 5 | 4000K | >0.5 | 85 x 65 | 70 | 80 | 24 | 820.00 | 30 |
| GM 0185 | 5 | 6500K | >0.5 | 85 x 65 | 70 | 80 | 24 | 820.00 | 30 |



All dimensions in mm





| ITEM CODE                                      | POWER | COL.TEMP | PF   | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹   | PKG. |
|------------------------------------------------|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| <b>FIESTA - 10 Watt COB Spot Light - Round</b> |       |          |      |           |           |     |       |         |      |
| GM 0190                                        | 10    | 3000K    | >0.5 | 106 x 60  | 90        | 80  | 24    | 1130.00 | 30   |
| GM 0189                                        | 10    | 4000K    | >0.5 | 106 x 60  | 90        | 80  | 24    | 1130.00 | 30   |
| GM 0188                                        | 10    | 6500K    | >0.5 | 106 x 60  | 90        | 80  | 24    | 1130.00 | 30   |



|                                                |    |       |      |          |    |    |    |         |    |
|------------------------------------------------|----|-------|------|----------|----|----|----|---------|----|
| <b>FIESTA - 15 Watt COB Spot Light - Round</b> |    |       |      |          |    |    |    |         |    |
| GM 0193                                        | 15 | 3000K | >0.9 | 106 x 60 | 90 | 80 | 24 | 1420.00 | 30 |
| GM 0192                                        | 15 | 4000K | >0.9 | 106 x 60 | 90 | 80 | 24 | 1420.00 | 30 |
| GM 0191                                        | 15 | 6500K | >0.9 | 106 x 60 | 90 | 80 | 24 | 1420.00 | 30 |



|                                                |    |       |      |          |     |    |    |         |    |
|------------------------------------------------|----|-------|------|----------|-----|----|----|---------|----|
| <b>FIESTA - 20 Watt COB Spot Light - Round</b> |    |       |      |          |     |    |    |         |    |
| GM 0196                                        | 20 | 3000K | >0.9 | 127 x 85 | 115 | 80 | 24 | 2130.00 | 20 |
| GM 0195                                        | 20 | 4000K | >0.9 | 127 x 85 | 115 | 80 | 24 | 2130.00 | 20 |
| GM 0194                                        | 20 | 6500K | >0.9 | 127 x 85 | 115 | 80 | 24 | 2130.00 | 20 |



|                                                |    |       |      |           |     |    |    |         |    |
|------------------------------------------------|----|-------|------|-----------|-----|----|----|---------|----|
| <b>FIESTA - 25 Watt COB Spot Light - Round</b> |    |       |      |           |     |    |    |         |    |
| GM 0199                                        | 25 | 3000K | >0.9 | 127 x 105 | 115 | 80 | 24 | 2650.00 | 20 |
| GM 0198                                        | 25 | 4000K | >0.9 | 127 x 105 | 115 | 80 | 24 | 2650.00 | 20 |
| GM 0197                                        | 25 | 6500K | >0.9 | 127 x 105 | 115 | 80 | 24 | 2650.00 | 20 |

|                                                |    |       |      |           |     |    |    |         |    |
|------------------------------------------------|----|-------|------|-----------|-----|----|----|---------|----|
| <b>FIESTA - 30 Watt COB Spot Light - Round</b> |    |       |      |           |     |    |    |         |    |
| GM 0202                                        | 30 | 3000K | >0.9 | 150 x 105 | 130 | 80 | 24 | 3360.00 | 20 |
| GM 0201                                        | 30 | 4000K | >0.9 | 150 x 105 | 130 | 80 | 24 | 3360.00 | 20 |
| GM 0200                                        | 30 | 6500K | >0.9 | 150 x 105 | 130 | 80 | 24 | 3360.00 | 20 |



TROY

|                                                             |    |       |      |         |    |    |    |         |    |
|-------------------------------------------------------------|----|-------|------|---------|----|----|----|---------|----|
| <b>TROY - 10 Watt Trimless COB Spot Light Light - Round</b> |    |       |      |         |    |    |    |         |    |
| GM 0584                                                     | 10 | 3000K | >0.9 | 70 x 92 | 70 | 80 | 24 | 1280.00 | 50 |
| GM 0585                                                     | 10 | 4000K | >0.9 | 70 x 92 | 70 | 80 | 24 | 1280.00 | 50 |
| GM 0586                                                     | 10 | 5000K | >0.9 | 70 x 92 | 70 | 80 | 24 | 1280.00 | 50 |



|                                                             |    |       |      |          |    |    |    |         |    |
|-------------------------------------------------------------|----|-------|------|----------|----|----|----|---------|----|
| <b>TROY - 15 Watt Trimless COB Spot Light Light - Round</b> |    |       |      |          |    |    |    |         |    |
| GM 0587                                                     | 15 | 3000K | >0.9 | 84 x 102 | 84 | 80 | 24 | 1790.00 | 20 |
| GM 0588                                                     | 15 | 4000K | >0.9 | 84 x 102 | 84 | 80 | 24 | 1790.00 | 20 |
| GM 0589                                                     | 15 | 5000K | >0.9 | 84 x 102 | 84 | 80 | 24 | 1790.00 | 20 |



|                                                             |    |       |      |           |     |    |    |         |    |
|-------------------------------------------------------------|----|-------|------|-----------|-----|----|----|---------|----|
| <b>TROY - 20 Watt Trimless COB Spot Light Light - Round</b> |    |       |      |           |     |    |    |         |    |
| GM 0590                                                     | 20 | 3000K | >0.9 | 110 x 117 | 110 | 80 | 24 | 2480.00 | 20 |
| GM 0591                                                     | 20 | 4000K | >0.9 | 110 x 117 | 110 | 80 | 24 | 2480.00 | 20 |
| GM 0592                                                     | 20 | 5000K | >0.9 | 110 x 117 | 110 | 80 | 24 | 2480.00 | 20 |

| ITEM CODE                                    | POWER | COL.TEMP | PF   | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹  | PKG. |
|----------------------------------------------|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| <b>CROY - 7 Watt Trimless COB Down Light</b> |       |          |      |           |           |     |       |        |      |
| GM 0860                                      | 7     | 3000K    | >0.9 | 83 x 85   | 75        | 80  | 24    | 710.00 | 50   |
| GM 0861                                      | 7     | 4000K    | >0.9 | 83 x 85   | 75        | 80  | 24    | 710.00 | 50   |
| GM 0862                                      | 7     | 6000K    | >0.9 | 83 x 85   | 75        | 80  | 24    | 710.00 | 50   |



|                                               |    |       |      |          |    |    |    |        |    |
|-----------------------------------------------|----|-------|------|----------|----|----|----|--------|----|
| <b>CROY - 12 Watt Trimless COB Down Light</b> |    |       |      |          |    |    |    |        |    |
| GM 0863                                       | 12 | 3000K | >0.9 | 93 x 100 | 85 | 80 | 24 | 910.00 | 50 |
| GM 0864                                       | 12 | 4000K | >0.9 | 93 x 100 | 85 | 80 | 24 | 910.00 | 50 |
| GM 0865                                       | 12 | 6000K | >0.9 | 93 x 100 | 85 | 80 | 24 | 910.00 | 50 |



|                                        |   |        |      |          |    |    |     |         |    |
|----------------------------------------|---|--------|------|----------|----|----|-----|---------|----|
| <b>ARA - 9 Watt Ceiling Down Light</b> |   |        |      |          |    |    |     |         |    |
| GM 0599                                | 9 | 3000K  | >0.9 | 100 x 30 | 85 | 80 | 120 | 1475.00 | 30 |
| GM 0600                                | 9 | BLUE   | >0.9 | 100 x 30 | 85 | 80 | 120 | 1475.00 | 30 |
| GM 0601                                | 9 | PURPLE | >0.9 | 100 x 30 | 85 | 80 | 120 | 1475.00 | 30 |



|                                 |   |       |      |           |   |    |    |         |    |
|---------------------------------|---|-------|------|-----------|---|----|----|---------|----|
| <b>DOME - 7 Watt Wall Light</b> |   |       |      |           |   |    |    |         |    |
| GM 0423                         | 7 | 3000K | >0.9 | 105 x 123 | - | 80 | 36 | 1900.00 | 30 |



|                                    |   |       |      |           |   |    |    |         |    |
|------------------------------------|---|-------|------|-----------|---|----|----|---------|----|
| <b>DOME - 7 Watt Pendant Light</b> |   |       |      |           |   |    |    |         |    |
| GM 0424                            | 7 | 3000K | >0.9 | 92 x 1200 | - | 80 | 36 | 1950.00 | 30 |



|                                            |   |       |      |           |    |    |    |         |    |
|--------------------------------------------|---|-------|------|-----------|----|----|----|---------|----|
| <b>CHAPPIE - 5 Watt Ceiling Down Light</b> |   |       |      |           |    |    |    |         |    |
| GM 0914                                    | 5 | 3000K | >0.9 | 74 x 63.5 | 68 | 80 | 45 | 1050.00 | 40 |
| GM 0915                                    | 5 | 4000K | >0.9 | 74 x 63.5 | 68 | 80 | 45 | 1050.00 | 40 |



|                                             |       |       |      |          |     |    |    |         |    |
|---------------------------------------------|-------|-------|------|----------|-----|----|----|---------|----|
| <b>CHAPPIE - 10 Watt Ceiling Down Light</b> |       |       |      |          |     |    |    |         |    |
| GM 0916                                     | 2 x 5 | 3000K | >0.9 | 104 x 64 | 100 | 80 | 45 | 1650.00 | 30 |
| GM 0917                                     | 2 x 5 | 4000K | >0.9 | 104 x 64 | 100 | 80 | 45 | 1650.00 | 30 |



All dimensions in mm





G90

| ITEM CODE                                  | POWER | COL.TEMP | PF   | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹  | PKG. |
|--------------------------------------------|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| <b>G90 - 3 Watt COB Spot Light - Round</b> |       |          |      |           |           |     |       |        |      |
| GM 0830                                    | 3     | 3000K    | >0.5 | 55 x 20   | 45        | 80  | 24    | 350.00 | 120  |
| GM 0831                                    | 3     | 4000K    | >0.5 | 55 x 20   | 45        | 80  | 24    | 350.00 | 120  |
| GM 0832                                    | 3     | 6000K    | >0.5 | 35 x 20   | 45        | 80  | 24    | 350.00 | 120  |



|                                            |   |       |      |         |    |    |    |        |    |
|--------------------------------------------|---|-------|------|---------|----|----|----|--------|----|
| <b>G90 - 6 Watt COB Spot Light - Round</b> |   |       |      |         |    |    |    |        |    |
| GM 0833                                    | 6 | 3000K | >0.9 | 85 x 30 | 75 | 80 | 24 | 570.00 | 80 |
| GM 0834                                    | 6 | 4000K | >0.9 | 85 x 30 | 75 | 80 | 24 | 570.00 | 80 |
| GM 0835                                    | 6 | 6000K | >0.9 | 85 x 30 | 75 | 80 | 24 | 570.00 | 80 |



|                                             |    |       |      |          |     |    |    |        |    |
|---------------------------------------------|----|-------|------|----------|-----|----|----|--------|----|
| <b>G90 - 12 Watt COB Spot Light - Round</b> |    |       |      |          |     |    |    |        |    |
| GM 0836                                     | 12 | 3000K | >0.9 | 125 x 30 | 110 | 80 | 24 | 890.00 | 60 |
| GM 0837                                     | 12 | 4000K | >0.9 | 125 x 30 | 110 | 80 | 24 | 890.00 | 60 |
| GM 0838                                     | 12 | 6000K | >0.9 | 125 x 30 | 110 | 80 | 24 | 890.00 | 60 |



|                                             |   |       |      |         |         |    |    |        |     |
|---------------------------------------------|---|-------|------|---------|---------|----|----|--------|-----|
| <b>G90 - 3 Watt COB Spot Light - Square</b> |   |       |      |         |         |    |    |        |     |
| GM 0839                                     | 3 | 3000K | >0.5 | 55 x 55 | 45 x 45 | 80 | 24 | 350.00 | 120 |
| GM 0840                                     | 3 | 4000K | >0.5 | 55 x 55 | 45 x 45 | 80 | 24 | 350.00 | 120 |
| GM 0841                                     | 3 | 6000K | >0.5 | 55 x 55 | 45 x 45 | 80 | 24 | 350.00 | 120 |



|                                             |   |       |      |         |         |    |    |        |    |
|---------------------------------------------|---|-------|------|---------|---------|----|----|--------|----|
| <b>G90 - 6 Watt COB Spot Light - Square</b> |   |       |      |         |         |    |    |        |    |
| GM 0842                                     | 6 | 3000K | >0.9 | 85 x 85 | 75 x 75 | 80 | 24 | 570.00 | 80 |
| GM 0843                                     | 6 | 4000K | >0.9 | 85 x 85 | 75 x 75 | 80 | 24 | 570.00 | 80 |
| GM 0844                                     | 6 | 6000K | >0.9 | 85 x 85 | 75 x 75 | 80 | 24 | 570.00 | 80 |



|                                              |    |       |      |           |           |    |    |        |    |
|----------------------------------------------|----|-------|------|-----------|-----------|----|----|--------|----|
| <b>G90 - 12 Watt COB Spot Light - Square</b> |    |       |      |           |           |    |    |        |    |
| GM 0845                                      | 12 | 3000K | >0.9 | 125 x 125 | 110 x 110 | 80 | 24 | 890.00 | 60 |
| GM 0846                                      | 12 | 4000K | >0.9 | 125 x 125 | 110 x 110 | 80 | 24 | 890.00 | 60 |
| GM 0847                                      | 12 | 6000K | >0.9 | 125 x 125 | 110 x 110 | 80 | 24 | 890.00 | 60 |



| ITEM CODE                            | POWER | COL.TEMP | PF    | DIMENSION | CUT. DIA. | CRI | ANGLE  | MRP ₹  | PKG. |
|--------------------------------------|-------|----------|-------|-----------|-----------|-----|--------|--------|------|
| <b>RANGOLI - 6+3 Watt Dual Light</b> |       |          |       |           |           |     |        |        |      |
| RAN-6+3-6K+3K                        | 6+3   | 6K+3K    | >0.56 | 110 x 39  | 75        | 80  | 24/110 | 550.00 | 60   |
| RAN-6+3-6K+R                         | 6+3   | 6K+R     | >0.56 | 110 x 39  | 75        | 80  | 24/110 | 550.00 | 60   |
| RAN-6+3-6K+G                         | 6+3   | 6K+G     | >0.56 | 110 x 39  | 75        | 80  | 24/110 | 550.00 | 60   |
| RAN-6+3-6K+B                         | 6+3   | 6K+B     | >0.56 | 110 x 39  | 75        | 80  | 24/110 | 550.00 | 60   |
| RAN-6+3-6K+P                         | 6+3   | 6K+P     | >0.56 | 110 x 39  | 75        | 80  | 24/110 | 550.00 | 60   |
| RAN-6+3-3K+6K                        | 6+3   | 3K+6K    | >0.56 | 110 x 39  | 75        | 80  | 24/110 | 550.00 | 60   |
| RAN-6+3-B+3K                         | 6+3   | B+3K     | >0.56 | 110 x 39  | 75        | 80  | 24/110 | 550.00 | 60   |



|                                            |      |       |       |          |    |    |        |         |    |
|--------------------------------------------|------|-------|-------|----------|----|----|--------|---------|----|
| <b>RANGOLI PLUS - 12+6 Watt Dual Light</b> |      |       |       |          |    |    |        |         |    |
| RAN-12+6-6K+3K                             | 12+6 | 6K+3K | >0.56 | 122 x 55 | 75 | 80 | 24/120 | 1260.00 | 40 |
| RAN-12+6-3K+B                              | 12+6 | 3K+B  | >0.56 | 122 x 55 | 75 | 80 | 24/120 | 1260.00 | 40 |
| RAN-12+6-6K+B                              | 12+6 | 6K+B  | >0.56 | 122 x 55 | 75 | 80 | 24/120 | 1260.00 | 40 |
| RAN-12+6-6K+P                              | 12+6 | 6K+P  | >0.56 | 122 x 55 | 75 | 80 | 24/120 | 1260.00 | 40 |



|                                    |    |       |      |          |    |    |     |        |    |
|------------------------------------|----|-------|------|----------|----|----|-----|--------|----|
| <b>PHOCUS - 15 Watt Down Light</b> |    |       |      |          |    |    |     |        |    |
| GM 10010                           | 15 | 3000K | >0.9 | 161 x 61 | 45 | 80 | 120 | 640.00 | 40 |
| GM 10009                           | 15 | 4000K | >0.9 | 161 x 61 | 45 | 80 | 120 | 640.00 | 40 |
| GM 10008                           | 15 | 6000K | >0.9 | 161 x 61 | 45 | 80 | 120 | 640.00 | 40 |
| GM 10011                           | 15 | 3in1  | >0.9 | 161 x 61 | 45 | 80 | 120 | 820.00 | 40 |



|                                     |   |       |      |         |    |    |    |        |    |
|-------------------------------------|---|-------|------|---------|----|----|----|--------|----|
| <b>TINO - 6 Watt COB Down Light</b> |   |       |      |         |    |    |    |        |    |
| GP 10036                            | 6 | 3000K | >0.9 | 89 x 52 | 75 | 80 | 30 | 880.00 | 48 |
| GP 10037                            | 6 | 4000K | >0.9 | 89 x 52 | 75 | 80 | 30 | 880.00 | 48 |
| GP 10038                            | 6 | 6000K | >0.9 | 89 x 52 | 75 | 80 | 30 | 880.00 | 48 |



|                                      |   |       |       |          |    |    |     |        |    |
|--------------------------------------|---|-------|-------|----------|----|----|-----|--------|----|
| <b>G-TWIST - 5 Watt Non Dimmable</b> |   |       |       |          |    |    |     |        |    |
| G10-5-3K-N                           | 5 | 3000K | >0.56 | 110 x 59 | 85 | 83 | 100 | 410.00 | 50 |
| G10-5-4K-N                           | 5 | 4000K | >0.56 | 110 x 59 | 85 | 83 | 100 | 410.00 | 50 |
| G10-5-6K-N                           | 5 | 6000K | >0.56 | 110 x 59 | 85 | 83 | 100 | 410.00 | 50 |
| G10-5-RED-N                          | 5 | RED   | >0.56 | 110 x 59 | 85 | 83 | 100 | 410.00 | 50 |
| G10-5-GREEN-N                        | 5 | GREEN | >0.56 | 110 x 59 | 85 | 83 | 100 | 410.00 | 50 |
| G10-5-BLUE-N                         | 5 | BLUE  | >0.56 | 110 x 59 | 85 | 83 | 100 | 410.00 | 50 |
| G10-5-PINK-N                         | 5 | PINK  | >0.56 | 110 x 59 | 85 | 83 | 100 | 410.00 | 50 |



All dimensions in mm



**SITO**

| ITEM CODE                               | POWER | COL.TEMP | PF   | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹  | PKG. |
|-----------------------------------------|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| <b>SITO - 7 Watt Down Light - Round</b> |       |          |      |           |           |     |       |        |      |
| G12-7-3K-N                              | 7     | 3000K    | >0.5 | 110 x 38  | 75        | 80  | 38    | 400.00 | 60   |
| G12-7-4K-N                              | 7     | 4000K    | >0.5 | 110 x 38  | 75        | 80  | 38    | 400.00 | 60   |
| G12-7-6.5K-N                            | 7     | 6500K    | >0.5 | 110 x 38  | 75        | 80  | 38    | 400.00 | 60   |
| G12-7-R-N                               | 7     | RED      | >0.5 | 110 x 38  | 75        | 80  | 38    | 400.00 | 60   |
| G12-7-G-N                               | 7     | GREEN    | >0.5 | 110 x 38  | 75        | 80  | 38    | 400.00 | 60   |
| G12-7-B-N                               | 7     | BLUE     | >0.5 | 110 x 38  | 75        | 80  | 38    | 400.00 | 60   |

**OTIS**

|                                   |   |       |       |          |    |    |     |        |    |
|-----------------------------------|---|-------|-------|----------|----|----|-----|--------|----|
| <b>OTIS - 7 Watt Non Dimmable</b> |   |       |       |          |    |    |     |        |    |
| G11-7-3K-N                        | 7 | 3000K | >0.50 | 110 x 50 | 75 | 83 | 120 | 380.00 | 60 |
| G11-7-4K-N                        | 7 | 4000K | >0.50 | 110 x 50 | 75 | 83 | 120 | 380.00 | 60 |
| G11-7-6K-N                        | 7 | 6000K | >0.50 | 110 x 50 | 75 | 83 | 120 | 380.00 | 60 |
| G11-7-RED-N                       | 7 | RED   | >0.50 | 110 x 50 | 75 | 83 | 120 | 380.00 | 60 |
| G11-7-GREEN-N                     | 7 | GREEN | >0.50 | 110 x 50 | 75 | 83 | 120 | 380.00 | 60 |
| G11-7-BLUE-N                      | 7 | BLUE  | >0.50 | 110 x 50 | 75 | 83 | 120 | 380.00 | 60 |
| G11-7-PINK-N                      | 7 | PINK  | >0.50 | 110 x 50 | 75 | 83 | 120 | 380.00 | 60 |
| G11-7-3in1-N                      | 7 | 3in1  | >0.50 | 110 x 50 | 75 | 83 | 120 | 450.00 | 60 |

**GATO**

|                                 |   |       |      |          |    |    |     |        |    |
|---------------------------------|---|-------|------|----------|----|----|-----|--------|----|
| <b>GATO - 7 Watt Down Light</b> |   |       |      |          |    |    |     |        |    |
| G13-7-3K-N                      | 7 | 3000K | >0.5 | 105 x 55 | 75 | 80 | 120 | 380.00 | 60 |
| G13-7-4K-N                      | 7 | 4000K | >0.5 | 105 x 55 | 75 | 80 | 120 | 380.00 | 60 |
| G13-7-6K-N                      | 7 | 6000K | >0.5 | 105 x 55 | 75 | 80 | 120 | 380.00 | 60 |
| G13-7-P-N                       | 7 | PINK  | >0.5 | 105 x 55 | 75 | 80 | 120 | 380.00 | 60 |
| G13-7-G-N                       | 7 | GREEN | >0.5 | 105 x 55 | 75 | 80 | 120 | 380.00 | 60 |
| G13-7-B-N                       | 7 | BLUE  | >0.5 | 105 x 55 | 75 | 80 | 120 | 380.00 | 60 |

**DOT**

|                                        |   |       |      |         |    |    |     |        |     |
|----------------------------------------|---|-------|------|---------|----|----|-----|--------|-----|
| <b>DOT - 3 Watt Down Light - Round</b> |   |       |      |         |    |    |     |        |     |
| DOT-3-3K                               | 3 | 3000K | >0.5 | 80 x 40 | 45 | 80 | 100 | 195.00 | 100 |
| DOT-3-4K                               | 3 | 4000K | >0.5 | 80 x 40 | 45 | 80 | 100 | 195.00 | 100 |
| DOT-3-6K                               | 3 | 6500K | >0.5 | 80 x 40 | 45 | 80 | 100 | 195.00 | 100 |
| DOT-3-P                                | 3 | PINK  | >0.5 | 80 x 40 | 45 | 80 | 100 | 195.00 | 100 |
| DOT-3-G                                | 3 | GREEN | >0.5 | 80 x 40 | 45 | 80 | 100 | 195.00 | 100 |
| DOT-3-B                                | 3 | BLUE  | >0.5 | 80 x 40 | 45 | 80 | 100 | 195.00 | 100 |

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|

HELI

**HELI - 2 Watt COB Spot Light**

|         |   |       |      |         |    |    |    |        |     |
|---------|---|-------|------|---------|----|----|----|--------|-----|
| GM 0419 | 2 | 3000K | >0.5 | 40 x 40 | 34 | 80 | 38 | 190.00 | 200 |
| GM 0418 | 2 | 4000K | >0.5 | 40 x 40 | 34 | 80 | 38 | 190.00 | 200 |
| GM 0417 | 2 | 6000K | >0.5 | 40 x 40 | 34 | 80 | 38 | 190.00 | 200 |
| GM 0420 | 2 | RED   | >0.5 | 40 x 40 | 34 | 80 | 38 | 190.00 | 200 |
| GM 0421 | 2 | GREEN | >0.5 | 40 x 40 | 34 | 80 | 38 | 190.00 | 200 |
| GM 0422 | 2 | BLUE  | >0.5 | 40 x 40 | 34 | 80 | 38 | 190.00 | 200 |



TOYO

**TOYO - 3 Watt Deep Down Light**

|         |   |       |      |         |    |    |     |        |    |
|---------|---|-------|------|---------|----|----|-----|--------|----|
| GM 0595 | 3 | 3000K | >0.5 | 81 x 48 | 45 | 80 | 120 | 195.00 | 50 |
| GM 0594 | 3 | 4000K | >0.5 | 81 x 48 | 45 | 80 | 120 | 195.00 | 50 |
| GM 0593 | 3 | 6500K | >0.5 | 81 x 48 | 45 | 80 | 120 | 195.00 | 50 |
| GM 0596 | 3 | PINK  | >0.5 | 81 x 48 | 45 | 80 | 120 | 195.00 | 50 |
| GM 0597 | 3 | GREEN | >0.5 | 81 x 48 | 45 | 80 | 120 | 195.00 | 50 |
| GM 0598 | 3 | BLUE  | >0.5 | 81 x 48 | 45 | 80 | 120 | 195.00 | 50 |



TISSO

**TISSO - 6 Watt Deep Down Light**

|         |   |       |      |         |    |    |     |        |    |
|---------|---|-------|------|---------|----|----|-----|--------|----|
| GM 0511 | 6 | 3000K | >0.5 | 84 x 67 | 45 | 80 | 120 | 310.00 | 50 |
| GM 0510 | 6 | 4000K | >0.5 | 84 x 67 | 45 | 80 | 120 | 310.00 | 50 |
| GM 0509 | 6 | 6500K | >0.5 | 84 x 67 | 45 | 80 | 120 | 310.00 | 50 |
| GM 0512 | 6 | PINK  | >0.5 | 84 x 67 | 45 | 80 | 120 | 310.00 | 50 |
| GM 0513 | 6 | GREEN | >0.5 | 84 x 67 | 45 | 80 | 120 | 310.00 | 50 |
| GM 0514 | 6 | BLUE  | >0.5 | 84 x 67 | 45 | 80 | 120 | 310.00 | 50 |





**OTIS**

**TINO**

## IT'S TIME TO SHINE

**86%**

SAVINGS

**1**

YEAR WARRANTY


EXCELLENT CRI

LONG LASTING



**GATO**

**SITO**










All dimensions in mm

www.gmmodular.com

A romantic couple is shown in a close embrace, nearly kissing. The woman is on the left, her face in profile, and the man is on the right, with a beard and his eyes closed. They are illuminated by warm, golden light against a dark background. The text 'GET THE POWER TO CONTROL YOUR LIVING SPACE' is overlaid in the lower center, with a red line graphic underneath.

GET THE  
POWER TO  
CONTROL YOUR  
LIVING SPACE

G·LÖ AIR  
TRIMLESS DOWN LIGHT



# APP CONTROLLED TRIMLESS DOWN LIGHT



Dimmable

....



Group Control

....



Warm to cool

....



Bluetooth



GM KÖNNECT APP lets you operate your home lighting at a simple touch. From turning your lights on/off, dimming to creating entire lighting scenes or groups - GM air makes a wonderful synergy of moods and emotions for your home.






Let the spot light  
be on you always.




# G32 AIR

Premium COB Lights



Warm to White



G31 Series

App controlled | Dimmable | 2 Years Warranty | Group Control

# G31 AIR

Premium COB Lights

Create your own ambience



One million  
colours  
One bulb



Presenting  
Glitz  
Smart  
Bluetooth  
Bulb

**GM**  
LED LIGHTING  
**GLITZ**  
SMART BULB



Bluetooth



800 Lumens



>16 million  
colours



App  
controlled



Dimmable



Create your  
own ambience



Warm to  
cool



## G-LO Air

| ITEM CODE                                 | POWER | COL.TEMP | PF   | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹   | PKG. |
|-------------------------------------------|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| <b>G-LO - Trimless Down Light - Round</b> |       |          |      |           |           |     |       |         |      |
| G-LO-6-3in1-RD                            | 6     | 3in1     | >0.9 | 118 x 28  | 100       | 80  | 120   | 590.00  | 60   |
| G-LO-10-3in1-RD                           | 10    | 3in1     | >0.9 | 150 x 28  | 125       | 80  | 120   | 990.00  | 40   |
| G-LO-16-3in1-RD                           | 16    | 3in1     | >0.9 | 168 x 28  | 150       | 80  | 120   | 1390.00 | 40   |
| G-LO-22-3in1-RD                           | 22    | 3in1     | >0.9 | 218 x 28  | 200       | 80  | 120   | 1790.00 | 20   |

**G-LO - Trimless Down Light - Square**

|                 |    |      |      |          |           |    |     |         |    |
|-----------------|----|------|------|----------|-----------|----|-----|---------|----|
| G-LO-6-3in1-SQ  | 6  | 3in1 | >0.9 | 118 x 28 | 100 x 100 | 80 | 120 | 590.00  | 60 |
| G-LO-10-3in1-SQ | 10 | 3in1 | >0.9 | 150 x 28 | 125 x 125 | 80 | 120 | 990.00  | 40 |
| G-LO-16-3in1-SQ | 16 | 3in1 | >0.9 | 168 x 28 | 150 x 150 | 80 | 120 | 1390.00 | 40 |
| G-LO-22-3in1-SQ | 22 | 3in1 | >0.9 | 218 x 28 | 200 x 200 | 80 | 120 | 1790.00 | 20 |



## G31 Air

**G31 - 10 Watt COB Down Light**

|                |    |      |      |          |    |    |    |         |    |
|----------------|----|------|------|----------|----|----|----|---------|----|
| G31-10-WB-3in1 | 10 | 3in1 | >0.9 | 100 x 80 | 75 | 36 | 80 | 2700.00 | 50 |
|----------------|----|------|------|----------|----|----|----|---------|----|

**G31 - 10 Watt COB Down Light**

|                |    |      |      |          |    |    |    |         |    |
|----------------|----|------|------|----------|----|----|----|---------|----|
| G31-10-WC-3in1 | 10 | 3in1 | >0.9 | 100 x 80 | 75 | 36 | 80 | 2700.00 | 50 |
|----------------|----|------|------|----------|----|----|----|---------|----|

**G31 - 10 Watt COB Down Light**

|                |    |      |      |          |    |    |    |         |    |
|----------------|----|------|------|----------|----|----|----|---------|----|
| G31-10-CB-3in1 | 10 | 3in1 | >0.9 | 100 x 80 | 75 | 36 | 80 | 2700.00 | 50 |
|----------------|----|------|------|----------|----|----|----|---------|----|

**G31 - 10 Watt COB Down Light**

|                |    |      |      |          |    |    |    |         |    |
|----------------|----|------|------|----------|----|----|----|---------|----|
| G31-10-PC-3in1 | 10 | 3in1 | >0.9 | 100 x 80 | 75 | 36 | 80 | 2700.00 | 50 |
|----------------|----|------|------|----------|----|----|----|---------|----|

**G31 - 10 Watt COB Down Light**

|                |    |      |      |          |    |    |    |         |    |
|----------------|----|------|------|----------|----|----|----|---------|----|
| G31-10-CC-3in1 | 10 | 3in1 | >0.9 | 100 x 80 | 75 | 36 | 80 | 2700.00 | 50 |
|----------------|----|------|------|----------|----|----|----|---------|----|

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|

G32 Air

**G32 - 10 Watt COB Down Light**

|                |    |      |      |          |    |    |    |         |    |
|----------------|----|------|------|----------|----|----|----|---------|----|
| G32-10-WB-3in1 | 10 | 3in1 | >0.9 | 100 x 80 | 75 | 36 | 80 | 2700.00 | 50 |
|----------------|----|------|------|----------|----|----|----|---------|----|

**G32 - 10 Watt COB Down Light**

|                |    |      |      |          |    |    |    |         |    |
|----------------|----|------|------|----------|----|----|----|---------|----|
| G32-10-WC-3in1 | 10 | 3in1 | >0.9 | 100 x 80 | 75 | 36 | 80 | 2700.00 | 50 |
|----------------|----|------|------|----------|----|----|----|---------|----|

**G32 - 10 Watt COB Down Light**

|                |    |      |      |          |    |    |    |         |    |
|----------------|----|------|------|----------|----|----|----|---------|----|
| G32-10-CB-3in1 | 10 | 3in1 | >0.9 | 100 x 80 | 75 | 36 | 80 | 2700.00 | 50 |
|----------------|----|------|------|----------|----|----|----|---------|----|

**G32 - 10 Watt COB Down Light**

|                |    |      |      |          |    |    |    |         |    |
|----------------|----|------|------|----------|----|----|----|---------|----|
| G32-10-WG-3in1 | 10 | 3in1 | >0.9 | 100 x 80 | 75 | 36 | 80 | 2700.00 | 50 |
|----------------|----|------|------|----------|----|----|----|---------|----|



GLITZ

**GLITZ - 10 Watt Smart Bluetooth Bulb**

|              |    |       |      |   |   |    |     |         |    |
|--------------|----|-------|------|---|---|----|-----|---------|----|
| GBZ-10-RGBWW | 10 | RGBWW | >0.9 | - | - | 80 | 180 | 1299.00 | 25 |
|--------------|----|-------|------|---|---|----|-----|---------|----|

**GLO Air****G31 Air****G32 Air**

GET THE POWER  
TO **CONTROL** YOUR  
LIVING SPACE

**GM LED**

Bluetooth

**2**Years  
WarrantyApp  
controlled

Dimmable

Group  
ControlWarm to  
cool

All dimensions in mm

**50%**  
Energy Saving  
over CFLs**ZERO**  
maintenance**4 times more**  
life over CFLs**ZERO**  
Mercury





# YOUR SHIELD AGAINST 99.99% VIRUS!



UVC LED STERILIZATION CABINET 40 LED-02



**99.9%  
STERILIZATION RATE**



**STERILIZE IN  
3 MINUTES**



**UV-C LIGHT  
360° KILLS VIRUS**



**SMART  
DRYING**



**STERILISES  
WATER AND FOOD**



**WAVELENGTH  
260-280NM**



**REDUCE  
ODOUR**



**SAFE AND  
ECO-FRIENDLY**

## MULTI-PURPOSE UVC LED STERILIZATION CABINET

The UVC LED sanitizes household objects by decomposing the odour molecule. This high-quality cabinet is highly recommended for cosmetic products and jewellery used on a daily basis. Taking certain precautions before using make-up cosmetics will help maintain good hygiene. The UVC with reflective glass offers wide wavelength and provides 360° protection.

[www.gmmmodular.com](http://www.gmmmodular.com)





GM 10026

| ITEM CODE                                          | LITRE  | DIMENSION      | NO. OF UVC LIFE | NET WT. | MRP ₹   | PKG. |
|----------------------------------------------------|--------|----------------|-----------------|---------|---------|------|
| <b>GM 10026 - UVC Sterilisation Box 8 LED - 01</b> |        |                |                 |         |         |      |
| GM 10026                                           | 0.69 L | 216 x 105 x 70 | 10000 Hrs       | 420g    | 4900.00 | 16   |



GM 10027

|                                                         |        |                 |           |       |          |   |
|---------------------------------------------------------|--------|-----------------|-----------|-------|----------|---|
| <b>GM 10027 - UVC Sterilisation Cabinet 40 LED - 02</b> |        |                 |           |       |          |   |
| GM 10027                                                | 4.50 L | 302 x 269 x 154 | 10000 Hrs | 1870g | 14900.00 | 4 |



GM 10028

|                                                     |        |                 |           |      |          |   |
|-----------------------------------------------------|--------|-----------------|-----------|------|----------|---|
| <b>GM 10028 - UVC Sterilisation Bag 24 LED - 03</b> |        |                 |           |      |          |   |
| GM 10028                                            | 5.20 L | 240 x 195 x 150 | 10000 Hrs | 520g | 10900.00 | 8 |



GM 10029

|                                                      |   |               |           |      |         |    |
|------------------------------------------------------|---|---------------|-----------|------|---------|----|
| <b>GM 10029 - UVC Sterilisation Wand 20 LED - 01</b> |   |               |           |      |         |    |
| GM 10029                                             | - | 257 x 42 x 40 | 10000 Hrs | 200g | 8900.00 | 20 |



All dimensions in mm





1 DAZO - 24W/36W/52W

2 STRATO - 8W/12W/20W

3 ATMOS - 22W

4 ATLAS - 25W

5 CENTILO - 18W

6 EXORA - 18W

7 LUXON - 36W

8 DUOS - 36W+1W



Best  
design  
in its  
class

LED T5  
TUBE LIGHTS



DAZO

| ITEM CODE                                  | POWER | COL.TEMP | LUMENS | PF   | DIMENSION | CRI | MRP₹    | PKG. |
|--------------------------------------------|-------|----------|--------|------|-----------|-----|---------|------|
| <b>DAZO - 24/36/52 Watt LED Tube Light</b> |       |          |        |      |           |     |         |      |
| GM 10015                                   | 24    | 6500K    | 2400   | >0.9 | 1190 x 23 | 80  | 550.00  | 25   |
| GM 10016                                   | 36    | 6500K    | 3600   | >0.9 | 1190 x 27 | 80  | 880.00  | 25   |
| GM 10017                                   | 52    | 6500K    | 5200   | >0.9 | 1190 x 26 | 80  | 1280.00 | 20   |



STRATO

|                                   |   |       |     |      |          |    |        |    |
|-----------------------------------|---|-------|-----|------|----------|----|--------|----|
| <b>STRATO - 8 Watt Tube Light</b> |   |       |     |      |          |    |        |    |
| GM 0911                           | 8 | 6500K | 800 | >0.9 | 304 x 37 | 80 | 260.00 | 25 |
| GM 0912                           | 8 | 4000K | 800 | >0.9 | 304 x 37 | 80 | 260.00 | 25 |
| GM 0913                           | 8 | 3000K | 800 | >0.9 | 304 x 37 | 80 | 260.00 | 25 |



|                                    |    |       |      |      |          |    |        |    |
|------------------------------------|----|-------|------|------|----------|----|--------|----|
| <b>STRATO - 12 Watt Tube Light</b> |    |       |      |      |          |    |        |    |
| GM 0908                            | 12 | 6500K | 1200 | >0.9 | 598 x 37 | 80 | 360.00 | 25 |
| GM 0909                            | 12 | 4000K | 1200 | >0.9 | 598 x 37 | 80 | 360.00 | 25 |
| GM 0910                            | 12 | 3000K | 1200 | >0.9 | 598 x 37 | 80 | 360.00 | 25 |



|                                    |    |       |      |      |           |    |        |    |
|------------------------------------|----|-------|------|------|-----------|----|--------|----|
| <b>STRATO - 20 Watt Tube Light</b> |    |       |      |      |           |    |        |    |
| GM 0397                            | 20 | 6500K | 2000 | >0.9 | 1135 x 37 | 80 | 530.00 | 25 |
| GM 0906                            | 20 | 4000K | 2000 | >0.9 | 1135 x 37 | 80 | 530.00 | 25 |
| GM 0907                            | 20 | 3000K | 2000 | >0.9 | 1135 x 37 | 80 | 530.00 | 25 |



ATMOS

|                                   |    |       |      |      |           |    |        |    |
|-----------------------------------|----|-------|------|------|-----------|----|--------|----|
| <b>ATMOS - 22 Watt Tube Light</b> |    |       |      |      |           |    |        |    |
| GM 0378                           | 22 | 6500K | 2200 | >0.9 | 1190 x 37 | 80 | 550.00 | 25 |
| GM 0379                           | 22 | 4000K | 2000 | >0.9 | 1190 x 37 | 80 | 550.00 | 25 |
| GM 0392                           | 22 | 3000K | 1800 | >0.9 | 1190 x 37 | 80 | 550.00 | 25 |



ATLAS

|                                          |    |       |      |      |            |    |        |    |
|------------------------------------------|----|-------|------|------|------------|----|--------|----|
| <b>ATLAS - 25 Watt T8 LED Wall Light</b> |    |       |      |      |            |    |        |    |
| GM 10006                                 | 25 | 6500K | 2500 | >0.9 | 117.5 x 37 | 80 | 600.00 | 25 |



CENTILO

|                                     |    |       |      |      |           |    |        |    |
|-------------------------------------|----|-------|------|------|-----------|----|--------|----|
| <b>CENTILO - 18 Watt Tube Light</b> |    |       |      |      |           |    |        |    |
| GM 0100                             | 18 | 6500K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |
| GM 0101                             | 18 | 4000K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |
| GM 0102                             | 18 | 3000K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |

All dimensions in mm



|       | ITEM CODE                         | POWER | COL.TEMP | LUMENS | PF   | DIMENSION | CRI | MRP ₹  | PKG. |
|-------|-----------------------------------|-------|----------|--------|------|-----------|-----|--------|------|
| EXORA | <b>EXORA - 18 Watt Tube Light</b> |       |          |        |      |           |     |        |      |
|       | GM 0109                           | 18    | 6500K    | 1600   | >0.9 | 1200 x 37 | 80  | 500.00 | 25   |
|       | GM 0110                           | 18    | 4000K    | 1600   | >0.9 | 1200 x 37 | 80  | 500.00 | 25   |
|       | GM 0111                           | 18    | 3000K    | 1600   | >0.9 | 1200 x 37 | 80  | 500.00 | 25   |



|       |                                               |    |       |      |      |           |    |        |    |
|-------|-----------------------------------------------|----|-------|------|------|-----------|----|--------|----|
| LUXON | <b>LUXON - 36 Watt Tube Light (Aluminium)</b> |    |       |      |      |           |    |        |    |
|       | GM 0393                                       | 36 | 6500K | 3600 | >0.9 | 1200 x 37 | 80 | 880.00 | 25 |



|      |                                           |      |       |      |      |           |    |        |    |
|------|-------------------------------------------|------|-------|------|------|-----------|----|--------|----|
| DUOS | <b>DUOS - 36+1 Watt T8 LED Wall Light</b> |      |       |      |      |           |    |        |    |
|      | GM 0394                                   | 36+1 | 6500K | 3600 | >0.9 | 1200 x 43 | 80 | 950.00 | 25 |



\* Inter-changeable color end caps



**DAZO** LED BATTEN

Best design in its class

**24w**  
HIGH-POWER

**36w**  
HIGH-POWER

**52w**  
HIGH-POWER

**2**  
YEARS  
WARRANTY

**86%**  
SAVINGS

**100**  
LUMENS  
PER WATT

**ANTI-GLARE  
DIFFUSER**

**LONG LIFE**

**ROBUST  
DESIGN**

**FLUCTUATION  
PROOF**

**EXCELLENT  
CRI**







  
 Energy Saving

**50%**  
Energy Saving  
over CFLs

**ZERO**  
maintenance

**4 times more**  
life over CFLs

**ZERO**  
Mercury

CE | RoHS |  | IP20 | 

All dimensions in mm



# A BULB YOU CAN DEPEND ON!

PRESENTING EVO  
EMERGENCY  
BULB 9W

**5** HRS  
BATTERY BACKUP

CHARGING TIME: 6 HRS

**2200** mAh Li-ION  
RECHARGEABLE BATTERY

EVO  
EMERGENCY  
BULB

   [www.gmmodular.com](http://www.gmmodular.com)

**1**  
YEAR  
WARRANTY

  
EXCELLENT  
CRI

**900**  
LUMENS

**100%**  
SAVINGS

  
CHARGING  
TIME 6 HRS







# MORE LIGHT MORE BRIGHT



BIS APPROVED

## LED BULBS

Regardless of what your mood is, set it right with a decent lighting starting from attractive bulbs to mesmerizing T Bulb and more, and spread the great vibe.

1  
YEAR  
WARRANTY

86%  
SAVINGS

✓  
EXCELLENT  
CRI

100  
LUMENS  
PER WATT

25000\*  
HOURS

[www.gmmodular.com](http://www.gmmodular.com)

**EVO**

| ITEM CODE                        | POWER | COL.TEMP | DIMENSION | ANGLE | MRP ₹ | PKG. |
|----------------------------------|-------|----------|-----------|-------|-------|------|
| <b>EVO - 0.5 Watt Bulb - B22</b> |       |          |           |       |       |      |
| GM 0729 - RED                    | 0.5   | RED      | 45 x 67   | 240   | 55.00 | 100  |
| GM 0729 - GREEN                  | 0.5   | GREEN    | 45 x 67   | 240   | 55.00 | 100  |
| GM 0729 - BLUE                   | 0.5   | BLUE     | 45 x 67   | 240   | 55.00 | 100  |
| GM 0729 - YELLOW                 | 0.5   | YELLOW   | 45 x 67   | 240   | 55.00 | 100  |
| GM 0729 - WHITE                  | 0.5   | WHITE    | 45 x 67   | 240   | 55.00 | 100  |
| GM 0729 - ORANGE                 | 0.5   | ORANGE   | 45 x 67   | 240   | 55.00 | 100  |
| GM 0729 - PINK                   | 0.5   | PINK     | 45 x 67   | 240   | 55.00 | 100  |



|                                      |   |       |         |    |     |        |    |
|--------------------------------------|---|-------|---------|----|-----|--------|----|
| <b>EVO - 3 Watt Bulb - B22 / E27</b> |   |       |         |    |     |        |    |
| GBA-03-3K                            | 3 | 3000K | >300 lm | 80 | 240 | 125.00 | 50 |
| GBA-03-4K                            | 3 | 4000K | >300 lm | 80 | 240 | 125.00 | 50 |
| GBA-03-6.5K                          | 3 | 6500K | >300 lm | 80 | 240 | 125.00 | 50 |



|                                      |   |       |         |    |     |        |    |
|--------------------------------------|---|-------|---------|----|-----|--------|----|
| <b>EVO - 5 Watt Bulb - B22 / E27</b> |   |       |         |    |     |        |    |
| GBA-05-3K                            | 5 | 3000K | >500 lm | 80 | 240 | 145.00 | 50 |
| GBA-05-4K                            | 5 | 4000K | >500 lm | 80 | 240 | 145.00 | 50 |
| GBA-05-6.5K                          | 5 | 6500K | >500 lm | 80 | 240 | 145.00 | 50 |



|                                      |   |       |         |    |     |        |    |
|--------------------------------------|---|-------|---------|----|-----|--------|----|
| <b>EVO - 7 Watt Bulb - B22 / E27</b> |   |       |         |    |     |        |    |
| GBA-07-3K                            | 7 | 3000K | >700 lm | 80 | 240 | 160.00 | 50 |
| GBA-07-4K                            | 7 | 4000K | >700 lm | 80 | 240 | 160.00 | 50 |
| GBA-07-6.5K                          | 7 | 6500K | >700 lm | 80 | 240 | 160.00 | 50 |



|                                      |   |       |         |    |     |        |    |
|--------------------------------------|---|-------|---------|----|-----|--------|----|
| <b>EVO - 9 Watt Bulb - B22 / E27</b> |   |       |         |    |     |        |    |
| GBA-09-3K                            | 9 | 3000K | >900 lm | 80 | 240 | 175.00 | 50 |
| GBA-09-4K                            | 9 | 4000K | >900 lm | 80 | 240 | 175.00 | 50 |
| GBA-09-6.5K                          | 9 | 6500K | >900 lm | 80 | 240 | 175.00 | 50 |



|                                       |    |       |          |    |     |        |    |
|---------------------------------------|----|-------|----------|----|-----|--------|----|
| <b>EVO - 12 Watt Bulb - B22 / E27</b> |    |       |          |    |     |        |    |
| GBA-12-3K                             | 12 | 3000K | >1200 lm | 80 | 240 | 270.00 | 50 |
| GBA-12-4K                             | 12 | 4000K | >1200 lm | 80 | 240 | 270.00 | 50 |
| GBA-12-6.5K                           | 12 | 6500K | >1200 lm | 80 | 240 | 270.00 | 50 |

|                                 |    |       |          |    |     |        |    |
|---------------------------------|----|-------|----------|----|-----|--------|----|
| <b>EVO - 15 Watt Bulb - B22</b> |    |       |          |    |     |        |    |
| GBA-15-3K                       | 15 | 3000K | >1500 lm | 80 | 240 | 395.00 | 50 |
| GBA-15-4K                       | 15 | 4000K | >1500 lm | 80 | 240 | 395.00 | 50 |
| GBA-15-6.5K                     | 15 | 6500K | >1500 lm | 80 | 240 | 395.00 | 50 |

|                                 |    |       |          |    |     |        |    |
|---------------------------------|----|-------|----------|----|-----|--------|----|
| <b>EVO - 18 Watt Bulb - B22</b> |    |       |          |    |     |        |    |
| GBA-18-3K                       | 18 | 3000K | >1800 lm | 80 | 240 | 520.00 | 50 |
| GBA-18-4K                       | 18 | 4000K | >1800 lm | 80 | 240 | 520.00 | 50 |
| GBA-18-6.5K                     | 18 | 6500K | >1800 lm | 80 | 240 | 520.00 | 50 |

## EMERGENCY BULB

| ITEM CODE                                | POWER | COL.TEMP | Lumens  | CRI | ANGLE | MRP ₹  | PKG. |
|------------------------------------------|-------|----------|---------|-----|-------|--------|------|
| <b>EVO - 9 Watt Emergency Bulb - B22</b> |       |          |         |     |       |        |      |
| GBA-9-ER-6.5K                            | 9     | 6500K    | >900 lm | 80  | 180   | 650.00 | 25   |



## EVO CANDLE LAMP

|                                               |   |       |         |    |     |        |     |
|-----------------------------------------------|---|-------|---------|----|-----|--------|-----|
| <b>EVO - 5 Watt Candle Lamp - E14 - Clear</b> |   |       |         |    |     |        |     |
| GCA-5-3K                                      | 5 | 3000K | >360 lm | 80 | 220 | 250.00 | 100 |
| GCA-5-4K                                      | 5 | 4000K | >380 lm | 80 | 220 | 250.00 | 100 |
| GCA-5-6K                                      | 5 | 6000K | >400 lm | 80 | 220 | 250.00 | 100 |



|                                                 |   |       |         |    |     |        |     |
|-------------------------------------------------|---|-------|---------|----|-----|--------|-----|
| <b>EVO - 5 Watt Candle Lamp - E14 - Frosted</b> |   |       |         |    |     |        |     |
| GCB-5-3K                                        | 5 | 3000K | >360 lm | 80 | 220 | 250.00 | 100 |
| GCB-5-4K                                        | 5 | 4000K | >380 lm | 80 | 220 | 250.00 | 100 |
| GCB-5-6K                                        | 5 | 6000K | >400 lm | 80 | 220 | 250.00 | 100 |



## EVO ROCKET LAMP

|                                |    |       |          |    |     |         |    |
|--------------------------------|----|-------|----------|----|-----|---------|----|
| <b>EVO - Rocket Lamp - B22</b> |    |       |          |    |     |         |    |
| GBR-30-6.5K                    | 30 | 6500K | >3000 lm | 80 | 230 | 1300.00 | 10 |
| GBR-40-6.5K                    | 40 | 6500K | >4000 lm | 80 | 230 | 1500.00 | 10 |
| GBR-50-6.5K                    | 50 | 6500K | >5000 lm | 80 | 230 | 1700.00 | 10 |



## SENSOR LIGHT

|                                                 |    |       |          |    |     |         |   |
|-------------------------------------------------|----|-------|----------|----|-----|---------|---|
| <b>EVO - 80 Watt Sensor Highbay Light - E40</b> |    |       |          |    |     |         |   |
| GBH-80-6.5K-E40                                 | 80 | 6500K | >8000 lm | 80 | 110 | 8000.00 | 4 |



## HIGHBAY LIGHT

|                                                     |     |       |           |    |     |         |   |
|-----------------------------------------------------|-----|-------|-----------|----|-----|---------|---|
| <b>EVO - 100 &amp; 120 Watt Highbay Light - E40</b> |     |       |           |    |     |         |   |
| GBH-100-6.5K-E40                                    | 100 | 6500K | >10000 lm | 80 | 110 | 5500.00 | 4 |
| GBH-120-6.5K-E40                                    | 120 | 6500K | >12000 lm | 80 | 110 | 6900.00 | 4 |



## UFO HIGHBAY LIGHT

|                                                                 |     |       |           |    |     |          |   |
|-----------------------------------------------------------------|-----|-------|-----------|----|-----|----------|---|
| <b>UFO - 100 / 150 &amp; 200 Watt Highbay Light - Hook Type</b> |     |       |           |    |     |          |   |
| GBH-UFO-100-6.5K                                                | 100 | 6500K | >10000 lm | 80 | 110 | 10800.00 | 1 |
| GBH-UFO-150-6.5K                                                | 150 | 6500K | >15000 lm | 80 | 110 | 15500.00 | 1 |
| GBH-UFO-200-6.5K                                                | 200 | 6500K | >20000 lm | 80 | 110 | 20800.00 | 1 |



All dimensions in mm



# Outdoor and indoor essentials



IGNITO-3




IGNITO-2



IGNITO-1

 **IGNITO** RECHARGEABLE  
LANTERNS





LONG LASTING  
BATTERY



Solar Charging  
Option



Blinker  
Option



Long  
Life



Robust  
Design



IGNITO LANTERN

| ITEM CODE                              | COL.TEMP | DIMENSION     | BATTERY TYPE   | MRP ₹   | PKG. |
|----------------------------------------|----------|---------------|----------------|---------|------|
| <b>IGNITO 1 - Rechargeable Lantern</b> |          |               |                |         |      |
| GM10018                                | 10000K   | 355 x 30 x 53 | 3000mAh Li-ION | 1150.00 | 25   |

**IGNITO 2 - Rechargeable Lantern**

|         |        |               |                |         |    |
|---------|--------|---------------|----------------|---------|----|
| GM10019 | 10000K | 65 x 128 x 25 | 2000mAh Li-ION | 1450.00 | 12 |
|---------|--------|---------------|----------------|---------|----|

**IGNITO 3 - Rechargeable Lantern**

|         |        |               |                   |         |    |
|---------|--------|---------------|-------------------|---------|----|
| GM10020 | 10000K | 170 x 85 x 30 | 4500mAh Lead Acid | 2550.00 | 12 |
|---------|--------|---------------|-------------------|---------|----|

MORE LIGHT  
MORE BRIGHT

86%  
SAVINGS

EXCELLENT  
CRI



LED LIFE UPTO  
25000 HOURS

100  
LUMENS  
PER WATT



GLO T BULB



GLO BULB

**GM LED**



www.gmmmodular.com

**GM LED**  
ILLUMINATING INTELLIGENTLY



BIS APPROVED

All dimensions in mm

**LIGHT IS LIFE**



| ITEM CODE | POWER | COL.TEMP | LUMENS | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|--------|-----|-------|-------|------|
|-----------|-------|----------|--------|-----|-------|-------|------|

GLO

**GLO - 3 Watt Bulb - B22**

|             |   |       |         |    |     |        |    |
|-------------|---|-------|---------|----|-----|--------|----|
| GBB-03-6.5K | 3 | 6500K | >300 lm | 80 | 180 | 115.00 | 50 |
|-------------|---|-------|---------|----|-----|--------|----|

**GLO - 5 Watt Bulb - B22**

|             |   |       |         |    |     |        |    |
|-------------|---|-------|---------|----|-----|--------|----|
| GBB-05-6.5K | 5 | 6500K | >500 lm | 80 | 180 | 130.00 | 50 |
|-------------|---|-------|---------|----|-----|--------|----|

**GLO - 7 Watt Bulb - B22**

|             |   |       |         |    |     |        |    |
|-------------|---|-------|---------|----|-----|--------|----|
| GBB-07-6.5K | 7 | 6500K | >700 lm | 80 | 180 | 145.00 | 50 |
|-------------|---|-------|---------|----|-----|--------|----|

**GLO - 9 Watt Bulb - B22**

|             |   |       |         |    |     |        |    |
|-------------|---|-------|---------|----|-----|--------|----|
| GBB-09-6.5K | 9 | 6500K | >900 lm | 80 | 180 | 160.00 | 50 |
|-------------|---|-------|---------|----|-----|--------|----|

**GLO - 12 Watt Bulb - B22**

|             |    |       |          |    |     |        |    |
|-------------|----|-------|----------|----|-----|--------|----|
| GBB-12-6.5K | 12 | 6500K | >1200 lm | 80 | 180 | 245.00 | 50 |
|-------------|----|-------|----------|----|-----|--------|----|

**GLO - 18 Watt Bulb - B22**

|             |    |       |          |    |     |        |    |
|-------------|----|-------|----------|----|-----|--------|----|
| GBB-18-6.5K | 18 | 6500K | >1800 lm | 80 | 180 | 470.00 | 30 |
|-------------|----|-------|----------|----|-----|--------|----|

**GLO - 23 Watt Bulb - B22**

|             |    |       |          |    |     |        |    |
|-------------|----|-------|----------|----|-----|--------|----|
| GBB-23-6.5K | 23 | 6500K | >2300 lm | 80 | 180 | 560.00 | 20 |
|-------------|----|-------|----------|----|-----|--------|----|



GLO LED T-BULB

**GLO - LED T-Bulb - B22**

|             |    |       |          |    |     |         |    |
|-------------|----|-------|----------|----|-----|---------|----|
| GBT-30-6.5K | 30 | 6500K | >3000 lm | 80 | 220 | 560.00  | 10 |
| GBT-40-6.5K | 40 | 6500K | >4000 lm | 80 | 220 | 730.00  | 10 |
| GBT-50-6.5K | 50 | 6500K | >5000 lm | 80 | 220 | 1050.00 | 10 |



INSTA

**INSTA - 10 Watt Lamp**

|         |    |       |          |    |     |        |    |
|---------|----|-------|----------|----|-----|--------|----|
| GM 0400 | 10 | 6000K | >1000 lm | 80 | 120 | 280.00 | 24 |
|---------|----|-------|----------|----|-----|--------|----|



All dimensions in mm





# LED STRIP LIGHTS

RADION  
ZODION  
PRODION  
ODION  
KODION  
TODION

Strip lights have become a popular idea for festivity and home décor. The LEDs come in durable compact packages that are resistant to shock and can be used in a variety of ways. Available in long strip lengths, they have a protective covering that make them dust and water resistant (IP20/IP44/IP67). LED strips are available in a wide range of single colour as well as multi-colour strips (RGB). Strip LEDs are cost effective and easier to install.





Add some **glitter** in life

|                                                                                   | ITEM CODE                                     | LED<br>PER MTR | WATT<br>5 MTR | COL.<br>TEMP | IP<br>RATING | INPUT<br>VOLT. | LUMENS<br>PER LED | LENGTH<br>IN MTR. | MRP ₹  | PKG. |
|-----------------------------------------------------------------------------------|-----------------------------------------------|----------------|---------------|--------------|--------------|----------------|-------------------|-------------------|--------|------|
|  | <b>RADION</b> - Strip Light - SMD 2835 - IP20 |                |               |              |              |                |                   |                   |        |      |
|                                                                                   | RAD20-2835-7LM-WW                             | 60             | 20W           | 3000K        | IP20         | 12V            | 7                 | 5                 | 470.00 | 50   |
|                                                                                   | RAD20-2835-7LM-WH                             | 60             | 20W           | 6000K        | IP20         | 12V            | 7                 | 5                 | 470.00 | 50   |
|                                                                                   | RAD20-2835-7LM-R                              | 60             | 20W           | RED          | IP20         | 12V            | 7                 | 5                 | 470.00 | 50   |
|                                                                                   | RAD20-2835-7LM-G                              | 60             | 20W           | GREEN        | IP20         | 12V            | 7                 | 5                 | 470.00 | 50   |
|                                                                                   | RAD20-2835-7LM-B                              | 60             | 20W           | BLUE         | IP20         | 12V            | 7                 | 5                 | 470.00 | 50   |

|                                                                                   |                                               |    |     |       |      |     |    |   |        |    |
|-----------------------------------------------------------------------------------|-----------------------------------------------|----|-----|-------|------|-----|----|---|--------|----|
|  | <b>RADION</b> - Strip Light - SMD 4040 - IP20 |    |     |       |      |     |    |   |        |    |
|                                                                                   | RAD20-4040-22LM-R                             | 60 | 45W | RED   | IP20 | 12V | 22 | 5 | 440.00 | 50 |
|                                                                                   | RAD20-4040-22LM-G                             | 60 | 45W | GREEN | IP20 | 12V | 22 | 5 | 440.00 | 50 |
|                                                                                   | RAD20-4040-22LM-B                             | 60 | 45W | BLUE  | IP20 | 12V | 22 | 5 | 440.00 | 50 |
|                                                                                   | RAD20-4040-22LM-WH                            | 60 | 45W | 6000K | IP20 | 12V | 22 | 5 | 440.00 | 50 |
|                                                                                   | RAD20-4040-22LM-WW                            | 60 | 45W | 3000K | IP20 | 12V | 22 | 5 | 440.00 | 50 |
|                                                                                   | RAD20-4040-22LM-P                             | 60 | 45W | PINK  | IP20 | 12V | 22 | 5 | 440.00 | 50 |

|                                                                                   |                                               |    |     |       |      |     |   |   |        |    |
|-----------------------------------------------------------------------------------|-----------------------------------------------|----|-----|-------|------|-----|---|---|--------|----|
|  | <b>RADION</b> - Strip Light - SMD 2835 - IP44 |    |     |       |      |     |   |   |        |    |
|                                                                                   | RAD44-2835-7LM-WW                             | 60 | 20W | 3000K | IP44 | 12V | 7 | 5 | 600.00 | 50 |
|                                                                                   | RAD44-2835-7LM-WH                             | 60 | 20W | 6000K | IP44 | 12V | 7 | 5 | 600.00 | 50 |
|                                                                                   | RAD44-2835-7LM-R                              | 60 | 20W | RED   | IP44 | 12V | 7 | 5 | 600.00 | 50 |
|                                                                                   | RAD44-2835-7LM-G                              | 60 | 20W | GREEN | IP44 | 12V | 7 | 5 | 600.00 | 50 |
|                                                                                   | RAD44-2835-7LM-B                              | 60 | 20W | BLUE  | IP44 | 12V | 7 | 5 | 600.00 | 50 |

|                                                                                    |                                               |    |     |       |      |     |    |   |        |    |
|------------------------------------------------------------------------------------|-----------------------------------------------|----|-----|-------|------|-----|----|---|--------|----|
|  | <b>ZODION</b> - Strip Light - SMD 5050 - IP20 |    |     |       |      |     |    |   |        |    |
|                                                                                    | ZOD20-5050-14LM-WW                            | 60 | 48W | 3000K | IP20 | 12V | 14 | 5 | 750.00 | 50 |
|                                                                                    | ZOD20-5050-14LM-WH                            | 60 | 48W | 6000K | IP20 | 12V | 14 | 5 | 750.00 | 50 |
|                                                                                    | ZOD20-5050-14LM-R                             | 60 | 48W | RED   | IP20 | 12V | 14 | 5 | 750.00 | 50 |
|                                                                                    | ZOD20-5050-14LM-G                             | 60 | 48W | GREEN | IP20 | 12V | 14 | 5 | 750.00 | 50 |
|                                                                                    | ZOD20-5050-14LM-B                             | 60 | 48W | BLUE  | IP20 | 12V | 14 | 5 | 750.00 | 50 |
|                                                                                    | ZOD20-5050-14LM-RGB                           | 60 | 48W | RGB   | IP20 | 12V | 14 | 5 | 750.00 | 50 |

|                                                                                     |                                               |    |     |       |      |     |    |   |        |    |
|-------------------------------------------------------------------------------------|-----------------------------------------------|----|-----|-------|------|-----|----|---|--------|----|
|  | <b>ZODION</b> - Strip Light - SMD 5050 - IP44 |    |     |       |      |     |    |   |        |    |
|                                                                                     | ZOD44-5050-14LM-WW                            | 60 | 48W | 3000K | IP44 | 12V | 14 | 5 | 950.00 | 50 |
|                                                                                     | ZOD44-5050-14LM-WH                            | 60 | 48W | 6000K | IP44 | 12V | 14 | 5 | 950.00 | 50 |
|                                                                                     | ZOD44-5050-14LM-R                             | 60 | 48W | RED   | IP44 | 12V | 14 | 5 | 950.00 | 50 |
|                                                                                     | ZOD44-5050-14LM-G                             | 60 | 48W | GREEN | IP44 | 12V | 14 | 5 | 950.00 | 50 |
|                                                                                     | ZOD44-5050-14LM-B                             | 60 | 48W | BLUE  | IP44 | 12V | 14 | 5 | 950.00 | 50 |
|                                                                                     | ZOD44-5050-14LM-RGB                           | 60 | 48W | RGB   | IP44 | 12V | 14 | 5 | 950.00 | 50 |

| ITEM CODE                                      | LED PER MTR | WATT 5 MTR | COL. TEMP | IP RATING | INPUT VOLT. | LUMENS PER LED | LENGTH IN MTR. | MRP ₹   | PKG. |
|------------------------------------------------|-------------|------------|-----------|-----------|-------------|----------------|----------------|---------|------|
| <b>PRODION</b> - Strip Light - SMD 5050 - IP20 |             |            |           |           |             |                |                |         |      |
| PRO20-5050-20LM-WW                             | 60          | 60W        | 3000K     | IP20      | 12V         | 20             | 5              | 1050.00 | 50   |
| PRO20-5050-20LM-WH                             | 60          | 60W        | 6000K     | IP20      | 12V         | 20             | 5              | 1050.00 | 50   |
| PRO20-5050-20LM-R                              | 60          | 60W        | RED       | IP20      | 12V         | 20             | 5              | 1050.00 | 50   |
| PRO20-5050-20LM-G                              | 60          | 60W        | GREEN     | IP20      | 12V         | 20             | 5              | 1050.00 | 50   |
| PRO20-5050-20LM-B                              | 60          | 60W        | BLUE      | IP20      | 12V         | 20             | 5              | 1050.00 | 50   |



|                                                |    |     |       |      |     |    |   |         |    |
|------------------------------------------------|----|-----|-------|------|-----|----|---|---------|----|
| <b>PRODION</b> - Strip Light - SMD 5050 - IP44 |    |     |       |      |     |    |   |         |    |
| PRO44-5050-20LM-WW                             | 60 | 60W | 3000K | IP44 | 12V | 20 | 5 | 1200.00 | 50 |
| PRO44-5050-20LM-WH                             | 60 | 60W | 6000K | IP44 | 12V | 20 | 5 | 1200.00 | 50 |
| PRO44-5050-20LM-R                              | 60 | 60W | RED   | IP44 | 12V | 20 | 5 | 1200.00 | 50 |
| PRO44-5050-20LM-G                              | 60 | 60W | GREEN | IP44 | 12V | 20 | 5 | 1200.00 | 50 |
| PRO44-5050-20LM-B                              | 60 | 60W | BLUE  | IP44 | 12V | 20 | 5 | 1200.00 | 50 |



|                                                |    |     |       |      |     |    |   |         |    |
|------------------------------------------------|----|-----|-------|------|-----|----|---|---------|----|
| <b>PRODION</b> - Strip Light - SMD 5050 - IP67 |    |     |       |      |     |    |   |         |    |
| PRO67-5050-20LM-WW                             | 60 | 60W | 3000K | IP67 | 12V | 20 | 5 | 1540.00 | 50 |
| PRO67-5050-20LM-WH                             | 60 | 60W | 6000K | IP67 | 12V | 20 | 5 | 1540.00 | 50 |
| PRO67-5050-20LM-R                              | 60 | 60W | RED   | IP67 | 12V | 20 | 5 | 1540.00 | 50 |
| PRO67-5050-20LM-G                              | 60 | 60W | GREEN | IP67 | 12V | 20 | 5 | 1540.00 | 50 |
| PRO67-5050-20LM-B                              | 60 | 60W | BLUE  | IP67 | 12V | 20 | 5 | 1540.00 | 50 |



|                                              |     |     |       |      |     |    |   |         |    |
|----------------------------------------------|-----|-----|-------|------|-----|----|---|---------|----|
| <b>ODION</b> - Strip Light - SMD 2835 - IP20 |     |     |       |      |     |    |   |         |    |
| ODO20-2835-24LM-WW                           | 120 | 60W | 3000K | IP20 | 12V | 24 | 5 | 1130.00 | 50 |
| ODO20-2835-24LM-NW                           | 120 | 60W | 4000K | IP20 | 12V | 24 | 5 | 1130.00 | 50 |
| ODO20-2835-24LM-WH                           | 120 | 60W | 6000K | IP20 | 12V | 24 | 5 | 1130.00 | 50 |
| ODO20-2835-24LM-R                            | 120 | 60W | RED   | IP20 | 12V | 24 | 5 | 1130.00 | 50 |
| ODO20-2835-24LM-G                            | 120 | 60W | GREEN | IP20 | 12V | 24 | 5 | 1130.00 | 50 |
| ODO20-2835-24LM-B                            | 120 | 60W | BLUE  | IP20 | 12V | 24 | 5 | 1130.00 | 50 |



|                                               |     |      |       |      |     |    |   |         |    |
|-----------------------------------------------|-----|------|-------|------|-----|----|---|---------|----|
| <b>KODION</b> - Strip Light - SMD 2835 - IP20 |     |      |       |      |     |    |   |         |    |
| KOD20-2835-24LM-WW                            | 240 | 100W | 3000K | IP20 | 12V | 24 | 5 | 1900.00 | 50 |
| KOD20-2835-24LM-WH                            | 240 | 100W | 6000K | IP20 | 12V | 24 | 5 | 1900.00 | 50 |
| KOD20-2835-24LM-R                             | 240 | 100W | RED   | IP20 | 12V | 24 | 5 | 1900.00 | 50 |
| KOD20-2835-24LM-G                             | 240 | 100W | GREEN | IP20 | 12V | 24 | 5 | 1900.00 | 50 |
| KOD20-2835-24LM-B                             | 240 | 100W | BLUE  | IP20 | 12V | 24 | 5 | 1900.00 | 50 |



|                                               |     |     |       |      |     |    |   |        |    |
|-----------------------------------------------|-----|-----|-------|------|-----|----|---|--------|----|
| <b>TODION</b> - Strip Light - SMD 2835 - IP20 |     |     |       |      |     |    |   |        |    |
| TOD20-2835-24LM-WW                            | 120 | 60W | 3000K | IP20 | 12V | 24 | 5 | 850.00 | 50 |
| TOD20-2835-24LM-WH                            | 120 | 60W | 6000K | IP20 | 12V | 24 | 5 | 850.00 | 50 |
| TOD20-2835-24LM-R                             | 120 | 60W | RED   | IP20 | 12V | 24 | 5 | 850.00 | 50 |
| TOD20-2835-24LM-G                             | 120 | 60W | GREEN | IP20 | 12V | 24 | 5 | 850.00 | 50 |
| TOD20-2835-24LM-B                             | 120 | 60W | BLUE  | IP20 | 12V | 24 | 5 | 850.00 | 50 |
| TOD20-2835-24LM-NW                            | 120 | 60W | NW    | IP20 | 12V | 24 | 5 | 850.00 | 50 |
| TOD20-2835-24LM-A                             | 120 | 60W | AMBER | IP20 | 12V | 24 | 5 | 850.00 | 50 |



All dimensions in mm







LED DRIVER

| ITEM CODE                                   | WATT 5 MTR | INPUT VOLT. | MRP ₹  | PKG. |
|---------------------------------------------|------------|-------------|--------|------|
| <b>LED DRIVER - Strip Power Supply - 2A</b> |            |             |        |      |
| DR-2A-24W                                   | 12V - 24W  | AC 85V-265V | 350.00 | 120  |



|                                             |           |             |        |     |
|---------------------------------------------|-----------|-------------|--------|-----|
| <b>LED DRIVER - Strip Power Supply - 5A</b> |           |             |        |     |
| DR-5A-60W                                   | 12V - 60W | AC 85V-265V | 625.00 | 100 |



|                                              |            |             |         |    |
|----------------------------------------------|------------|-------------|---------|----|
| <b>LED DRIVER - Strip Power Supply - 10A</b> |            |             |         |    |
| DR-10A-120W                                  | 12V - 120W | AC 85V-265V | 1200.00 | 75 |



|                                              |            |             |         |    |
|----------------------------------------------|------------|-------------|---------|----|
| <b>LED DRIVER - Strip Power Supply - 15A</b> |            |             |         |    |
| DR-15A-180W                                  | 12V - 180W | AC 85V-265V | 1750.00 | 52 |




|                                              |            |             |         |    |
|----------------------------------------------|------------|-------------|---------|----|
| <b>LED DRIVER - Strip Power Supply - 20A</b> |            |             |         |    |
| DR-20A-240W                                  | 12V - 240W | AC 85V-265V | 2350.00 | 40 |



|                                         |     |             |        |    |
|-----------------------------------------|-----|-------------|--------|----|
| <b>EDRON - Electronic Ballast - 36W</b> |     |             |        |    |
| GM 0774                                 | 36W | AC 85V-265V | 195.00 | 50 |

CELEBRATE  
FESTIVITIES  
WITH  
STRIP LIGHTS

[www.gmmodule.com](http://www.gmmodule.com)



**GM LED**



**GM LED**  
ILLUMINATING INTELLIGENTLY

BIS APPROVED

All dimensions in mm

**LIGHT IS LIFE**

| ITEM CODE                                   | LEDs<br>PER MTR | WATT<br>PER MTR | COL.<br>TEMP | IP<br>RATING | INPUT VOLT   | LUMENS<br>PER LED | LENGTH<br>IN MTR | MRP ₹<br>PER MTR | PKG.<br>MTR |
|---------------------------------------------|-----------------|-----------------|--------------|--------------|--------------|-------------------|------------------|------------------|-------------|
| <b>FANON</b> - Neon Light - SMD 2835 - IP65 |                 |                 |              |              |              |                   |                  |                  |             |
| FAN65-2835-7LM-VW                           | 60              | 4.5W            | 3000K        | IP65         | AC 220V-240V | 7                 | 50               | 230.00           | 50          |
| FAN65-2835-7LM-VH                           | 60              | 4.5W            | 6000K        | IP65         | AC 220V-240V | 7                 | 50               | 230.00           | 50          |
| FAN65-2835-7LM-R                            | 60              | 4.5W            | RED          | IP65         | AC 220V-240V | 7                 | 50               | 230.00           | 50          |
| FAN65-2835-7LM-G                            | 60              | 4.5W            | GREEN        | IP65         | AC 220V-240V | 7                 | 50               | 230.00           | 50          |
| FAN65-2835-7LM-B                            | 60              | 4.5W            | BLUE         | IP65         | AC 220V-240V | 7                 | 50               | 230.00           | 50          |
| FAN65-2835-7LM-P                            | 60              | 4.5W            | PINK         | IP65         | AC 220V-240V | 7                 | 50               | 230.00           | 50          |



|                                             |    |    |       |      |              |    |    |        |    |
|---------------------------------------------|----|----|-------|------|--------------|----|----|--------|----|
| <b>XERON</b> - Neon Light - SMD 5050 - IP65 |    |    |       |      |              |    |    |        |    |
| XER65-5050-14LM-VW                          | 60 | 8W | 3000K | IP65 | AC 220V-240V | 14 | 50 | 330.00 | 50 |
| XER65-5050-14LM-VH                          | 60 | 8W | 6000K | IP65 | AC 220V-240V | 14 | 50 | 330.00 | 50 |
| XER65-5050-14LM-R                           | 60 | 8W | RED   | IP65 | AC 220V-240V | 14 | 50 | 330.00 | 50 |
| XER65-5050-14LM-G                           | 60 | 8W | GREEN | IP65 | AC 220V-240V | 14 | 50 | 330.00 | 50 |
| XER65-5050-14LM-B                           | 60 | 8W | BLUE  | IP65 | AC 220V-240V | 14 | 50 | 330.00 | 50 |
| XER65-5050-14LM-P                           | 60 | 8W | PINK  | IP65 | AC 220V-240V | 14 | 50 | 330.00 | 50 |



|                                             |     |    |       |      |              |   |     |        |     |
|---------------------------------------------|-----|----|-------|------|--------------|---|-----|--------|-----|
| <b>RAYON</b> - Rope Light - SMD 3014 - IP65 |     |    |       |      |              |   |     |        |     |
| RAY65-3014-7LM-VW                           | 120 | 8W | 3000K | IP65 | AC 220V-240V | 7 | 100 | 170.00 | 100 |
| RAY65-3014-7LM-VH                           | 120 | 8W | 6000K | IP65 | AC 220V-240V | 7 | 100 | 170.00 | 100 |
| RAY65-3014-7LM-R                            | 120 | 8W | RED   | IP65 | AC 220V-240V | 7 | 100 | 170.00 | 100 |
| RAY65-3014-7LM-G                            | 120 | 8W | GREEN | IP65 | AC 220V-240V | 7 | 100 | 170.00 | 100 |
| RAY65-3014-7LM-B                            | 120 | 8W | BLUE  | IP65 | AC 220V-240V | 7 | 100 | 170.00 | 100 |
| RAY65-3014-7LM-P                            | 120 | 8W | PINK  | IP65 | AC 220V-240V | 7 | 100 | 170.00 | 100 |



|                                             |    |     |       |      |              |    |    |        |    |
|---------------------------------------------|----|-----|-------|------|--------------|----|----|--------|----|
| <b>NIYON</b> - Rope Light - SMD 5050 - IP65 |    |     |       |      |              |    |    |        |    |
| NIY65-5050-14LM-VW                          | 60 | 12W | 3000K | IP65 | AC 220V-240V | 14 | 50 | 250.00 | 50 |
| NIY65-5050-14LM-VH                          | 60 | 12W | 6000K | IP65 | AC 220V-240V | 14 | 50 | 250.00 | 50 |
| NIY65-5050-14LM-R                           | 60 | 12W | RED   | IP65 | AC 220V-240V | 14 | 50 | 250.00 | 50 |
| NIY65-5050-14LM-G                           | 60 | 12W | GREEN | IP65 | AC 220V-240V | 14 | 50 | 250.00 | 50 |
| NIY65-5050-14LM-B                           | 60 | 12W | BLUE  | IP65 | AC 220V-240V | 14 | 50 | 250.00 | 50 |
| NIY65-5050-14LM-P                           | 60 | 12W | PINK  | IP65 | AC 220V-240V | 14 | 50 | 250.00 | 50 |



CELEBRATE  
FESTIVITIES  
WITH **NIYON**  
ROPE LIGHT

www.gmmmodular.com



**GM LED**



All dimensions in mm



# Brightest Street Lights on road!



G05 SERIES  
(SMD)



G04 SERIES  
(SMD)



SUNLAMP  
(SOLAR)



HUGO  
(SMD)

The multi-characteristic LED street lights having high quality lenses and reflectors with a wide selection of fixtures and styles, cater to street lightings in cities, malls, urban landscapes and more.



STREET LIGHT (SMD)

| ITEM CODE                         | POWER | COL.TEMP | PF    | DIMENSION      | IP   | LUMENS | ANGLE | MRP ₹    | PKG. |
|-----------------------------------|-------|----------|-------|----------------|------|--------|-------|----------|------|
| <b>STREET LIGHT - G04 - 6500K</b> |       |          |       |                |      |        |       |          |      |
| G04-20-6.5K-SL                    | 20    | 6500K    | >0.95 | 372 x 173 x 56 | IP65 | >100   | 120   | 3600.00  | 10   |
| G04-50-6.5K-SL                    | 50    | 6500K    | >0.95 | 474 x 215 x 63 | IP65 | >100   | 120   | 6100.00  | 6    |
| G04-70-6.5K-SL                    | 70    | 6500K    | >0.95 | 550 x 252 x 74 | IP65 | >100   | 120   | 8100.00  | 4    |
| G04-100-6.5K-SL                   | 100   | 6500K    | >0.95 | 550 x 252 x 74 | IP65 | >100   | 120   | 11000.00 | 1    |
| G04-150-6.5K-SL                   | 150   | 6500K    | >0.95 | 663 x 289 x 85 | IP65 | >100   | 120   | 14000.00 | 1    |



STREET LIGHT (SMD)

|                                   |     |       |       |                |      |      |     |          |    |
|-----------------------------------|-----|-------|-------|----------------|------|------|-----|----------|----|
| <b>STREET LIGHT - G05 - 6500K</b> |     |       |       |                |      |      |     |          |    |
| G05-20-6.5K-SL                    | 20  | 6500K | >0.95 | 350 x 105 x 68 | IP65 | >100 | 120 | 3400.00  | 16 |
| G05-40-6.5K-SL                    | 40  | 6500K | >0.95 | 387 x 145 x 68 | IP65 | >100 | 120 | 5500.00  | 8  |
| G05-60-6.5K-SL                    | 60  | 6500K | >0.95 | 450 x 200 x 70 | IP65 | >100 | 120 | 7300.00  | 5  |
| G05-100-6.5K-SL                   | 100 | 6500K | >0.95 | 620 x 155 x 80 | IP65 | >100 | 120 | 10500.00 | 2  |
| G05-150-6.5K-SL                   | 150 | 6500K | >0.95 | 620 x 155 x 80 | IP65 | >100 | 120 | 13400.00 | 2  |



STREET LIGHT (SMD)

|                                    |     |       |       |                |      |      |     |         |    |
|------------------------------------|-----|-------|-------|----------------|------|------|-----|---------|----|
| <b>STREET LIGHT - Hugo - 6500K</b> |     |       |       |                |      |      |     |         |    |
| GM10000                            | 20  | 6500K | >0.95 | 295 x 113 x 50 | IP65 | >100 | 120 | 1800.00 | 20 |
| GM10001                            | 30  | 6500K | >0.95 | 320 x 135 x 52 | IP65 | >100 | 120 | 2300.00 | 20 |
| GM10002                            | 50  | 6500K | >0.95 | 377 x 148 x 52 | IP65 | >100 | 120 | 3500.00 | 10 |
| GM10003                            | 80  | 6500K | >0.95 | 500 x 184 x 73 | IP65 | >100 | 120 | 6500.00 | 5  |
| GM10004                            | 100 | 6500K | >0.95 | 535 x 210 x 73 | IP65 | >100 | 120 | 7500.00 | 5  |



THE BEST **SOLAR**  
STREET LIGHT IN TOWN




SUNLAMP  
SOLAR STREET LIGHT

www.gmmudular.com

STREET LIGHT (SMD)

|                                        |    |       |       |                |      |      |     |         |    |
|----------------------------------------|----|-------|-------|----------------|------|------|-----|---------|----|
| <b>STREET LIGHT - Sun Lamp - 6500K</b> |    |       |       |                |      |      |     |         |    |
| GM10012                                | 20 | 6500K | >0.95 | 185 x 55 x 360 | IP65 | >100 | 120 | 3500.00 | 20 |
| GM10013                                | 40 | 6500K | >0.95 | 190 x 55 x 465 | IP65 | >100 | 120 | 5400.00 | 14 |
| GM10014                                | 60 | 6500K | >0.95 | 195 x 55 x 600 | IP65 | >100 | 120 | 7600.00 | 10 |



All dimensions in mm





# TOUGHEST & ELEGANT

Flood  
Lights



[www.gmm modular.com](http://www.gmm modular.com)



| ITEM CODE                              | POWER | COL.TEMP | PF    | DIMENSION      | IP   | LUMENS | ANGLE | MRP ₹    | PKG. |
|----------------------------------------|-------|----------|-------|----------------|------|--------|-------|----------|------|
| <b>FLOOD LIGHT (SMD) - G06 - 6500K</b> |       |          |       |                |      |        |       |          |      |
| G06-10-6.5K-FL                         | 10    | 6500K    | >0.95 | 132 x 118 x 26 | IP65 | >100   | 120   | 1100.00  | 40   |
| G06-30-6.5K-FL                         | 30    | 6500K    | >0.95 | 185 x 160 x 26 | IP65 | >100   | 120   | 2100.00  | 10   |
| G06-50-6.5K-FL                         | 50    | 6500K    | >0.95 | 233 x 187 x 28 | IP65 | >100   | 120   | 2400.00  | 10   |
| G06-50-RED-FL                          | 50    | RED      | >0.95 | 233 x 187 x 28 | IP65 | >100   | 120   | 3200.00  | 10   |
| G06-50-GREEN-FL                        | 50    | GREEN    | >0.95 | 233 x 187 x 28 | IP65 | >100   | 120   | 3200.00  | 10   |
| G06-50-BLUE-FL                         | 50    | BLUE     | >0.95 | 233 x 187 x 28 | IP65 | >100   | 120   | 3200.00  | 10   |
| G06-100-6.5K-FL                        | 100   | 6500K    | >0.95 | 278 x 233 x 30 | IP65 | >100   | 120   | 5400.00  | 6    |
| G06-150-6.5K-FL                        | 150   | 6500K    | >0.95 | 366 x 302 x 48 | IP65 | >100   | 120   | 8600.00  | 5    |
| G06-200-6.5K-FL                        | 200   | 6500K    | >0.95 | 410 x 340 x 51 | IP65 | >100   | 120   | 11500.00 | 3    |



|                                        |     |       |       |                 |      |      |     |          |    |
|----------------------------------------|-----|-------|-------|-----------------|------|------|-----|----------|----|
| <b>FLOOD LIGHT (SMD) - G07 - 6500K</b> |     |       |       |                 |      |      |     |          |    |
| G07-20-6.5K-FL                         | 20  | 6500K | >0.95 | 215 x 205 x 70  | IP66 | >100 | 120 | 1900.00  | 20 |
| G07-30-6.5K-FL                         | 30  | 6500K | >0.95 | 260 x 250 x 75  | IP66 | >100 | 120 | 2400.00  | 10 |
| G07-50-6.5K-FL                         | 50  | 6500K | >0.95 | 305 x 315 x 90  | IP66 | >100 | 120 | 2900.00  | 5  |
| G07-100-6.5K-FL                        | 100 | 6500K | >0.95 | 345 x 315 x 105 | IP66 | >100 | 120 | 6900.00  | 5  |
| G07-150-6.5K-FL                        | 150 | 6500K | >0.95 | 380 x 355 x 110 | IP66 | >100 | 120 | 10500.00 | 3  |
| G07-200-6.5K-FL                        | 200 | 6500K | >0.95 | 380 x 355 x 110 | IP66 | >100 | 120 | 14000.00 | 3  |



|                                        |     |       |       |                |      |      |     |         |    |
|----------------------------------------|-----|-------|-------|----------------|------|------|-----|---------|----|
| <b>FLOOD LIGHT (SMD) - G08 - 6500K</b> |     |       |       |                |      |      |     |         |    |
| G08-30-6.5K-FL                         | 30  | 6500K | >0.95 | 165 x 220 x 45 | IP66 | >100 | 120 | 2200.00 | 10 |
| G08-50-6.5K-FL                         | 50  | 6500K | >0.95 | 225 x 290 x 50 | IP66 | >100 | 120 | 2700.00 | 5  |
| G08-100-6.5K-FL                        | 100 | 6500K | >0.95 | 250 x 330 x 55 | IP66 | >100 | 120 | 6300.00 | 5  |



|                                        |    |       |       |                |      |      |     |         |    |
|----------------------------------------|----|-------|-------|----------------|------|------|-----|---------|----|
| <b>FLOOD LIGHT (SMD) - G09 - 6500K</b> |    |       |       |                |      |      |     |         |    |
| G09-10-6.5K-FL                         | 10 | 6500K | >0.95 | 130 x 150 x 30 | IP66 | >100 | 120 | 1100.00 | 30 |
| G09-30-6.5K-FL                         | 30 | 6500K | >0.95 | 190 x 200 x 50 | IP66 | >100 | 120 | 2100.00 | 20 |
| G09-50-6.5K-FL                         | 50 | 6500K | >0.95 | 240 x 255 x 50 | IP66 | >100 | 120 | 2400.00 | 10 |



All dimensions in mm



# A fresh new dimension to the exteriors

[www.gmmodular.com](http://www.gmmodular.com)





**GM-FL** - Foot Light



**GM-WL-01** - Wall Light



**GM-GL-01** - Garden Light



**BLK-02** - Bulkhead Light



GM-FL

| ITEM CODE                                     | POWER | COLTEMP | PF   | DIMENSION    | IP   | CUT. DIA. | CRI | ANGLE | MRP ₹  | PKG. |
|-----------------------------------------------|-------|---------|------|--------------|------|-----------|-----|-------|--------|------|
| <b>GM-FL - 2 Watt Foot Light - 01 - White</b> |       |         |      |              |      |           |     |       |        |      |
| GM-FL-2-3K-IP20-01-W                          | 2     | 3000K   | >0.9 | 90 x 90 x 43 | IP20 | 86 x 86   | 80  | 30    | 750.00 | 50   |

**GM-FL - 2 Watt Foot Light - 01 - Black**

|                      |   |       |      |              |      |         |    |    |        |    |
|----------------------|---|-------|------|--------------|------|---------|----|----|--------|----|
| GM-FL-2-3K-IP20-01-B | 2 | 3000K | >0.9 | 90 x 90 x 43 | IP20 | 86 x 86 | 80 | 30 | 750.00 | 50 |
|----------------------|---|-------|------|--------------|------|---------|----|----|--------|----|

**GM-FL - 2 Watt Foot Light - 02 - White**

|                      |   |       |      |              |      |         |    |    |        |    |
|----------------------|---|-------|------|--------------|------|---------|----|----|--------|----|
| GM-FL-2-3K-IP65-02-W | 2 | 3000K | >0.9 | 85 x 85 x 53 | IP65 | 74 x 74 | 80 | 30 | 950.00 | 50 |
|----------------------|---|-------|------|--------------|------|---------|----|----|--------|----|

**GM-FL - 2 Watt Foot Light - 02 - Black**

|                      |   |       |      |              |      |         |    |    |        |    |
|----------------------|---|-------|------|--------------|------|---------|----|----|--------|----|
| GM-FL-2-3K-IP65-02-B | 2 | 3000K | >0.9 | 85 x 85 x 53 | IP65 | 74 x 74 | 80 | 30 | 950.00 | 50 |
|----------------------|---|-------|------|--------------|------|---------|----|----|--------|----|

**GM-FL - 5 Watt Foot Light - 03 - Black**

|                      |   |       |      |               |      |          |    |    |         |    |
|----------------------|---|-------|------|---------------|------|----------|----|----|---------|----|
| GM-FL-5-3K-IP65-03-B | 5 | 3000K | >0.9 | 170 x 75 x 53 | IP65 | 161 x 71 | 80 | 30 | 1350.00 | 30 |
|----------------------|---|-------|------|---------------|------|----------|----|----|---------|----|



BLK-01

**BLK-01 - 10 Watt Bulkhead Light - IP65 - White**

|                     |    |       |      |               |      |   |    |     |         |    |
|---------------------|----|-------|------|---------------|------|---|----|-----|---------|----|
| BLK-10-3K-IP65-01-W | 10 | 3000K | >0.9 | 207 x 98 x 60 | IP65 | - | 80 | 130 | 1200.00 | 50 |
| BLK-10-6K-IP65-01-W | 10 | 6000K | >0.9 | 207 x 98 x 60 | IP65 | - | 80 | 130 | 1200.00 | 50 |

**BLK-01 - 18 Watt Bulkhead Light - IP65 - White**

|                     |    |       |      |                |      |   |    |     |         |    |
|---------------------|----|-------|------|----------------|------|---|----|-----|---------|----|
| BLK-18-3K-IP65-01-W | 18 | 3000K | >0.9 | 263 x 135 x 68 | IP65 | - | 80 | 130 | 2100.00 | 40 |
| BLK-18-6K-IP65-01-W | 18 | 6000K | >0.9 | 263 x 135 x 68 | IP65 | - | 80 | 130 | 2100.00 | 40 |



BLK-02

**BLK-02 - 12 Watt Bulkhead Light - IP65 - White**

|                     |    |       |      |          |      |   |    |     |         |    |
|---------------------|----|-------|------|----------|------|---|----|-----|---------|----|
| BLK-12-3K-IP65-02-W | 12 | 3000K | >0.9 | 180 x 75 | IP65 | - | 80 | 130 | 1200.00 | 40 |
| BLK-12-6K-IP65-02-W | 12 | 6000K | >0.9 | 180 x 75 | IP65 | - | 80 | 130 | 1200.00 | 40 |

**BLK-02 - 18 Watt Bulkhead Light - IP65 - White**

|                     |    |       |      |          |      |   |    |     |         |    |
|---------------------|----|-------|------|----------|------|---|----|-----|---------|----|
| BLK-18-3K-IP65-02-W | 18 | 3000K | >0.9 | 235 x 75 | IP65 | - | 80 | 130 | 2100.00 | 20 |
| BLK-18-6K-IP65-02-W | 18 | 6000K | >0.9 | 235 x 75 | IP65 | - | 80 | 130 | 2100.00 | 20 |

| ITEM CODE | POWER | COLTEMP | PF | DIMENSION | IP | CUT.DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|---------|----|-----------|----|----------|-----|-------|-------|------|
|-----------|-------|---------|----|-----------|----|----------|-----|-------|-------|------|

**GM-WL-01 - 10 Watt Wall Light - IP65 - Black**

|                        |    |       |      |                |      |   |    |   |         |    |
|------------------------|----|-------|------|----------------|------|---|----|---|---------|----|
| GM-WL-5+5-3K-IP65-01-B | 10 | 3000K | >0.9 | 184 x 109 x 33 | IP65 | - | 80 | - | 2300.00 | 40 |
|------------------------|----|-------|------|----------------|------|---|----|---|---------|----|



**GM-WL-02 - 12 Watt Wall Light - IP65 - Black**

|                       |    |       |      |          |      |   |    |   |         |    |
|-----------------------|----|-------|------|----------|------|---|----|---|---------|----|
| GM-WL-12-3K-IP65-02-B | 12 | 3000K | >0.9 | 150 x 30 | IP65 | - | 80 | - | 2400.00 | 40 |
|-----------------------|----|-------|------|----------|------|---|----|---|---------|----|



**GM-WL-03 - 7 Watt Wall Light - IP65 - Black**

|                      |   |       |      |          |      |   |    |   |         |    |
|----------------------|---|-------|------|----------|------|---|----|---|---------|----|
| GM-WL-7-3K-IP65-03-B | 7 | 3000K | >0.9 | 150 x 30 | IP65 | - | 80 | - | 2100.00 | 40 |
|----------------------|---|-------|------|----------|------|---|----|---|---------|----|



**GM-GL-01 - 12 Watt Garden Light**

|                |    |       |      |          |      |   |    |    |         |    |
|----------------|----|-------|------|----------|------|---|----|----|---------|----|
| GM-GL-12-3K-01 | 12 | 3000K | >0.9 | 60 x 105 | IP65 | - | 80 | 24 | 1500.00 | 30 |
|----------------|----|-------|------|----------|------|---|----|----|---------|----|



**GM-GL-01 - 18 Watt Garden Light**

|                |    |       |      |          |      |   |    |    |         |    |
|----------------|----|-------|------|----------|------|---|----|----|---------|----|
| GM-GL-18-3K-01 | 18 | 3000K | >0.9 | 80 x 135 | IP65 | - | 80 | 24 | 1900.00 | 20 |
|----------------|----|-------|------|----------|------|---|----|----|---------|----|



GM-FL 02 White



GM-FL 01 Black



BLK-01



GM-WL-01



GM-WL-02



THE BEST OF FOOT LIGHTS & WALL LIGHTS

[f](#) [v](#) [e](#) [www.gmm modular.com](http://www.gmm modular.com)

All dimensions in mm



50%  
Energy Saving  
over CFLs



ZERO  
maintenance



4 times more  
life over CFLs



ZERO  
Mercury





A ballerina in a black tutu is captured in a graceful pose, holding a large, glowing square light frame. The frame is illuminated from within, creating a bright, warm glow. The ballerina's arms are extended, and her legs are in a classic ballet position. The background is dark, with several other glowing square light frames floating in the air, creating a sense of depth and movement.

INDULGE IN AN  
EXPERIENCE

SKY  
SQUARE

2x2 LED SQUARE LIGHT

#### SKY SQUARE 2X2 FRAME LED PANEL LIGHT

The Sky Square 2x2 LED Square light fits in your room like a delightful painting that builds aesthetic quotient of the insides. It makes the space sparkle with positivity, and adds to a serene vibe. Also, the light has a splendid nature of changing any state of mind to incredible.

## SKY LAMP

| ITEM CODE                                  | POWER | COL.TEMP | PF   | DIMENSION     | CRI | ANGLE | MRP ₹   | PKG. |
|--------------------------------------------|-------|----------|------|---------------|-----|-------|---------|------|
| <b>SKY LAMP - 2x2 - 36 Watt Flat Panel</b> |       |          |      |               |     |       |         |      |
| GSL-FP-36W-3K                              | 36    | 3000K    | >0.9 | 600 x 600 x 9 | 80  | 120   | 3300.00 | 5    |
| GSL-FP-36W-4K                              | 36    | 4000K    | >0.9 | 600 x 600 x 9 | 80  | 120   | 3300.00 | 5    |
| GSL-FP-36W-6K                              | 36    | 6000K    | >0.9 | 600 x 600 x 9 | 80  | 120   | 3300.00 | 5    |

**SKY LAMP - 2x2 - 45 Watt Flat Panel**

|               |    |       |      |               |    |     |         |   |
|---------------|----|-------|------|---------------|----|-----|---------|---|
| GSL-FP-45W-3K | 45 | 3000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 4200.00 | 5 |
| GSL-FP-45W-4K | 45 | 4000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 4200.00 | 5 |
| GSL-FP-45W-6K | 45 | 6000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 4200.00 | 5 |



## SKY BRIGHT

**SKY BRIGHT - 2x2 - 40 Watt Flat Panel**

|               |    |       |      |               |    |     |         |   |
|---------------|----|-------|------|---------------|----|-----|---------|---|
| GSB-FP-40W-3K | 40 | 3000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 4000.00 | 5 |
| GSB-FP-40W-4K | 40 | 4000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 4000.00 | 5 |
| GSB-FP-40W-6K | 40 | 6000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 4000.00 | 5 |

**SKY BRIGHT - 2x2 - 40 Watt Back Lit**

|               |    |       |      |               |    |     |         |   |
|---------------|----|-------|------|---------------|----|-----|---------|---|
| GSB-BL-40W-3K | 40 | 3000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 3400.00 | 4 |
| GSB-BL-40W-4K | 40 | 4000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 3400.00 | 4 |
| GSB-BL-40W-6K | 40 | 6000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 3400.00 | 4 |



## SKY SQUARE

**SKY SQUARE - 2x2 - 40 Watt Frame Panel Light**

|               |    |       |      |               |    |     |         |   |
|---------------|----|-------|------|---------------|----|-----|---------|---|
| GSS-FP-40W-3K | 40 | 3000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 3000.00 | 5 |
| GSS-FP-40W-4K | 40 | 4000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 3000.00 | 5 |
| GSS-FP-40W-6K | 40 | 6000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 3000.00 | 5 |



All dimensions in mm














# ARRO PROFILE lighting

ARRO profile lighting  
is a beauty to behold  
and changes your  
mood to ecstatic and  
energetic in no time.














|                                                                                     |                                                                                     | ITEM CODE            | DETAILS                                     | DIMENSION / CUT. DIA. | MRP ₹  | PKG. |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------|---------------------------------------------|-----------------------|--------|------|
|    |    | <b>GM-AR-502</b>     |                                             |                       |        |      |
|                                                                                     |                                                                                     | GM-AR-502            | 2m aluminum<br>+2m pc+4end caps             | 14.9 x 8.6            | 360.00 | 25   |
|    |    | <b>GM-AR-505</b>     |                                             |                       |        |      |
|                                                                                     |                                                                                     | GM-AR-505            | 2m aluminum+2m pc<br>+4end caps+4back clips | 17.4 x 12.1           | 640.00 | 25   |
|    |    | <b>GM-AR-506</b>     |                                             |                       |        |      |
|                                                                                     |                                                                                     | GM-AR-506            | 2m aluminum<br>+2m pc+4end caps             | 14.4 x 8.8            | 425.00 | 25   |
|    |    | <b>GM-AR-506-3HB</b> |                                             |                       |        |      |
|                                                                                     |                                                                                     | GM-AR-506-3HB        | 2m aluminum<br>+2m pc+4end caps             | 14.3 x 6.7            | 340.00 | 25   |
|    |    | <b>GM-AR-508</b>     |                                             |                       |        |      |
|                                                                                     |                                                                                     | GM-AR-508            | 2m aluminum+2m pc<br>+4end caps+4back clips | 23.1 x 7              | 590.00 | 25   |
|   |   | <b>GM-AR-509</b>     |                                             |                       |        |      |
|                                                                                     |                                                                                     | GM-AR-509            | 2m aluminum+2m pc<br>+4end caps+4back clips | 17.4 x 7              | 540.00 | 25   |
|  |  | <b>GM-AR-510</b>     |                                             |                       |        |      |
|                                                                                     |                                                                                     | GM-AR-510            | 2m aluminum<br>+ 2m pc+4end caps            | 13.2 x 7              | 390.00 | 25   |
|  |  | <b>GM-AR-518</b>     |                                             |                       |        |      |
|                                                                                     |                                                                                     | GM-AR-518            | 2m aluminum<br>+ 2m pc+4end caps            | 17.8 x 10.5           | 570.00 | 25   |
|  |  | <b>GM-AR-601</b>     |                                             |                       |        |      |
|                                                                                     |                                                                                     | GM-AR-601            | 2m aluminum+2m pc<br>+4end caps+4back clips | 15.8 x 15.8           | 475.00 | 25   |

PROFILE LIGHT












| ITEM CODE         | DETAILS                                     | DIMENSION / CUT. DIA. | MRP ₹   | PKG. |
|-------------------|---------------------------------------------|-----------------------|---------|------|
| <b>GM-AR-605</b>  |                                             |                       |         |      |
| GM-AR-605         | 2m aluminum+2m pc<br>+4end caps+4back clips | 17.5 x 12.2           | 680.00  | 25   |
| <b>GM-AR-606</b>  |                                             |                       |         |      |
| GM-AR-606         | 2m aluminum+2m pc<br>+4end caps+4back clips | 17.2 x 42.8           | 1560.00 | 25   |
| <b>GM-AR-613</b>  |                                             |                       |         |      |
| GM-AR-613         | 2m aluminum+2m pc<br>+4end caps+4back clips | 17.2 x 14.4           | 600.00  | 25   |
| <b>GM-AR-613B</b> |                                             |                       |         |      |
| GM-AR-613B        | 2m aluminum+2m pc<br>+4end caps+4back clips | 24 x 14.2             | 635.00  | 25   |
| <b>GM-AR-614</b>  |                                             |                       |         |      |
| GM-AR-614         | 2m aluminum+2m pc<br>+4end caps+4back clips | 19 x 19               | 935.00  | 25   |
| <b>GM-AR-616</b>  |                                             |                       |         |      |
| GM-AR-616         | 2m aluminum+2m pc<br>+4end caps+4back clips | 19.3 x 13             | 660.00  | 25   |
| <b>GM-AR-617</b>  |                                             |                       |         |      |
| GM-AR-617         | 2m aluminum+2m pc<br>+4end caps+4back clips | 23.5 x 9.8            | 680.00  | 25   |
| <b>GM-AR-619</b>  |                                             |                       |         |      |
| GM-AR-619         | 2m aluminum+2m pc<br>+4end caps+4back clips | 30.3 x 9.8            | 710.00  | 25   |
| <b>GM-AR-623</b>  |                                             |                       |         |      |
| GM-AR-623         | 2m aluminum+2m pc<br>+4end caps+4back clips | 20 x 11               | 1050.00 | 25   |



All dimensions in mm



|                                                                                     |                                                                                     | ITEM CODE         | DETAILS                                       | DIMENSION /<br>CUT. DIA. | MRP ₹   | PKG. |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------|-----------------------------------------------|--------------------------|---------|------|
|    |    | <b>GM-AR-624</b>  |                                               |                          |         |      |
|                                                                                     |                                                                                     | GM-AR-624         | 2m aluminum+2m pc<br>+4end caps+4back clips   | 10 x 13                  | 560.00  | 25   |
|    |    | <b>GM-AR-706</b>  |                                               |                          |         |      |
|                                                                                     |                                                                                     | GM-AR-706         | 2m aluminum+2m pc<br>+4end caps+4hanging wire | 49 x 32                  | 3330.00 | 10   |
|    |    | <b>GM-AR-707</b>  |                                               |                          |         |      |
|                                                                                     |                                                                                     | GM-AR-707         | 2m aluminum+2m pc<br>+4end caps+4spring       | 50 x 75                  | 4160.00 | 10   |
|    |    | <b>GM-AR-707A</b> |                                               |                          |         |      |
|                                                                                     |                                                                                     | GM-AR-707A        | 2m aluminum+2m pc<br>+4end caps+4hanging wire | 50 X 75                  | 4275.00 | 10   |
|    |    | <b>GM-AR-711</b>  |                                               |                          |         |      |
|                                                                                     |                                                                                     | GM-AR-711         | 2m aluminum+2m pc<br>+4end caps+4spring       | 35.4 x 35                | 2280.00 | 10   |
|   |   | <b>GM-AR-808</b>  |                                               |                          |         |      |
|                                                                                     |                                                                                     | GM-AR-808         | 2m aluminum+2m pc<br>+4end caps+4back clips   | 33.2 x 34.8              | 1950.00 | 10   |
|  |  | <b>GM-AR-809</b>  |                                               |                          |         |      |
|                                                                                     |                                                                                     | GM-AR-809         | 2m aluminum+2m pc<br>+4end caps+4back clips   | 35 x 34.8                | 1840.00 | 10   |
|  |  | <b>GM-AR-811</b>  |                                               |                          |         |      |
|                                                                                     |                                                                                     | GM-AR-811         | 2m aluminum+2m pc<br>+4end caps+4spring       | 75.2 x 35                | 4275.00 | 10   |
|  |  | <b>GM-AR-811A</b> |                                               |                          |         |      |
|                                                                                     |                                                                                     | GM-AR-811A        | 2m aluminum+2m pc<br>+4end caps+4hanging wire | 75.2 x 35                | 4220.00 | 10   |


All dimensions in mm



## OUR CLIENTELE

Take a look at our amazing collaborative partners who've been with us consistently and added to our prosperity.





AND MANY MORE...



# THE SMART, MOST EFFICIENT AND WORLD'S FIRST.



**GM LED**  
ILLUMINATING INTELLIGENTLY

**BIS**  
BIS APPROVED

LED MODULAR LIGHTS | LED PANEL LIGHTS | COB DOWN LIGHTS | LED FITTINGS | LED BULBS  
LED STRIP LIGHTS | LED TRACK LIGHTS | LED FLOOD LIGHTS | LED SOLAR LIGHTS | LED STREET LIGHTS  
LED HIGH BAY LIGHTS | LED CHANDELIER LIGHTS



- 86% Saving
- 100 Lumens per Watt
- 3 Years Warranty
- In-built Driver
- Long Life
- Robust Design
- Fluctuation Proof
- Eco Friendly
- Excellent CRI
- Anti-Glare Diffuser



Our  
Exclusive  
experience  
centres

**Mumbai**

G-6, Laxmi Industrial Estate,  
Opp. Laxmi Chhaya Hotel,  
New Link Road, Andheri (W)  
Mumbai - 400 053, Maharashtra.  
Email: info@gmmmodular.com  
Contact: +91 8879918221

Shop No.1 Plot No. 151/153,  
Bhabha Building, Lohar Chawl,  
Mumbai - 400 002, Maharashtra.  
Email: info@gmmmodular.com  
Contact: 022 2206 6545

**Bengaluru**

460/ 20/ 1, 30th Cross,  
8th B Main Road,  
4th Block, Beside Jain Temple,  
Jayanagar  
Bengaluru - 560 011, Karnataka.  
Email: info@gmmmodular.com  
Contact: 080 4097 1188

**Belgaum**

Shop No. 571,  
Bhati Tower, Patil Galli,  
Belgaum - 590 001, Karnataka.  
Email: info@gmmmodular.com  
Contact: +91 99453 33107

**Hyderabad**

No. 5-5-84/87, Shop No. 2&3,  
Kalpakunj Apartment, Jambaug,  
Hyderabad - 500 012, Telangana.  
Email: info@gmmmodular.com  
Contact: 040 2473 4545

**Vijayawada**

K. S. Vyas Traffic Control Complex,  
Opp. Indira Gandhi Municipal Stadium,  
MG Road, Vijayawada - 520 010,  
Andhra Pradesh.  
Email:  
showroom.vijayawada@gmmmodular.com  
Contact: +91 86624 99945  
+91 74166 14545

**Jalore**

Near Kanchangiri Jain Temple,  
Opp. Haridev Joshi Circle,  
Bagoda Road,  
Jalore - 343 001, Rajasthan.  
Email: info@gmmmodular.com  
Contact: +91 79769 79283,

**Bhilwara**

G-4, Govindram Commercial  
Hub, Old RTO Road,  
Bhilwara - 311 001, Rajasthan.  
Email: info@gmmmodular.com  
Contact: +91 89550 48560

**Calicut**

GM Avenue, 2nd Floor,  
Red Cross Road,  
Calicut 673 032, Kerala.  
Email: info@gmmmodular.com  
Contact: 049 5277 3500

**Noida**

D-161, Sector 63,  
Near Hindustan Times Office,  
Noida - 201301, Uttar Pradesh.  
Email: info@gmmmodular.com  
Contact: 0120-4562087

**Kolkata**

39/40, Ezra Street,  
Ground Floor,  
Kolkata - 700 001,  
West Bengal.  
Email: info@gmmmodular.com  
Contact: +91 334060 2048

**Ranchi**

Mahavir Chowk, Upper Bazar,  
Ranchi - 834 001, Jharkhand.  
Email: info@gmmmodular.com  
Contact: +91 94715 55599

**Tirunelveli**

48, Raja Building,  
Tirunelveli - 627 001,  
Tamil Nadu.  
Email: info@gmmmodular.com  
Contact: +91 94431 51008

**Coimbatore**

22, Mill Road, Below ICICI  
Bank, Coimbatore - 641 001,  
Tamil Nadu.  
Email: info@gmmmodular.com  
Contact: +91 99523 07025

**Pondicherry**

GM Modular Private Limited  
No.298 J.N. Street  
L.M.: Opposite Sony Center  
Pondicherry - 605001

Technical data and illustrations are preliminary. Printing errors, mistakes and changes reserved at any time. Copyrights©GM Modular 2016.

Brand identity, styling, concept, design and copy ©GM Modular Pvt. Ltd.

No part of this brochure may be printed or duplicated without the consent of GM Modular Pvt. Ltd. Patent TM & Designs protected. Infringement is liable for prosecution. Imitation of graphics is a punishable offence.





LIGHT YOUR  
WORLD

**gm**modular.com



GM MODULAR PVT. LTD. 203, Shalimar Morya Park, New Link Rd, Andheri (W), Mumbai-400053, Maharashtra, India. • Customer Care No.: 1800 209 1215 • Email: info@gmmodular.com

**G32<sup>Wi-Fi</sup>AIR**  
Premium COB Lights



PL LD SM JAN 21





LUMINAIRES CATALOGUE JAN 2021

# UN LEASH ING EX CLUSI VITY

SHINE

LUMINAIRES  
CATALOGUE  
JAN 2021



# INFI NITE POSS IBILI TIES

## SHINE

A series of indoor wall lights and pendant lights, that outshine interiors with their uniquely designed form, shape and their manner of display. While the dainty wall lights go straight in your beautiful walls, the pendant lights delicately hang by your ceilings, serving creativity and convenience to the best of their capability. With impressive usability features such as the in-built USB with a mobile holder, that solve small but significant issues of everyday living, indirect lights glowing dimly creating an aesthetic and calming atmosphere to enrich your leisure time and the flexibility of movements in the lamps allowing setting of desired angles enabling activities such as reading, relaxing and more, the new Shine series grant you an incredible amount of joy and countless moments of comfort.



**GRACE**

LED SPOT LIGHT



**GRACE**

LED SPOT LIGHT

IT'S TIME TO



Dita

RECESSED LED DOWN LIGHT



Dita

RECESSED LED DOWN LIGHT



SHINE AGAIN...

SHINE



**DITA**

| ITEM CODE                                    | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | ANGLE | CRI | MRP ₹ | PKG. |
|----------------------------------------------|-------|----------|----|-----------|-----------|-------|-----|-------|------|
| <b>G34-01-W - 3 Watt Recessed Down Light</b> |       |          |    |           |           |       |     |       |      |

|                |   |       |      |         |    |    |    |         |    |
|----------------|---|-------|------|---------|----|----|----|---------|----|
| G34-3W-3K-01-W | 3 | 3000K | >0.5 | 55 x 61 | 45 | 24 | 90 | 1600.00 | 48 |
| G34-3W-4K-01-W | 3 | 4000K | >0.5 | 55 x 61 | 45 | 24 | 90 | 1600.00 | 48 |

**G34-01-W - 7 Watt Recessed Down Light**

|                |   |       |      |         |    |    |    |         |    |
|----------------|---|-------|------|---------|----|----|----|---------|----|
| G34-7W-3K-01-W | 7 | 3000K | >0.5 | 65 x 71 | 55 | 24 | 90 | 1850.00 | 48 |
| G34-7W-3K-01-W | 7 | 3000K | >0.5 | 65 x 71 | 55 | 5  | 90 | 1850.00 | 48 |
| G34-7W-4K-01-W | 7 | 4000K | >0.5 | 65 x 71 | 55 | 24 | 90 | 1850.00 | 48 |
| G34-7W-4K-01-W | 7 | 4000K | >0.5 | 65 x 71 | 55 | 5  | 90 | 1850.00 | 48 |

**G34-02-B - 3 Watt Recessed Down Light**

|                  |   |       |      |           |    |       |    |         |    |
|------------------|---|-------|------|-----------|----|-------|----|---------|----|
| G34-3W-3K-02-D-B | 3 | 3000K | >0.5 | 60 x 72.5 | 55 | 10-36 | 90 | 2400.00 | 48 |
| G34-3W-4K-02-D-B | 3 | 4000K | >0.5 | 60 x 72.5 | 55 | 10-36 | 90 | 2400.00 | 48 |

**G34-02-B - 3 Watt Recessed Down Light**

|                |   |       |      |           |    |       |    |         |    |
|----------------|---|-------|------|-----------|----|-------|----|---------|----|
| G34-3W-3K-02-B | 3 | 3000K | >0.5 | 60 x 48.5 | 55 | 10-36 | 90 | 2290.00 | 48 |
| G34-3W-4K-02-B | 3 | 4000K | >0.5 | 60 x 48.5 | 55 | 10-36 | 90 | 2290.00 | 48 |

**G34-03-W - 9 Watt Recessed Down Light**

|                |   |       |      |          |    |    |    |         |    |
|----------------|---|-------|------|----------|----|----|----|---------|----|
| G34-9W-3K-03-W | 9 | 3000K | >0.9 | 85 x 179 | 75 | 36 | 90 | 4430.00 | 24 |
| G34-9W-4K-03-W | 9 | 4000K | >0.9 | 85 x 179 | 75 | 36 | 90 | 4430.00 | 24 |

**G34-04-W - 9 Watt Recessed Down Light**

|                |   |       |      |           |    |    |    |         |    |
|----------------|---|-------|------|-----------|----|----|----|---------|----|
| G34-9W-3K-04-W | 9 | 3000K | >0.9 | 85 x 96.5 | 75 | 36 | 90 | 3830.00 | 36 |
| G34-9W-4K-04-W | 9 | 4000K | >0.9 | 85 x 96.5 | 75 | 36 | 90 | 3830.00 | 36 |

RECESSED LED  
DOWN LIGHT

**DITA**

**G34-02-B****G35-01-WB****G34-02-B**

RECESSED LED  
SPOT LIGHT

**GRACE**

**G34-01-W**

All dimensions in mm

GRACE

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | ANGLE | CRI | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-------|-----|-------|------|
|-----------|-------|----------|----|-----------|-----------|-------|-----|-------|------|

**G35-01-WB - 9 Watt Recessed Spot Light**

|                 |   |       |      |           |    |    |    |         |    |
|-----------------|---|-------|------|-----------|----|----|----|---------|----|
| G35-9W-3K-01-WB | 9 | 3000K | >0.9 | 82 x 95.5 | 75 | 24 | 90 | 3500.00 | 36 |
| G35-9W-4K-01-WB | 9 | 4000K | >0.9 | 82 x 95.5 | 75 | 24 | 90 | 3500.00 | 36 |

**G35-01-A-WB - 9 Watt Recessed Spot Light - Tilttable + Wall Washer**

|                   |   |       |      |          |    |    |    |         |    |
|-------------------|---|-------|------|----------|----|----|----|---------|----|
| G35-9W-3K-01-A-WB | 9 | 3000K | >0.9 | 82 x 104 | 75 | 24 | 90 | 4100.00 | 36 |
| G35-9W-4K-01-A-WB | 9 | 4000K | >0.9 | 82 x 104 | 75 | 24 | 90 | 4100.00 | 36 |

**G35-02-WB - 9 Watt Recessed Spot Light**

|                 |   |       |      |           |    |    |    |         |    |
|-----------------|---|-------|------|-----------|----|----|----|---------|----|
| G35-9W-3K-02-WB | 9 | 3000K | >0.9 | 82 x 97.5 | 75 | 24 | 90 | 4100.00 | 36 |
| G35-9W-4K-02-WB | 9 | 4000K | >0.9 | 82 x 97.5 | 75 | 24 | 90 | 4100.00 | 36 |

**G35-02-A-WB - 9 Watt Recessed Spot Light - Tilttable + Wall Washer**

|                   |   |       |      |          |    |    |    |         |    |
|-------------------|---|-------|------|----------|----|----|----|---------|----|
| G35-9W-3K-02-A-WB | 9 | 3000K | >0.9 | 82 x 106 | 75 | 24 | 90 | 4500.00 | 36 |
| G35-9W-4K-02-A-WB | 9 | 4000K | >0.9 | 82 x 106 | 75 | 24 | 90 | 4500.00 | 36 |

**G35-01-WB - 15 Watt Recessed Spot Light**

|                  |    |       |      |          |    |    |    |         |    |
|------------------|----|-------|------|----------|----|----|----|---------|----|
| G35-15W-3K-01-WB | 15 | 3000K | >0.9 | 95 x 114 | 85 | 24 | 90 | 4700.00 | 24 |
| G35-15W-4K-01-WB | 15 | 4000K | >0.9 | 95 x 114 | 85 | 24 | 90 | 4700.00 | 24 |

**G35-01-A-WB - 15 Watt Recessed Spot Light - Tilttable + Wall Washer**

|                    |    |       |      |            |    |    |    |         |    |
|--------------------|----|-------|------|------------|----|----|----|---------|----|
| G35-15W-3K-01-A-WB | 15 | 3000K | >0.9 | 95 x 134.5 | 85 | 24 | 90 | 4800.00 | 24 |
| G35-15W-4K-01-A-WB | 15 | 4000K | >0.9 | 95 x 134.5 | 85 | 24 | 90 | 4800.00 | 24 |

**G35-02-WB - 15 Watt Recessed Spot Light - Rimless**

|                  |    |       |      |           |    |    |    |         |    |
|------------------|----|-------|------|-----------|----|----|----|---------|----|
| G35-15W-3K-02-WB | 15 | 3000K | >0.9 | 125 x 114 | 90 | 24 | 90 | 4700.00 | 12 |
| G35-15W-4K-02-WB | 15 | 4000K | >0.9 | 125 x 114 | 90 | 24 | 90 | 4700.00 | 12 |

**G35-02-A-WB - 15 Watt Recessed Spot Light - Tilttable + Rimless + Wall Washer**

|                    |    |       |      |             |    |    |    |         |    |
|--------------------|----|-------|------|-------------|----|----|----|---------|----|
| G35-15W-3K-02-A-WB | 15 | 3000K | >0.9 | 125 x 134.5 | 90 | 24 | 90 | 4800.00 | 12 |
| G35-15W-4K-02-A-WB | 15 | 4000K | >0.9 | 125 x 134.5 | 90 | 24 | 90 | 4800.00 | 12 |



All dimensions in mm

50%  
Energy Saving  
over CFLsZERO  
maintenance4 times more  
life over CFLsZERO  
Mercury

RoHS





# GET CLOSE, GET ENAMOURED

## G31 & G32 DOWN LIGHTS

Made from the finest materials that provide high-efficiency, the performance for each LED luminaire found within the SHINE portfolio is simply versatile. The SHINE lighting solutions help lessen maintenance and reduce energy use.



G31 Series



Premium COB Lights

2  
Year  
Warranty

86%  
Saving

85  
Lumens  
per Watt

Excellent  
CRI



Premium COB Lights

|                                                                                   | ITEM CODE                                 | POWER | COL.TEMP | PF   | DIMENSION | CUT. DIA. | ANGLE | CRI | MRP ₹   | PKG. |
|-----------------------------------------------------------------------------------|-------------------------------------------|-------|----------|------|-----------|-----------|-------|-----|---------|------|
|  | <b>G31-10-WB</b> - 10 Watt COB Down Light |       |          |      |           |           |       |     |         |      |
|                                                                                   | G31-10-3K-WB                              | 10    | 3000K    | >0.9 | 100 X 80  | 75        | 36    | 80  | 1360.00 | 50   |
|                                                                                   | G31-10-4K-WB                              | 10    | 4000K    | >0.9 | 100 X 80  | 75        | 36    | 80  | 1360.00 | 50   |
|                                                                                   | G31-10-6K-WB                              | 10    | 6000K    | >0.9 | 100 X 80  | 75        | 36    | 80  | 1360.00 | 50   |

|                                                                                   |                                           |    |       |      |          |    |    |    |         |    |
|-----------------------------------------------------------------------------------|-------------------------------------------|----|-------|------|----------|----|----|----|---------|----|
|  | <b>G31-10-WC</b> - 10 Watt COB Down Light |    |       |      |          |    |    |    |         |    |
|                                                                                   | G31-10-3K-WC                              | 10 | 3000K | >0.9 | 100 X 80 | 75 | 36 | 80 | 1360.00 | 50 |
|                                                                                   | G31-10-4K-WC                              | 10 | 4000K | >0.9 | 100 X 80 | 75 | 36 | 80 | 1360.00 | 50 |
|                                                                                   | G31-10-6K-WC                              | 10 | 6000K | >0.9 | 100 X 80 | 75 | 36 | 80 | 1360.00 | 50 |


|                                                                                   |                                           |    |       |      |          |    |    |    |         |    |
|-----------------------------------------------------------------------------------|-------------------------------------------|----|-------|------|----------|----|----|----|---------|----|
|  | <b>G31-10-CB</b> - 10 Watt COB Down Light |    |       |      |          |    |    |    |         |    |
|                                                                                   | G31-10-3K-CB                              | 10 | 3000K | >0.9 | 100 X 80 | 75 | 36 | 80 | 1360.00 | 50 |
|                                                                                   | G31-10-4K-CB                              | 10 | 4000K | >0.9 | 100 X 80 | 75 | 36 | 80 | 1360.00 | 50 |
|                                                                                   | G31-10-6K-CB                              | 10 | 6000K | >0.9 | 100 X 80 | 75 | 36 | 80 | 1360.00 | 50 |

|                                                                                   |                                           |    |       |      |          |    |    |    |         |    |
|-----------------------------------------------------------------------------------|-------------------------------------------|----|-------|------|----------|----|----|----|---------|----|
|  | <b>G31-10-PC</b> - 10 Watt COB Down Light |    |       |      |          |    |    |    |         |    |
|                                                                                   | G31-10-3K-PC                              | 10 | 3000K | >0.9 | 100 X 80 | 75 | 36 | 80 | 1360.00 | 50 |
|                                                                                   | G31-10-4K-PC                              | 10 | 4000K | >0.9 | 100 X 80 | 75 | 36 | 80 | 1360.00 | 50 |
|                                                                                   | G31-10-6K-PC                              | 10 | 6000K | >0.9 | 100 X 80 | 75 | 36 | 80 | 1360.00 | 50 |

|                                                                                    |                                           |    |       |      |          |    |    |    |         |    |
|------------------------------------------------------------------------------------|-------------------------------------------|----|-------|------|----------|----|----|----|---------|----|
|  | <b>G31-10-CC</b> - 10 Watt COB Down Light |    |       |      |          |    |    |    |         |    |
|                                                                                    | G31-10-3K-CC                              | 10 | 3000K | >0.9 | 100 X 80 | 75 | 36 | 80 | 1360.00 | 50 |
|                                                                                    | G31-10-4K-CC                              | 10 | 4000K | >0.9 | 100 X 80 | 75 | 36 | 80 | 1360.00 | 50 |
|                                                                                    | G31-10-6K-CC                              | 10 | 6000K | >0.9 | 100 X 80 | 75 | 36 | 80 | 1360.00 | 50 |

**G31-10-WB****G31-10-CB****G31-10-WC**

**G31**  
Premium COB Lights

**G31-PL-BK** - Metal Plate (Suitable to G31 COB Down Light)

|              |                                                         |           |        |   |
|--------------|---------------------------------------------------------|-----------|--------|---|
| G31-PL-BK-01 | Square Metal Plate for G31 - 1 COB Down Light - 10 Watt | 100 x 100 | 120.00 | - |
| G31-PL-BK-02 | Square Metal Plate for G31 - 2 COB Down Light - 10 Watt | 200 x 100 | 260.00 | - |
| G31-PL-BK-03 | Square Metal Plate for G31 - 3 COB Down Light - 10 Watt | 300 x 100 | 400.00 | - |



G32

| ITEM CODE                                 | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | ANGLE | CRI | MRP ₹ | PKG. |
|-------------------------------------------|-------|----------|----|-----------|-----------|-------|-----|-------|------|
| <b>G32-10-WB</b> - 10 Watt COB Down Light |       |          |    |           |           |       |     |       |      |

|              |    |       |      |          |    |    |    |         |    |
|--------------|----|-------|------|----------|----|----|----|---------|----|
| G32-10-3K-WB | 10 | 3000K | >0.9 | 100 x 80 | 75 | 24 | 80 | 1360.00 | 50 |
| G32-10-4K-WB | 10 | 4000K | >0.9 | 100 x 80 | 75 | 24 | 80 | 1360.00 | 50 |
| G32-10-6K-WB | 10 | 6000K | >0.9 | 100 x 80 | 75 | 24 | 80 | 1360.00 | 50 |

**G32-10-WC** - 10 Watt COB Down Light

|              |    |       |      |          |    |    |    |         |    |
|--------------|----|-------|------|----------|----|----|----|---------|----|
| G32-10-3K-WC | 10 | 3000K | >0.9 | 100 x 80 | 75 | 24 | 80 | 1360.00 | 50 |
| G32-10-4K-WC | 10 | 4000K | >0.9 | 100 x 80 | 75 | 24 | 80 | 1360.00 | 50 |
| G32-10-6K-WC | 10 | 6000K | >0.9 | 100 x 80 | 75 | 24 | 80 | 1360.00 | 50 |

**G32-10-CB** - 10 Watt COB Down Light

|              |    |       |      |          |    |    |    |         |    |
|--------------|----|-------|------|----------|----|----|----|---------|----|
| G32-10-3K-CB | 10 | 3000K | >0.9 | 100 x 80 | 75 | 24 | 80 | 1360.00 | 50 |
| G32-10-4K-CB | 10 | 4000K | >0.9 | 100 x 80 | 75 | 24 | 80 | 1360.00 | 50 |
| G32-10-6K-CB | 10 | 6000K | >0.9 | 100 x 80 | 75 | 24 | 80 | 1360.00 | 50 |

**G32-10-WG** - 10 Watt COB Down Light

|              |    |       |      |          |    |    |    |         |    |
|--------------|----|-------|------|----------|----|----|----|---------|----|
| G32-10-3K-WG | 10 | 3000K | >0.9 | 100 x 80 | 75 | 24 | 80 | 1360.00 | 50 |
| G32-10-4K-WG | 10 | 4000K | >0.9 | 100 x 80 | 75 | 24 | 80 | 1360.00 | 50 |
| G32-10-6K-WG | 10 | 6000K | >0.9 | 100 x 80 | 75 | 24 | 80 | 1360.00 | 50 |

**G32-10-WC****G32-10-CB****G32-10-WB**

# G32

Premium COB Lights

All dimensions in mm



50%  
Energy Saving  
over CFLs



ZERO  
maintenance



4 times more  
life over CFLs



ZERO  
Mercury





G27

| ITEM CODE                                 | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | ANGLE | CRI | MRP ₹ | PKG. |
|-------------------------------------------|-------|----------|----|-----------|-----------|-------|-----|-------|------|
| <b>G27-01 - 7 Watt Modular Down Light</b> |       |          |    |           |           |       |     |       |      |

|                 |   |       |      |         |   |    |    |         |    |
|-----------------|---|-------|------|---------|---|----|----|---------|----|
| G27-7W-3K-RD-01 | 7 | 3000K | >0.9 | 52 x 63 | - | 24 | 80 | 1600.00 | 50 |
| G27-7W-4K-RD-01 | 7 | 4000K | >0.9 | 52 x 63 | - | 24 | 80 | 1600.00 | 50 |



|                                            |  |  |  |  |  |  |  |  |  |
|--------------------------------------------|--|--|--|--|--|--|--|--|--|
| <b>G27-01 - 12 Watt Modular Down Light</b> |  |  |  |  |  |  |  |  |  |
|--------------------------------------------|--|--|--|--|--|--|--|--|--|

|                  |    |       |      |         |   |    |    |         |    |
|------------------|----|-------|------|---------|---|----|----|---------|----|
| G27-12W-3K-RD-01 | 12 | 3000K | >0.9 | 62 x 75 | - | 24 | 80 | 2200.00 | 30 |
| G27-12W-4K-RD-01 | 12 | 4000K | >0.9 | 62 x 75 | - | 24 | 80 | 2200.00 | 30 |



|                                            |  |  |  |  |  |  |  |  |  |
|--------------------------------------------|--|--|--|--|--|--|--|--|--|
| <b>G27-01 - 18 Watt Modular Down Light</b> |  |  |  |  |  |  |  |  |  |
|--------------------------------------------|--|--|--|--|--|--|--|--|--|

|                  |    |       |      |         |   |    |    |         |    |
|------------------|----|-------|------|---------|---|----|----|---------|----|
| G27-18W-3K-RD-01 | 18 | 3000K | >0.9 | 85 x 88 | - | 24 | 80 | 3400.00 | 30 |
| G27-18W-4K-RD-01 | 18 | 4000K | >0.9 | 85 x 88 | - | 24 | 80 | 3400.00 | 30 |



|                                           |  |  |  |  |  |  |  |  |  |
|-------------------------------------------|--|--|--|--|--|--|--|--|--|
| <b>G27-02 - 7 Watt Modular Down Light</b> |  |  |  |  |  |  |  |  |  |
|-------------------------------------------|--|--|--|--|--|--|--|--|--|

|                 |   |       |      |         |   |    |    |         |    |
|-----------------|---|-------|------|---------|---|----|----|---------|----|
| G27-7W-3K-RD-02 | 7 | 3000K | >0.9 | 52 x 75 | - | 24 | 80 | 1600.00 | 50 |
| G27-7W-4K-RD-02 | 7 | 4000K | >0.9 | 52 x 75 | - | 24 | 80 | 1600.00 | 50 |



|                                            |  |  |  |  |  |  |  |  |  |
|--------------------------------------------|--|--|--|--|--|--|--|--|--|
| <b>G27-02 - 12 Watt Modular Down Light</b> |  |  |  |  |  |  |  |  |  |
|--------------------------------------------|--|--|--|--|--|--|--|--|--|

|                  |    |       |      |         |   |    |    |         |    |
|------------------|----|-------|------|---------|---|----|----|---------|----|
| G27-12W-3K-RD-02 | 12 | 3000K | >0.9 | 62 x 86 | - | 24 | 80 | 2300.00 | 30 |
| G27-12W-4K-RD-02 | 12 | 4000K | >0.9 | 62 x 86 | - | 24 | 80 | 2300.00 | 30 |



|                                            |  |  |  |  |  |  |  |  |  |
|--------------------------------------------|--|--|--|--|--|--|--|--|--|
| <b>G27-02 - 18 Watt Modular Down Light</b> |  |  |  |  |  |  |  |  |  |
|--------------------------------------------|--|--|--|--|--|--|--|--|--|

|                  |    |       |      |          |   |    |    |         |    |
|------------------|----|-------|------|----------|---|----|----|---------|----|
| G27-18W-3K-RD-02 | 18 | 3000K | >0.9 | 85 x 105 | - | 24 | 80 | 3500.00 | 30 |
| G27-18W-4K-RD-02 | 18 | 4000K | >0.9 | 85 x 105 | - | 24 | 80 | 3500.00 | 30 |

|                                           |  |  |  |  |  |  |  |  |  |
|-------------------------------------------|--|--|--|--|--|--|--|--|--|
| <b>G27-03 - 7 Watt Modular Down Light</b> |  |  |  |  |  |  |  |  |  |
|-------------------------------------------|--|--|--|--|--|--|--|--|--|

|                 |   |       |      |         |   |    |    |         |    |
|-----------------|---|-------|------|---------|---|----|----|---------|----|
| G27-7W-3K-RD-03 | 7 | 3000K | >0.9 | 52 x 66 | - | 24 | 80 | 1600.00 | 50 |
| G27-7W-4K-RD-03 | 7 | 4000K | >0.9 | 52 x 66 | - | 24 | 80 | 1600.00 | 50 |

|                                            |  |  |  |  |  |  |  |  |  |
|--------------------------------------------|--|--|--|--|--|--|--|--|--|
| <b>G27-03 - 12 Watt Modular Down Light</b> |  |  |  |  |  |  |  |  |  |
|--------------------------------------------|--|--|--|--|--|--|--|--|--|

|                  |    |       |      |         |   |    |    |         |    |
|------------------|----|-------|------|---------|---|----|----|---------|----|
| G27-12W-3K-RD-03 | 12 | 3000K | >0.9 | 62 x 78 | - | 24 | 80 | 2300.00 | 30 |
| G27-12W-4K-RD-03 | 12 | 4000K | >0.9 | 62 x 78 | - | 24 | 80 | 2300.00 | 30 |

|                                            |  |  |  |  |  |  |  |  |  |
|--------------------------------------------|--|--|--|--|--|--|--|--|--|
| <b>G27-03 - 18 Watt Modular Down Light</b> |  |  |  |  |  |  |  |  |  |
|--------------------------------------------|--|--|--|--|--|--|--|--|--|

|                  |    |       |      |         |   |    |    |         |    |
|------------------|----|-------|------|---------|---|----|----|---------|----|
| G27-18W-3K-RD-03 | 18 | 3000K | >0.9 | 85 x 90 | - | 24 | 80 | 3500.00 | 30 |
| G27-18W-4K-RD-03 | 18 | 4000K | >0.9 | 85 x 90 | - | 24 | 80 | 3500.00 | 30 |

G27

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | ANGLE | CRI | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-------|-----|-------|------|
|-----------|-------|----------|----|-----------|-----------|-------|-----|-------|------|

**G27-04 - 7 Watt Modular Down Light**

|                 |   |       |      |         |   |    |    |         |    |
|-----------------|---|-------|------|---------|---|----|----|---------|----|
| G27-7W-3K-RD-04 | 7 | 3000K | >0.9 | 52 x 66 | - | 24 | 80 | 1700.00 | 50 |
| G27-7W-4K-RD-04 | 7 | 4000K | >0.9 | 52 x 66 | - | 24 | 80 | 1700.00 | 50 |

**G27-04 - 12 Watt Modular Down Light**

|                  |    |       |      |         |   |    |    |         |    |
|------------------|----|-------|------|---------|---|----|----|---------|----|
| G27-12W-3K-RD-04 | 12 | 3000K | >0.9 | 62 x 78 | - | 24 | 80 | 2400.00 | 30 |
| G27-12W-4K-RD-04 | 12 | 4000K | >0.9 | 62 x 78 | - | 24 | 80 | 2400.00 | 30 |

**G27-04 - 18 Watt Modular Down Light**

|                  |    |       |      |         |   |    |    |         |    |
|------------------|----|-------|------|---------|---|----|----|---------|----|
| G27-18W-3K-RD-04 | 18 | 3000K | >0.9 | 85 x 90 | - | 24 | 80 | 3600.00 | 30 |
| G27-18W-4K-RD-04 | 18 | 4000K | >0.9 | 85 x 90 | - | 24 | 80 | 3600.00 | 30 |

RG27

**RG27 - 7 Watt**

|         |   |   |   |         |    |   |   |        |     |
|---------|---|---|---|---------|----|---|---|--------|-----|
| RG27-7W | 7 | - | - | 90 x 50 | 80 | - | - | 500.00 | 100 |
|---------|---|---|---|---------|----|---|---|--------|-----|

**RG27 - 12 Watt**

|          |    |   |   |          |     |   |   |        |    |
|----------|----|---|---|----------|-----|---|---|--------|----|
| RG27-12W | 12 | - | - | 110 x 55 | 100 | - | - | 600.00 | 60 |
|----------|----|---|---|----------|-----|---|---|--------|----|

**RG27 - 18 Watt**

|          |    |   |   |          |     |   |   |        |    |
|----------|----|---|---|----------|-----|---|---|--------|----|
| RG27-18W | 18 | - | - | 130 x 59 | 120 | - | - | 750.00 | 30 |
|----------|----|---|---|----------|-----|---|---|--------|----|



+



=

**G25-02****G25-03****G27-04****G25-01**

All dimensions in mm

50%  
Energy Saving  
over CFLsZERO  
maintenance4 times more  
life over CFLsZERO  
Mercury



G25

| ITEM CODE                                                 | POWER | COL.TEMP | PF   | DIMENSION | CUT. DIA. | ANGLE | CRI | MRP ₹   | PKG. |
|-----------------------------------------------------------|-------|----------|------|-----------|-----------|-------|-----|---------|------|
| <b>G25-03 - 7 Watt Surface Down Light - White - Round</b> |       |          |      |           |           |       |     |         |      |
| G25-7W-3K-03-RD-W                                         | 7     | 3000K    | >0.9 | 85 x 55   | -         | 75    | 80  | 1600.00 | 50   |
| G25-7W-4K-03-RD-W                                         | 7     | 4000K    | >0.9 | 85 x 55   | -         | 75    | 80  | 1600.00 | 50   |
| G25-7W-6K-03-RD-W                                         | 7     | 6000K    | >0.9 | 85 x 55   | -         | 75    | 80  | 1600.00 | 50   |



|                                                           |   |       |      |         |   |    |    |         |    |
|-----------------------------------------------------------|---|-------|------|---------|---|----|----|---------|----|
| <b>G25-03 - 7 Watt Surface Down Light - Black - Round</b> |   |       |      |         |   |    |    |         |    |
| G25-7W-3K-03-RD-B                                         | 7 | 3000K | >0.9 | 85 x 55 | - | 75 | 80 | 1600.00 | 50 |
| G25-7W-4K-03-RD-B                                         | 7 | 4000K | >0.9 | 85 x 55 | - | 75 | 80 | 1600.00 | 50 |
| G25-7W-6K-03-RD-B                                         | 7 | 6000K | >0.9 | 85 x 55 | - | 75 | 80 | 1600.00 | 50 |



|                                                            |   |       |      |         |   |    |    |         |    |
|------------------------------------------------------------|---|-------|------|---------|---|----|----|---------|----|
| <b>G25-03 - 7 Watt Surface Down Light - White - Square</b> |   |       |      |         |   |    |    |         |    |
| G25-7W-3K-03-SQ-W                                          | 7 | 3000K | >0.9 | 85 x 55 | - | 75 | 80 | 1600.00 | 50 |
| G25-7W-6K-03-SQ-W                                          | 7 | 6000K | >0.9 | 85 x 55 | - | 75 | 80 | 1600.00 | 50 |



|                                                            |    |       |      |         |   |    |    |         |    |
|------------------------------------------------------------|----|-------|------|---------|---|----|----|---------|----|
| <b>G25-03 - 12 Watt Surface Down Light - White - Round</b> |    |       |      |         |   |    |    |         |    |
| G25-12W-3K-03-RD-W                                         | 12 | 3000K | >0.9 | 97 x 70 | - | 75 | 80 | 2200.00 | 30 |
| G25-12W-4K-03-RD-W                                         | 12 | 4000K | >0.9 | 97 x 70 | - | 75 | 80 | 2200.00 | 30 |
| G25-12W-6K-03-RD-W                                         | 12 | 6000K | >0.9 | 97 x 70 | - | 75 | 80 | 2200.00 | 30 |



|                                                             |    |       |      |              |   |    |    |         |    |
|-------------------------------------------------------------|----|-------|------|--------------|---|----|----|---------|----|
| <b>G25-03 - 12 Watt Surface Down Light - White - Square</b> |    |       |      |              |   |    |    |         |    |
| G25-12W-3K-03-SQ-W                                          | 12 | 3000K | >0.9 | 97 x 97 x 70 | - | 75 | 80 | 2200.00 | 30 |
| G25-12W-6K-03-SQ-W                                          | 12 | 6000K | >0.9 | 97 x 97 x 70 | - | 75 | 80 | 2200.00 | 30 |



|                                           |   |       |      |           |   |    |    |         |    |
|-------------------------------------------|---|-------|------|-----------|---|----|----|---------|----|
| <b>G25-01 - 7 Watt Surface Down Light</b> |   |       |      |           |   |    |    |         |    |
| G25-7W-3K-01                              | 7 | 3000K | >0.9 | 130 x 100 | - | 24 | 80 | 2900.00 | 36 |



|                                            |    |       |      |           |   |    |    |         |    |
|--------------------------------------------|----|-------|------|-----------|---|----|----|---------|----|
| <b>G25-01 - 18 Watt Surface Down Light</b> |    |       |      |           |   |    |    |         |    |
| G25-18W-3K-01                              | 18 | 3000K | >0.9 | 165 x 115 | - | 24 | 80 | 4600.00 | 36 |



|                                            |    |       |      |           |   |    |    |         |    |
|--------------------------------------------|----|-------|------|-----------|---|----|----|---------|----|
| <b>G25-01 - 28 Watt Surface Down Light</b> |    |       |      |           |   |    |    |         |    |
| G25-28W-3K-01                              | 28 | 3000K | >0.9 | 200 x 135 | - | 24 | 80 | 6800.00 | 12 |



|                                                   |   |       |      |         |   |    |    |         |    |
|---------------------------------------------------|---|-------|------|---------|---|----|----|---------|----|
| <b>G25-02 - 7 Watt Surface Down Light - Round</b> |   |       |      |         |   |    |    |         |    |
| G25-7W-3K-02-RD                                   | 7 | 3000K | >0.9 | 60 x 65 | - | 24 | 80 | 3900.00 | 30 |



|                                                    |   |       |      |              |   |    |    |         |    |
|----------------------------------------------------|---|-------|------|--------------|---|----|----|---------|----|
| <b>G25-02 - 7 Watt Surface Down Light - Square</b> |   |       |      |              |   |    |    |         |    |
| G25-7W-3K-02-SQ                                    | 7 | 3000K | >0.9 | 60 x 60 x 65 | - | 24 | 80 | 3900.00 | 30 |

G24

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | ANGLE | CRI | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-------|-----|-------|------|
|-----------|-------|----------|----|-----------|-----------|-------|-----|-------|------|

**G24-01 - 1X12 Watt Multiple Down Light**

|                 |      |       |      |                 |           |    |    |         |    |
|-----------------|------|-------|------|-----------------|-----------|----|----|---------|----|
| G24-1X12W-3K-01 | 1X12 | 3000K | >0.9 | 117 x 117 x 117 | 100 x 100 | 24 | 80 | 5600.00 | 30 |
| G24-1X12W-5K-01 | 1X12 | 5000K | >0.9 | 117 x 117 x 117 | 100 x 100 | 24 | 80 | 5600.00 | 30 |

**G24-01 - 2X12 Watt Multiple Down Light**

|                 |      |       |      |                 |           |    |    |          |    |
|-----------------|------|-------|------|-----------------|-----------|----|----|----------|----|
| G24-2X12W-3K-01 | 2X12 | 3000K | >0.9 | 208 x 117 x 117 | 100 x 190 | 24 | 80 | 10900.00 | 12 |
| G24-2X12W-5K-01 | 2X12 | 5000K | >0.9 | 208 x 117 x 117 | 100 x 190 | 24 | 80 | 10900.00 | 12 |

**G24-02 - 1X12 Watt Multiple Down Light**

|                 |      |       |      |                |           |    |    |         |    |
|-----------------|------|-------|------|----------------|-----------|----|----|---------|----|
| G24-1X12W-3K-02 | 1X12 | 3000K | >0.9 | 94 x 190 x 117 | 120 x 120 | 24 | 80 | 4800.00 | 20 |
| G24-1X12W-5K-02 | 1X12 | 5000K | >0.9 | 94 x 190 x 117 | 120 x 120 | 24 | 80 | 4800.00 | 20 |

**G24-02 - 2X12 Watt Multiple Down Light**

|                 |      |       |      |                |           |    |    |         |    |
|-----------------|------|-------|------|----------------|-----------|----|----|---------|----|
| G24-2X12W-3K-02 | 2X12 | 3000K | >0.9 | 94 x 282 x 117 | 210 x 210 | 24 | 80 | 9700.00 | 12 |
| G24-2X12W-5K-02 | 2X12 | 5000K | >0.9 | 94 x 282 x 117 | 210 x 210 | 24 | 80 | 9700.00 | 12 |

**G24-03 - 1X12 Watt Multiple Down Light**

|                 |      |       |      |                |           |    |    |         |    |
|-----------------|------|-------|------|----------------|-----------|----|----|---------|----|
| G24-1X12W-3K-03 | 1X12 | 3000K | >0.9 | 130 x 130 x 90 | 110 x 110 | 24 | 80 | 4000.00 | 12 |
| G24-1X12W-5K-03 | 1X12 | 5000K | >0.9 | 130 x 130 x 90 | 110 x 110 | 24 | 80 | 4000.00 | 12 |

**G24-03 - 2X12 Watt Multiple Down Light**

|                 |      |       |      |                |           |    |    |         |    |
|-----------------|------|-------|------|----------------|-----------|----|----|---------|----|
| G24-2X12W-3K-03 | 2X12 | 3000K | >0.9 | 240 x 130 x 90 | 215 x 110 | 24 | 80 | 7400.00 | 12 |
| G24-2X12W-5K-03 | 2X12 | 5000K | >0.9 | 240 x 130 x 90 | 215 x 110 | 24 | 80 | 7400.00 | 12 |

**G24-03 - 3X12 Watt Multiple Down Light**

|                 |      |       |      |                |           |    |    |          |   |
|-----------------|------|-------|------|----------------|-----------|----|----|----------|---|
| G24-3X12W-3K-03 | 3X12 | 3000K | >0.9 | 350 x 130 x 90 | 325 x 110 | 24 | 80 | 10600.00 | 8 |
| G24-3X12W-5K-03 | 3X12 | 5000K | >0.9 | 350 x 130 x 90 | 325 x 110 | 24 | 80 | 10600.00 | 8 |

**G24-04 - 7 Watt Down Light**

|              |   |       |      |         |    |    |    |         |    |
|--------------|---|-------|------|---------|----|----|----|---------|----|
| G24-7W-3K-04 | 7 | 3000K | >0.9 | 84 x 87 | 75 | 24 | 80 | 3900.00 | 30 |
|--------------|---|-------|------|---------|----|----|----|---------|----|

**G24-04 - 12 Watt Down Light**

|               |    |       |      |           |    |    |    |         |    |
|---------------|----|-------|------|-----------|----|----|----|---------|----|
| G24-12W-3K-04 | 12 | 3000K | >0.9 | 100 x 117 | 92 | 24 | 80 | 5300.00 | 30 |
|---------------|----|-------|------|-----------|----|----|----|---------|----|

**G24-04 - 25 Watt Down Light**

|               |    |       |      |           |     |    |    |         |    |
|---------------|----|-------|------|-----------|-----|----|----|---------|----|
| G24-25W-3K-04 | 25 | 3000K | >0.9 | 155 x 136 | 140 | 24 | 80 | 9200.00 | 12 |
|---------------|----|-------|------|-----------|-----|----|----|---------|----|

All dimensions in mm

50%  
Energy Saving  
over CFLsZERO  
maintenance4 times more  
life over CFLsZERO  
Mercury





G23-07  
ZOOM COB DOWN LIGHT

G23-02  
COB DOWN LIGHT



G23-04  
COB DOWN LIGHT

**SHINE**  
PREMIUM LUMINAIRES

**COB DOWN  
LIGHTS**

G23

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | ANGLE | CRI | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-------|-----|-------|------|
|-----------|-------|----------|----|-----------|-----------|-------|-----|-------|------|

**G23-01 - 28 Watt COB Down Light**

|                  |    |       |      |           |     |    |    |         |    |
|------------------|----|-------|------|-----------|-----|----|----|---------|----|
| G23-28W-3K-RD-01 | 28 | 3000K | >0.9 | 115 x 130 | 105 | 24 | 80 | 5600.00 | 20 |
| G23-28W-4K-RD-01 | 28 | 4000K | >0.9 | 115 x 130 | 105 | 24 | 80 | 5600.00 | 20 |

**G23-01 - 40 Watt COB Down Light**

|                  |    |       |      |           |     |    |    |         |    |
|------------------|----|-------|------|-----------|-----|----|----|---------|----|
| G23-40W-3K-RD-01 | 40 | 3000K | >0.9 | 138 x 150 | 130 | 24 | 80 | 8000.00 | 12 |
| G23-40W-4K-RD-01 | 40 | 4000K | >0.9 | 138 x 150 | 130 | 24 | 80 | 8000.00 | 12 |

**G23-01 - 60 Watt COB Down Light**

|                  |    |       |      |           |     |    |    |          |   |
|------------------|----|-------|------|-----------|-----|----|----|----------|---|
| G23-60W-3K-RD-01 | 60 | 3000K | >0.9 | 161 x 158 | 153 | 24 | 80 | 13150.00 | 6 |
| G23-60W-4K-RD-01 | 60 | 4000K | >0.9 | 161 x 158 | 153 | 24 | 80 | 13150.00 | 6 |

**G23-02 - 7 Watt COB Down Light**

|                 |   |       |      |          |     |    |    |         |    |
|-----------------|---|-------|------|----------|-----|----|----|---------|----|
| G23-7W-3K-RD-02 | 7 | 3000K | >0.9 | 112 x 46 | 100 | 24 | 80 | 2900.00 | 30 |
| G23-7W-4K-RD-02 | 7 | 4000K | >0.9 | 112 x 46 | 100 | 24 | 80 | 2900.00 | 30 |

**G23-02 - 12 Watt COB Down Light**

|                  |    |       |      |          |     |    |    |         |    |
|------------------|----|-------|------|----------|-----|----|----|---------|----|
| G23-12W-3K-RD-02 | 12 | 3000K | >0.9 | 145 x 53 | 130 | 24 | 80 | 4750.00 | 20 |
| G23-12W-4K-RD-02 | 12 | 4000K | >0.9 | 145 x 53 | 130 | 24 | 80 | 4750.00 | 20 |

**G23-03 - 7 Watt COB Down Light**

|                 |   |       |      |          |     |    |    |         |    |
|-----------------|---|-------|------|----------|-----|----|----|---------|----|
| G23-7W-3K-RD-03 | 7 | 3000K | >0.9 | 120 x 70 | 100 | 24 | 80 | 2450.00 | 30 |
| G23-7W-6K-RD-03 | 7 | 6000K | >0.9 | 120 x 70 | 100 | 24 | 80 | 2450.00 | 30 |

**G23-03 - 10 Watt COB Down Light**

|                  |    |       |      |          |     |    |    |         |    |
|------------------|----|-------|------|----------|-----|----|----|---------|----|
| G23-10W-3K-RD-03 | 10 | 3000K | >0.9 | 134 x 90 | 115 | 24 | 80 | 3250.00 | 20 |
| G23-10W-6K-RD-03 | 10 | 6000K | >0.9 | 134 x 90 | 115 | 24 | 80 | 3250.00 | 20 |

**G23-03 - 18 Watt COB Down Light**

|                  |    |       |      |           |     |    |    |         |    |
|------------------|----|-------|------|-----------|-----|----|----|---------|----|
| G23-18W-3K-RD-03 | 18 | 3000K | >0.9 | 194 x 105 | 165 | 24 | 80 | 5500.00 | 24 |
| G23-18W-6K-RD-03 | 18 | 6000K | >0.9 | 194 x 105 | 165 | 24 | 80 | 5500.00 | 24 |

**G23-04 - 7 Watt COB Down Light**

|              |   |       |      |          |    |    |    |         |    |
|--------------|---|-------|------|----------|----|----|----|---------|----|
| G23-7W-3K-04 | 7 | 3000K | >0.9 | 119 x 36 | 95 | 24 | 80 | 2900.00 | 30 |
| G23-7W-4K-04 | 7 | 4000K | >0.9 | 119 x 36 | 95 | 24 | 80 | 2900.00 | 30 |



All dimensions in mm



| ITEM CODE                                   | POWER | COL. TEMP | PF   | DIMENSION | CUT. DIA. | ANGLE     | CRI | MRP ₹   | PKG. |
|---------------------------------------------|-------|-----------|------|-----------|-----------|-----------|-----|---------|------|
| <b>G23-05 - 12 Watt Zoom COB Down Light</b> |       |           |      |           |           |           |     |         |      |
| G23-12W-3K-RD-05-W                          | 12    | 3000K     | >0.9 | 80 x 107  | 75        | 12.5 - 46 | 80  | 5200.00 | 30   |
| G23-12W-3K-RD-05-B                          | 12    | 3000K     | >0.9 | 80 x 107  | 75        | 12.5 - 46 | 80  | 5200.00 | 30   |

|                                             |    |       |      |           |     |           |    |         |    |
|---------------------------------------------|----|-------|------|-----------|-----|-----------|----|---------|----|
| <b>G23-05 - 18 Watt Zoom COB Down Light</b> |    |       |      |           |     |           |    |         |    |
| G23-18W-3K-RD-05-W                          | 18 | 3000K | >0.9 | 108 x 140 | 100 | 12.5 - 46 | 80 | 7900.00 | 20 |
| G23-18W-3K-RD-05-B                          | 18 | 3000K | >0.9 | 108 x 140 | 100 | 12.5 - 46 | 80 | 7900.00 | 20 |

|                                             |    |       |      |           |     |           |    |          |    |
|---------------------------------------------|----|-------|------|-----------|-----|-----------|----|----------|----|
| <b>G23-05 - 25 Watt Zoom COB Down Light</b> |    |       |      |           |     |           |    |          |    |
| G23-25W-3K-RD-05-W                          | 25 | 3000K | >0.9 | 130 x 160 | 120 | 12.5 - 46 | 80 | 10900.00 | 12 |
| G23-25W-3K-RD-05-B                          | 25 | 3000K | >0.9 | 130 x 160 | 120 | 12.5 - 46 | 80 | 10900.00 | 12 |

|                                        |    |       |      |          |     |    |    |         |    |
|----------------------------------------|----|-------|------|----------|-----|----|----|---------|----|
| <b>G23-06 - 12 Watt COB Down Light</b> |    |       |      |          |     |    |    |         |    |
| G23-12W-3K-RD-06                       | 12 | 3000K | >0.9 | 115 x 89 | 100 | 40 | 80 | 3500.00 | 30 |

|                                        |    |       |      |           |     |    |    |         |    |
|----------------------------------------|----|-------|------|-----------|-----|----|----|---------|----|
| <b>G23-06 - 18 Watt COB Down Light</b> |    |       |      |           |     |    |    |         |    |
| G23-18W-3K-RD-06                       | 18 | 3000K | >0.9 | 165 x 112 | 140 | 40 | 80 | 7100.00 | 12 |

|                                        |    |       |      |           |     |    |    |         |   |
|----------------------------------------|----|-------|------|-----------|-----|----|----|---------|---|
| <b>G23-06 - 40 Watt COB Down Light</b> |    |       |      |           |     |    |    |         |   |
| G23-40W-3K-RD-06                       | 40 | 3000K | >0.9 | 200 x 133 | 175 | 40 | 80 | 8900.00 | 8 |

|                                                     |      |       |      |           |   |    |    |         |    |
|-----------------------------------------------------|------|-------|------|-----------|---|----|----|---------|----|
| <b>G23-07 - 1X12 Watt Adjustable COB Down Light</b> |      |       |      |           |   |    |    |         |    |
| G23-1X12W-3K-07-W                                   | 1X12 | 3000K | >0.9 | 108 x 108 | - | 24 | 80 | 4100.00 | 20 |
| G23-1X12W-3K-07-B                                   | 1X12 | 3000K | >0.9 | 108 x 108 | - | 24 | 80 | 4100.00 | 20 |

|                                                     |      |       |      |           |   |    |    |         |    |
|-----------------------------------------------------|------|-------|------|-----------|---|----|----|---------|----|
| <b>G23-07 - 2X12 Watt Adjustable COB Down Light</b> |      |       |      |           |   |    |    |         |    |
| G23-2X12W-3K-07-W                                   | 2X12 | 3000K | >0.9 | 208 x 108 | - | 24 | 80 | 7500.00 | 12 |
| G23-2X12W-3K-07-B                                   | 2X12 | 3000K | >0.9 | 208 x 108 | - | 24 | 80 | 7500.00 | 12 |



G22-01  
MINI SPOT LIGHT



G22-03  
MINI SPOT LIGHT

**SHINE**  
PREMIUM LUMINAIRES

MINI SPOT  
LIGHTS



G22-05  
FOOT LIGHT



G22-04  
FOOT LIGHT



G22

| ITEM CODE                                      | POWER | COL.TEMP | PF   | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹  | PKG. |
|------------------------------------------------|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| <b>G22-01 - 1 Watt Mini Spot Light - Round</b> |       |          |      |           |           |     |       |        |      |
| G22-1W-3K-RD-01                                | 1     | 3000K    | >0.9 | 40 x 32   | 33        | 80  | 20    | 700.00 | 100  |
| G22-1W-4K-RD-01                                | 1     | 4000K    | >0.9 | 40 x 32   | 33        | 80  | 20    | 700.00 | 100  |
| G22-1W-6K-RD-01                                | 1     | 6000K    | >0.9 | 40 x 32   | 33        | 80  | 20    | 700.00 | 100  |



|                                                |   |       |      |         |    |    |    |        |    |
|------------------------------------------------|---|-------|------|---------|----|----|----|--------|----|
| <b>G22-02 - 3 Watt Mini Spot Light - Round</b> |   |       |      |         |    |    |    |        |    |
| G22-3W-3K-RD-02                                | 3 | 3000K | >0.9 | 42 x 34 | 35 | 80 | 25 | 950.00 | 50 |
| G22-3W-4K-RD-02                                | 3 | 4000K | >0.9 | 42 x 34 | 35 | 80 | 25 | 950.00 | 50 |
| G22-3W-6K-RD-02                                | 3 | 6000K | >0.9 | 42 x 34 | 35 | 80 | 25 | 950.00 | 50 |



|                                                |   |       |      |         |    |    |    |        |     |
|------------------------------------------------|---|-------|------|---------|----|----|----|--------|-----|
| <b>G22-03 - 3 Watt Mini Spot Light - Round</b> |   |       |      |         |    |    |    |        |     |
| G22-3W-3K-RD-03                                | 3 | 3000K | >0.9 | 46 x 30 | 33 | 80 | 24 | 800.00 | 100 |
| G22-3W-4K-RD-03                                | 3 | 4000K | >0.9 | 46 x 30 | 33 | 80 | 24 | 800.00 | 100 |
| G22-3W-6K-RD-03                                | 3 | 6000K | >0.9 | 46 x 30 | 33 | 80 | 24 | 800.00 | 100 |



|                                           |   |       |      |         |    |    |   |         |    |
|-------------------------------------------|---|-------|------|---------|----|----|---|---------|----|
| <b>G22-04 - 1 Watt Foot Light - Round</b> |   |       |      |         |    |    |   |         |    |
| G22-1W-3K-RD-04                           | 1 | 3000K | >0.9 | 45 x 30 | 35 | 80 | - | 1100.00 | 50 |



|                                            |   |       |      |         |    |    |   |         |     |
|--------------------------------------------|---|-------|------|---------|----|----|---|---------|-----|
| <b>G22-05 - 1 Watt Foot Light - Square</b> |   |       |      |         |    |    |   |         |     |
| G22-1W-3K-SQ-05                            | 1 | 3000K | >0.9 | 50 x 54 | 35 | 80 | - | 2500.00 | 100 |



|                                                |   |       |      |         |    |    |   |         |    |
|------------------------------------------------|---|-------|------|---------|----|----|---|---------|----|
| <b>G22-06 - 3 Watt Deep Spot Light - Round</b> |   |       |      |         |    |    |   |         |    |
| G22-3W-3K-RD-06-B                              | 3 | 3000K | >0.9 | 40 x 63 | 50 | 80 | 8 | 1700.00 | 50 |
| G22-3W-3K-RD-06-W                              | 3 | 3000K | >0.9 | 40 x 63 | 50 | 80 | 8 | 1700.00 | 50 |



|                                                |   |       |      |         |    |    |   |         |    |
|------------------------------------------------|---|-------|------|---------|----|----|---|---------|----|
| <b>G22-06 - 5 Watt Deep Spot Light - Round</b> |   |       |      |         |    |    |   |         |    |
| G22-5W-3K-RD-06-B                              | 5 | 3000K | >0.9 | 55 x 90 | 50 | 80 | 8 | 2600.00 | 50 |
| G22-5W-3K-RD-06-W                              | 5 | 3000K | >0.9 | 55 x 90 | 50 | 80 | 8 | 2600.00 | 50 |



|                                                |   |       |      |          |    |    |   |         |    |
|------------------------------------------------|---|-------|------|----------|----|----|---|---------|----|
| <b>G22-06 - 7 Watt Deep Spot Light - Round</b> |   |       |      |          |    |    |   |         |    |
| G22-7W-3K-RD-06-B                              | 7 | 3000K | >0.9 | 85 x 105 | 70 | 80 | 8 | 4500.00 | 30 |



|                                                 |   |       |      |         |    |    |   |         |    |
|-------------------------------------------------|---|-------|------|---------|----|----|---|---------|----|
| <b>G22-06 - 3 Watt Deep Spot Light - Square</b> |   |       |      |         |    |    |   |         |    |
| G22-3W-3K-SQ-06-B                               | 3 | 3000K | >0.9 | 40 x 63 | 50 | 80 | 8 | 1700.00 | 50 |
| G22-3W-3K-SQ-06-W                               | 3 | 3000K | >0.9 | 40 x 63 | 50 | 80 | 8 | 1700.00 | 50 |





**G21-01** TRIMLESS  
DOWN  
LIGHT



**G21-01** TRIMLESS  
DOWN  
LIGHT



**G21-02** TRIMLESS  
DOWN  
LIGHT

**SHINE**  
PREMIUM LUMINAIRES

TRIMLESS  
DOWN LIGHT



G21

| ITEM CODE                                     | POWER | COL.TEMP | PF   | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹   | PKG. |
|-----------------------------------------------|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| <b>G21-01 - 7 Trimless Down Light - Round</b> |       |          |      |           |           |     |       |         |      |
| G21-7W-3K-RD-01                               | 7     | 3000K    | >0.9 | 82 x 92   | 75        | 80  | 24    | 1800.00 | 30   |
| G21-7W-4K-RD-01                               | 7     | 4000K    | >0.9 | 82 x 92   | 75        | 80  | 24    | 1800.00 | 30   |
| G21-7W-5K-RD-01                               | 7     | 5000K    | >0.9 | 82 X 92   | 75        | 80  | 24    | 1800.00 | 30   |



|                                                |    |       |      |           |     |    |    |         |    |
|------------------------------------------------|----|-------|------|-----------|-----|----|----|---------|----|
| <b>G21-01 - 12 Trimless Down Light - Round</b> |    |       |      |           |     |    |    |         |    |
| G21-12W-3K-RD-01                               | 12 | 3000K | >0.9 | 108 x 108 | 100 | 80 | 24 | 2500.00 | 30 |
| G21-12W-4K-RD-01                               | 12 | 4000K | >0.9 | 108 x 108 | 100 | 80 | 24 | 2500.00 | 30 |
| G21-12W-5K-RD-01                               | 12 | 5000K | >0.9 | 108 x 108 | 100 | 80 | 24 | 2500.00 | 30 |



|                                                |    |       |      |           |     |    |    |         |    |
|------------------------------------------------|----|-------|------|-----------|-----|----|----|---------|----|
| <b>G21-01 - 18 Trimless Down Light - Round</b> |    |       |      |           |     |    |    |         |    |
| G21-18W-3K-RD-01                               | 18 | 3000K | >0.9 | 133 x 120 | 125 | 80 | 24 | 3900.00 | 20 |
| G21-18W-4K-RD-01                               | 18 | 4000K | >0.9 | 133 x 120 | 125 | 80 | 24 | 3900.00 | 20 |
| G21-18W-5K-RD-01                               | 18 | 5000K | >0.9 | 133 x 120 | 125 | 80 | 24 | 3900.00 | 20 |

|                                                |   |       |      |              |         |    |    |         |    |
|------------------------------------------------|---|-------|------|--------------|---------|----|----|---------|----|
| <b>G21-01 - 7 Trimless Down Light - Square</b> |   |       |      |              |         |    |    |         |    |
| G21-7W-3K-SQ-01                                | 7 | 3000K | >0.9 | 90 x 90 x 90 | 80 x 80 | 80 | 24 | 1800.00 | 30 |
| G21-7W-4K-SQ-01                                | 7 | 4000K | >0.9 | 90 x 90 x 90 | 80 x 80 | 80 | 24 | 1800.00 | 30 |
| G21-7W-5K-SQ-01                                | 7 | 5000K | >0.9 | 90 X 90 x 90 | 80 x 80 | 80 | 24 | 1800.00 | 30 |



|                                                 |    |       |      |                 |           |    |    |         |    |
|-------------------------------------------------|----|-------|------|-----------------|-----------|----|----|---------|----|
| <b>G21-01 - 12 Trimless Down Light - Square</b> |    |       |      |                 |           |    |    |         |    |
| G21-12W-3K-SQ-01                                | 12 | 3000K | >0.9 | 115 x 115 x 106 | 105 x 105 | 80 | 24 | 2500.00 | 30 |
| G21-12W-4K-SQ-01                                | 12 | 4000K | >0.9 | 115 x 115 x 106 | 105 x 105 | 80 | 24 | 2500.00 | 30 |
| G21-12W-5K-SQ-01                                | 12 | 5000K | >0.9 | 115 x 115 x 106 | 105 x 105 | 80 | 24 | 2500.00 | 30 |

|                                                 |    |       |      |                 |           |    |    |         |    |
|-------------------------------------------------|----|-------|------|-----------------|-----------|----|----|---------|----|
| <b>G21-01 - 18 Trimless Down Light - Square</b> |    |       |      |                 |           |    |    |         |    |
| G21-18W-3K-SQ-01                                | 18 | 3000K | >0.9 | 140 x 140 x 120 | 130 x 130 | 80 | 24 | 3900.00 | 20 |
| G21-18W-4K-SQ-01                                | 18 | 4000K | >0.9 | 140 x 140 x 120 | 130 x 130 | 80 | 24 | 3900.00 | 20 |
| G21-18W-5K-SQ-01                                | 18 | 5000K | >0.9 | 140 x 140 x 120 | 130 x 130 | 80 | 24 | 3900.00 | 20 |



|                                               |   |       |      |               |    |    |    |         |    |
|-----------------------------------------------|---|-------|------|---------------|----|----|----|---------|----|
| <b>G21-02 - 7 Trimless Down Light - Round</b> |   |       |      |               |    |    |    |         |    |
| G21-7W-3K-RD-02                               | 7 | 3000K | >0.9 | 135 x 71 x 85 | 75 | 80 | 24 | 2200.00 | 50 |
| G21-7W-4K-RD-02                               | 7 | 4000K | >0.9 | 135 x 71 x 85 | 75 | 80 | 24 | 2200.00 | 50 |
| G21-7W-5K-RD-02                               | 7 | 5000K | >0.9 | 135 x 71 x 85 | 75 | 80 | 24 | 2200.00 | 50 |

|                                                |    |       |      |                |    |    |    |         |    |
|------------------------------------------------|----|-------|------|----------------|----|----|----|---------|----|
| <b>G21-02 - 12 Trimless Down Light - Round</b> |    |       |      |                |    |    |    |         |    |
| G21-12W-3K-RD-02                               | 12 | 3000K | >0.9 | 127 x 92 x 106 | 95 | 80 | 24 | 2850.00 | 30 |
| G21-12W-4K-RD-02                               | 12 | 4000K | >0.9 | 127 x 92 x 106 | 95 | 80 | 24 | 2850.00 | 30 |
| G21-12W-5K-RD-02                               | 12 | 5000K | >0.9 | 127 x 92 x 106 | 95 | 80 | 24 | 2850.00 | 30 |



|                                                |    |       |      |                 |     |    |    |         |    |
|------------------------------------------------|----|-------|------|-----------------|-----|----|----|---------|----|
| <b>G21-02 - 18 Trimless Down Light - Round</b> |    |       |      |                 |     |    |    |         |    |
| G21-18W-3K-RD-02                               | 18 | 3000K | >0.9 | 186 x 121 x 126 | 125 | 80 | 24 | 4250.00 | 12 |
| G21-18W-4K-RD-02                               | 18 | 4000K | >0.9 | 186 x 121 x 126 | 125 | 80 | 24 | 4250.00 | 12 |
| G21-18W-5K-RD-02                               | 18 | 5000K | >0.9 | 186 x 121 x 126 | 125 | 80 | 24 | 4250.00 | 12 |



G28-02



G28-05



G28-01

**THE UNIQUE BODY OF LED  
TRACK LIGHTS CREATE THE  
PERFECT SURFACE AND  
MASS TO DISPERSE HEAT  
FROM THE LED**

**SHINE**  
PREMIUM LUMINAIRES



G28-09



G28-13

# LET'S SHINE

G28-03



G28

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | ANGLE | CRI | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-------|-----|-------|------|
|-----------|-------|----------|----|-----------|-----------|-------|-----|-------|------|

**G28-01 - 18 Watt Track Light**

|               |    |       |      |           |   |    |    |         |    |
|---------------|----|-------|------|-----------|---|----|----|---------|----|
| G28-18W-3K-01 | 18 | 3000K | >0.9 | 119 x 241 | - | 15 | 80 | 4800.00 | 12 |
| G28-18W-4K-01 | 18 | 4000K | >0.9 | 119 x 241 | - | 15 | 80 | 4800.00 | 12 |

**G28-01 - 28 Watt Track Light**

|               |    |       |      |           |   |    |    |         |   |
|---------------|----|-------|------|-----------|---|----|----|---------|---|
| G28-28W-3K-01 | 28 | 3000K | >0.9 | 131 x 245 | - | 15 | 80 | 6300.00 | 8 |
| G28-28W-4K-01 | 28 | 4000K | >0.9 | 131 x 245 | - | 15 | 80 | 6300.00 | 8 |

**G28-02 - 28 Watt Track Light**

|               |    |       |      |          |   |    |    |         |   |
|---------------|----|-------|------|----------|---|----|----|---------|---|
| G28-28W-3K-02 | 28 | 3000K | >0.9 | 90 x 205 | - | 15 | 80 | 8400.00 | 8 |
| G28-28W-4K-02 | 28 | 4000K | >0.9 | 90 x 205 | - | 15 | 80 | 8400.00 | 8 |

**G28-02 - 35 Watt Track Light**

|               |    |       |      |          |   |    |    |          |   |
|---------------|----|-------|------|----------|---|----|----|----------|---|
| G28-35W-3K-02 | 35 | 3000K | >0.9 | 90 x 205 | - | 15 | 80 | 10900.00 | 8 |
| G28-35W-4K-02 | 35 | 4000K | >0.9 | 90 x 205 | - | 15 | 80 | 10900.00 | 8 |

**G28-03 - 18 Watt Track Light**

|               |    |       |      |          |   |    |    |         |    |
|---------------|----|-------|------|----------|---|----|----|---------|----|
| G28-18W-3K-03 | 18 | 3000K | >0.9 | 90 x 190 | - | 24 | 80 | 6400.00 | 12 |
| G28-18W-4K-03 | 18 | 4000K | >0.9 | 90 x 190 | - | 24 | 80 | 6400.00 | 12 |

**G28-03 - 28 Watt Track Light**

|               |    |       |      |             |   |    |    |         |   |
|---------------|----|-------|------|-------------|---|----|----|---------|---|
| G28-28W-3K-03 | 28 | 3000K | >0.9 | 117.5 x 192 | - | 24 | 80 | 8700.00 | 8 |
| G28-28W-4K-03 | 28 | 4000K | >0.9 | 117.5 x 192 | - | 24 | 80 | 8700.00 | 8 |

**G28-04 - 12 Watt Track Light**

|                  |    |       |      |            |   |    |    |         |    |
|------------------|----|-------|------|------------|---|----|----|---------|----|
| G28-12W-3K-04-WB | 12 | 3000K | >0.9 | 57.5 x 160 | - | 24 | 80 | 5100.00 | 20 |
| G28-12W-3K-04-BG | 12 | 3000K | >0.9 | 57.5 x 160 | - | 24 | 80 | 5100.00 | 20 |

**G28-04 - 18 Watt Track Light**

|                  |    |       |      |            |   |    |    |         |    |
|------------------|----|-------|------|------------|---|----|----|---------|----|
| G28-18W-3K-04-WB | 18 | 3000K | >0.9 | 57.5 x 200 | - | 24 | 80 | 6400.00 | 12 |
| G28-18W-3K-04-BG | 18 | 3000K | >0.9 | 57.5 x 200 | - | 24 | 80 | 6400.00 | 12 |

**G28-05 - 12 Watt Track Light**

|                 |    |       |      |                     |   |    |    |         |    |
|-----------------|----|-------|------|---------------------|---|----|----|---------|----|
| G28-12W-3K-05-W | 12 | 3000K | >0.9 | 100 x 35 - 60 x 114 | - | 24 | 80 | 6700.00 | 30 |
|-----------------|----|-------|------|---------------------|---|----|----|---------|----|

**G28-05 - 18 Watt Track Light**

|                 |    |       |      |                     |   |    |    |         |    |
|-----------------|----|-------|------|---------------------|---|----|----|---------|----|
| G28-18W-3K-05-W | 18 | 3000K | >0.9 | 150 x 40 - 95 x 159 | - | 24 | 80 | 8200.00 | 30 |
|-----------------|----|-------|------|---------------------|---|----|----|---------|----|



All dimensions in mm

50%  
Energy Saving  
over CFLsZERO  
maintenance4 times more  
life over CFLsZERO  
Mercury

RoHS



IP20



IP20





| ITEM CODE                           | POWER | COL.TEMP | PF   | DIMENSION  | CUT. DIA. | ANGLE | CRI | MRP ₹   | PKG. |
|-------------------------------------|-------|----------|------|------------|-----------|-------|-----|---------|------|
| <b>G28-06 - 12 Watt Track Light</b> |       |          |      |            |           |       |     |         |      |
| G28-12W-3K-06-WB                    | 12    | 3000K    | >0.9 | 57.5 x 160 | -         | 24    | 80  | 5600.00 | 20   |
| G28-12W-3K-06-BG                    | 12    | 3000K    | >0.9 | 57.5 x 160 | -         | 24    | 80  | 5600.00 | 20   |
| <b>G28-06 - 18 Watt Track Light</b> |       |          |      |            |           |       |     |         |      |
| G28-18W-3K-06-WB                    | 18    | 3000K    | >0.9 | 57.5 x 200 | -         | 24    | 80  | 6900.00 | 12   |
| G28-18W-3K-06-BG                    | 18    | 3000K    | >0.9 | 57.5 x 200 | -         | 24    | 80  | 6900.00 | 12   |
| <b>G28-07 - 20 Watt Track Light</b> |       |          |      |            |           |       |     |         |      |
| G28-20W-3K-07-B                     | 20    | 3000K    | >0.9 | 150 x 70   | -         | 24    | 80  | 2350.00 | 20   |
| G28-20W-3K-07-W                     | 20    | 3000K    | >0.9 | 150 x 70   | -         | 24    | 80  | 2350.00 | 20   |
| <b>G28-08 - 30 Watt Track Light</b> |       |          |      |            |           |       |     |         |      |
| G28-30W-3K-08-B                     | 30    | 3000K    | >0.9 | 250 x 80   | -         | 24    | 80  | 9000.00 | 8    |
| G28-30W-4K-08-B                     | 30    | 4000K    | >0.9 | 250 x 80   | -         | 24    | 80  | 9000.00 | 8    |
| <b>G28-09 - 30 Watt Track Light</b> |       |          |      |            |           |       |     |         |      |
| G28-30W-3K-09-B                     | 30    | 3000K    | >0.9 | 114 x 98   | -         | 24    | 80  | 9400.00 | 8    |
| G28-30W-4K-09-B                     | 30    | 4000K    | >0.9 | 114 x 98   | -         | 24    | 80  | 9400.00 | 8    |
| <b>G28-10 - 12 Watt Track Light</b> |       |          |      |            |           |       |     |         |      |
| G28-12W-3K-10-B                     | 12    | 3000K    | >0.9 | 120 x 54   | -         | 24    | 80  | 3800.00 | 20   |
| G28-12W-4K-10-B                     | 12    | 4000K    | >0.9 | 120 x 54   | -         | 24    | 80  | 3800.00 | 20   |
| <b>G28-10 - 20 Watt Track Light</b> |       |          |      |            |           |       |     |         |      |
| G28-20W-3K-10-B                     | 20    | 3000K    | >0.9 | 155 x 73   | -         | 24    | 80  | 5100.00 | 20   |
| G28-20W-4K-10-B                     | 20    | 4000K    | >0.9 | 155 x 73   | -         | 24    | 80  | 5100.00 | 20   |
| <b>G28-10 - 30 Watt Track Light</b> |       |          |      |            |           |       |     |         |      |
| G28-30W-3K-10-B                     | 30    | 3000K    | >0.9 | 175 x 80   | -         | 24    | 80  | 6500.00 | 8    |
| G28-30W-4K-10-B                     | 30    | 4000K    | >0.9 | 175 x 80   | -         | 24    | 80  | 6500.00 | 8    |
| <b>G28-11 - 12 Watt Track Light</b> |       |          |      |            |           |       |     |         |      |
| G28-12W-3K-11-B                     | 12    | 3000K    | >0.9 | 158 x 60   | -         | 24    | 80  | 3500.00 | 30   |
| G28-12W-4K-11-B                     | 12    | 4000K    | >0.9 | 158 x 60   | -         | 24    | 80  | 3500.00 | 30   |
| <b>G28-11 - 20 Watt Track Light</b> |       |          |      |            |           |       |     |         |      |
| G28-20W-3K-11-B                     | 20    | 3000K    | >0.9 | 182 x 80   | -         | 24    | 80  | 4400.00 | 30   |
| G28-20W-4K-11-B                     | 20    | 4000K    | >0.9 | 182 x 80   | -         | 24    | 80  | 4400.00 | 30   |

| ITEM CODE | POWER | COL. TEMP | PF | DIMENSION | CUT. DIA. | ANGLE | CRI | MRP ₹ | PKG. |
|-----------|-------|-----------|----|-----------|-----------|-------|-----|-------|------|
|-----------|-------|-----------|----|-----------|-----------|-------|-----|-------|------|

**G28-12 - 12 Watt Track Light**

|                 |    |       |      |          |   |    |    |         |    |
|-----------------|----|-------|------|----------|---|----|----|---------|----|
| G28-12W-3K-12-B | 12 | 3000K | >0.9 | 150 x 53 | - | 36 | 80 | 2600.00 | 30 |
| G28-12W-4K-12-B | 12 | 4000K | >0.9 | 150 x 53 | - | 36 | 80 | 2600.00 | 30 |

**G28-12 - 20 Watt Track Light**

|                 |    |       |      |          |   |    |    |         |    |
|-----------------|----|-------|------|----------|---|----|----|---------|----|
| G28-20W-3K-12-B | 20 | 3000K | >0.9 | 150 x 72 | - | 36 | 80 | 3800.00 | 30 |
| G28-20W-4K-12-B | 20 | 4000K | >0.9 | 150 x 72 | - | 36 | 80 | 3800.00 | 30 |

**G28-13 - 25 Watt Track Light**

|                 |    |       |      |          |   |         |    |         |    |
|-----------------|----|-------|------|----------|---|---------|----|---------|----|
| G28-25W-4K-13-B | 25 | 3000K | >0.9 | 175 x 70 | - | 15 - 60 | 80 | 6900.00 | 24 |
|-----------------|----|-------|------|----------|---|---------|----|---------|----|

**G28-14 - 9 Watt Recessed Track Light**

|                |   |       |      |          |    |    |    |         |    |
|----------------|---|-------|------|----------|----|----|----|---------|----|
| G28-9W-3K-14-T | 9 | 3000K | >0.9 | 120 x 50 | 65 | 36 | 80 | 3470.00 | 18 |
| G28-9W-4K-14-T | 9 | 4000K | >0.9 | 120 x 50 | 65 | 36 | 80 | 3470.00 | 18 |

**G28-14 - 15 Watt Recessed Track Light**

|                 |    |       |      |          |    |    |    |         |    |
|-----------------|----|-------|------|----------|----|----|----|---------|----|
| G28-15W-3K-14-T | 15 | 3000K | >0.9 | 133 x 60 | 65 | 36 | 80 | 4380.00 | 18 |
| G28-15W-4K-14-T | 15 | 4000K | >0.9 | 133 x 60 | 65 | 36 | 80 | 4380.00 | 18 |

**G28-15 - 12 Watt Track Light - Zoomable 10° to 60°**

|                 |    |       |      |          |   |       |    |         |    |
|-----------------|----|-------|------|----------|---|-------|----|---------|----|
| G28-12W-3K-15-T | 12 | 3000K | >0.9 | 100 x 60 | - | 10-60 | 80 | 4300.00 | 24 |
| G28-12W-4K-15-T | 12 | 4000K | >0.9 | 100 x 60 | - | 10-60 | 80 | 4300.00 | 24 |

**G28-15 - 20 Watt Track Light - Zoomable 10° to 60°**

|                 |    |       |      |          |   |       |    |         |    |
|-----------------|----|-------|------|----------|---|-------|----|---------|----|
| G28-20W-3K-15-T | 20 | 3000K | >0.9 | 129 x 71 | - | 10-60 | 80 | 7320.00 | 12 |
| G28-20W-4K-15-T | 20 | 4000K | >0.9 | 129 x 71 | - | 10-60 | 80 | 7320.00 | 12 |

**G28-15 - 30 Watt Track Light - Zoomable 10° to 60°**

|                 |    |       |      |          |   |       |    |         |    |
|-----------------|----|-------|------|----------|---|-------|----|---------|----|
| G28-30W-3K-15-T | 30 | 3000K | >0.9 | 157 x 83 | - | 10-60 | 80 | 9050.00 | 12 |
| G28-30W-4K-15-T | 30 | 4000K | >0.9 | 157 x 83 | - | 10-60 | 80 | 9050.00 | 12 |


**G28-16 - 12 Watt Surface Track Light - Zoomable 10° to 60°**

|                 |    |       |      |          |  |       |    |         |    |
|-----------------|----|-------|------|----------|--|-------|----|---------|----|
| G28-12W-3K-16-T | 12 | 3000K | >0.9 | 100 x 60 |  | 10-60 | 80 | 4400.00 | 24 |
| G28-12W-4K-16-T | 12 | 4000K | >0.9 | 100 x 60 |  | 10-60 | 80 | 4400.00 | 24 |



All dimensions in mm

50%  
Energy Saving  
over CFLsZERO  
maintenance4 times more  
life over CFLsZERO  
Mercury

A black and white photograph of a woman in a strapless dress, posing dramatically with her arms raised high and her head tilted back. The lighting is dramatic, highlighting her form against a dark background.

LIGHTS TO  
**ACCENTUATE**  
AND IMPRESS



# LATO

LED track light

Adding a touch of style brings out the best in the LED track lights. Introducing LATO series of track lights, wherein the LED fixtures can be adjusted and directed to address a number of lighting needs in your home. With feature of changeable beam angle by simply push-in and pull-out device LATO ZOOM is an ideal lighting solution for the different size of objects.



| ITEM CODE                           | POWER | COL.TEMP | PF   | DIMENSION | CUT. DIA. | ANGLE | CRI | MRP ₹   | PKG. |
|-------------------------------------|-------|----------|------|-----------|-----------|-------|-----|---------|------|
| <b>G28-17 - 15 Watt Track Light</b> |       |          |      |           |           |       |     |         |      |
| G28-15W-3K-17-W                     | 15    | 3000K    | >0.9 | 170 x 60  | -         | 24    | 80  | 3600.00 | 30   |
| G28-15W-3K-17-T                     | 15    | 3000K    | >0.9 | 170 x 60  | -         | 24    | 80  | 3600.00 | 30   |
| G28-15W-4K-17-W                     | 15    | 4000K    | >0.9 | 170 x 60  | -         | 24    | 80  | 3600.00 | 30   |
| G28-15W-4K-17-T                     | 15    | 4000K    | >0.9 | 170 x 60  | -         | 24    | 80  | 3600.00 | 30   |



|                                     |    |       |      |          |   |    |    |         |    |
|-------------------------------------|----|-------|------|----------|---|----|----|---------|----|
| <b>G28-17 - 20 Watt Track Light</b> |    |       |      |          |   |    |    |         |    |
| G28-20W-3K-17-W                     | 20 | 3000K | >0.9 | 190 x 72 | - | 24 | 80 | 4570.00 | 30 |
| G28-20W-3K-17-T                     | 20 | 3000K | >0.9 | 190 x 72 | - | 24 | 80 | 4570.00 | 30 |
| G28-20W-4K-17-W                     | 20 | 4000K | >0.9 | 190 x 72 | - | 24 | 80 | 4750.00 | 30 |
| G28-20W-4K-17-T                     | 20 | 4000K | >0.9 | 190 x 72 | - | 24 | 80 | 4750.00 | 30 |



|                                     |    |       |      |          |   |    |    |         |    |
|-------------------------------------|----|-------|------|----------|---|----|----|---------|----|
| <b>G28-17 - 30 Watt Track Light</b> |    |       |      |          |   |    |    |         |    |
| G28-30W-3K-17-W                     | 30 | 3000K | >0.9 | 205 x 82 | - | 24 | 80 | 5630.00 | 20 |
| G28-30W-3K-17-T                     | 30 | 3000K | >0.9 | 205 x 82 | - | 24 | 80 | 5630.00 | 20 |
| G28-30W-4K-17-W                     | 30 | 4000K | >0.9 | 205 x 82 | - | 24 | 80 | 5630.00 | 20 |
| G28-30W-4K-17-T                     | 30 | 4000K | >0.9 | 205 x 82 | - | 24 | 80 | 5630.00 | 20 |

LOCO G28



|                                                 |   |       |      |           |   |    |    |        |    |
|-------------------------------------------------|---|-------|------|-----------|---|----|----|--------|----|
| <b>LOCO G28-18 - 7 Watt Track Light - Black</b> |   |       |      |           |   |    |    |        |    |
| G28-7W-3K-18-B                                  | 7 | 3000K | >0.9 | 150 x 115 | - | 36 | 80 | 900.00 | 48 |
| G28-7W-4K-18-B                                  | 7 | 4000K | >0.9 | 150 x 115 | - | 36 | 80 | 900.00 | 48 |
| G28-7W-6K-18-B                                  | 7 | 6000K | >0.9 | 150 x 115 | - | 36 | 80 | 900.00 | 48 |



|                                                  |    |       |      |           |   |    |    |         |    |
|--------------------------------------------------|----|-------|------|-----------|---|----|----|---------|----|
| <b>LOCO G28-18 - 12 Watt Track Light - Black</b> |    |       |      |           |   |    |    |         |    |
| G28-12W-3K-18-B                                  | 12 | 3000K | >0.9 | 130 x 135 | - | 36 | 80 | 1100.00 | 36 |
| G28-12W-4K-18-B                                  | 12 | 4000K | >0.9 | 130 x 135 | - | 36 | 80 | 1100.00 | 36 |
| G28-12W-6K-18-B                                  | 12 | 6000K | >0.9 | 130 x 135 | - | 36 | 80 | 1100.00 | 36 |



|                                                  |    |       |      |           |   |    |    |         |    |
|--------------------------------------------------|----|-------|------|-----------|---|----|----|---------|----|
| <b>LOCO G28-18 - 20 Watt Track Light - Black</b> |    |       |      |           |   |    |    |         |    |
| G28-20W-3K-18-B                                  | 20 | 3000K | >0.9 | 155 x 165 | - | 36 | 80 | 1600.00 | 20 |
| G28-20W-4K-18-B                                  | 20 | 4000K | >0.9 | 155 x 165 | - | 36 | 80 | 1600.00 | 20 |
| G28-20W-6K-18-B                                  | 20 | 6000K | >0.9 | 155 x 165 | - | 36 | 80 | 1600.00 | 20 |

|                                                  |    |       |      |           |   |    |    |         |    |
|--------------------------------------------------|----|-------|------|-----------|---|----|----|---------|----|
| <b>LOCO G28-18 - 30 Watt Track Light - Black</b> |    |       |      |           |   |    |    |         |    |
| G28-30W-3K-18-B                                  | 30 | 3000K | >0.9 | 160 x 160 | - | 36 | 80 | 2300.00 | 20 |
| G28-30W-4K-18-B                                  | 30 | 4000K | >0.9 | 160 x 160 | - | 36 | 80 | 2300.00 | 20 |
| G28-30W-6K-18-B                                  | 30 | 6000K | >0.9 | 160 x 160 | - | 36 | 80 | 2300.00 | 20 |

|                                                 |   |       |      |           |   |    |    |        |    |
|-------------------------------------------------|---|-------|------|-----------|---|----|----|--------|----|
| <b>LOCO G28-18 - 7 Watt Track Light - White</b> |   |       |      |           |   |    |    |        |    |
| G28-7W-3K-18-W                                  | 7 | 3000K | >0.9 | 150 x 115 | - | 36 | 80 | 900.00 | 48 |
| G28-7W-4K-18-W                                  | 7 | 4000K | >0.9 | 150 x 115 | - | 36 | 80 | 900.00 | 48 |
| G28-7W-6K-18-W                                  | 7 | 6000K | >0.9 | 150 x 115 | - | 36 | 80 | 900.00 | 48 |



| ITEM CODE | POWER | COL.TEMP |  | DIMENSION | CUT. DIA. | ANGLE | CRI | MRP ₹ | PKG. |
|-----------|-------|----------|--|-----------|-----------|-------|-----|-------|------|
|-----------|-------|----------|--|-----------|-----------|-------|-----|-------|------|

**LOCO G28-18 - 12 Watt Track Light - White**

|                 |    |       |      |           |   |    |    |         |    |
|-----------------|----|-------|------|-----------|---|----|----|---------|----|
| G28-12W-3K-18-W | 12 | 3000K | >0.9 | 130 x 135 | - | 36 | 80 | 1100.00 | 36 |
| G28-12W-4K-18-W | 12 | 4000K | >0.9 | 130 x 135 | - | 36 | 80 | 1100.00 | 36 |
| G28-12W-6K-18-W | 12 | 6000K | >0.9 | 130 x 135 | - | 36 | 80 | 1100.00 | 36 |

**LOCO G28-18 - 20 Watt Track Light - White**

|                 |    |       |      |           |   |    |    |         |    |
|-----------------|----|-------|------|-----------|---|----|----|---------|----|
| G28-20W-3K-18-W | 20 | 3000K | >0.9 | 155 x 165 | - | 36 | 80 | 1600.00 | 20 |
| G28-20W-4K-18-W | 20 | 4000K | >0.9 | 155 x 165 | - | 36 | 80 | 1600.00 | 20 |
| G28-20W-6K-18-W | 20 | 6000K | >0.9 | 155 x 165 | - | 36 | 80 | 1600.00 | 20 |

**LOCO G28-18 - 30 Watt Track Light - White**

|                 |    |       |      |           |   |    |    |         |    |
|-----------------|----|-------|------|-----------|---|----|----|---------|----|
| G28-30W-3K-18-W | 30 | 3000K | >0.9 | 160 x 160 | - | 36 | 80 | 2300.00 | 20 |
| G28-30W-4K-18-W | 30 | 4000K | >0.9 | 160 x 160 | - | 36 | 80 | 2300.00 | 20 |
| G28-30W-6K-18-W | 30 | 6000K | >0.9 | 160 x 160 | - | 36 | 80 | 2300.00 | 20 |

**LOCO G28-18 W - Track Light 3 in 1**

|              |    |        |      |          |   |    |    |         |    |
|--------------|----|--------|------|----------|---|----|----|---------|----|
| G28-10W-18-W | 10 | 3 in 1 | >0.9 | 50 x 140 | - | 24 | 80 | 1000.00 | 40 |
| G28-15W-18-W | 15 | 3 in 1 | >0.9 | 65 x 155 | - | 24 | 80 | 1250.00 | 40 |
| G28-24W-18-W | 24 | 3 in 1 | >0.9 | 75 x 175 | - | 24 | 80 | 1800.00 | 30 |

**LOCO G28-18 B - Track Light 3 in 1**

|              |    |        |      |          |   |    |    |         |    |
|--------------|----|--------|------|----------|---|----|----|---------|----|
| G28-10W-18-B | 10 | 3 in 1 | >0.9 | 50 x 140 | - | 24 | 80 | 1000.00 | 40 |
| G28-15W-18-B | 15 | 3 in 1 | >0.9 | 65 x 155 | - | 24 | 80 | 1250.00 | 40 |
| G28-24W-18-B | 24 | 3 in 1 | >0.9 | 75 x 175 | - | 24 | 80 | 1800.00 | 30 |

G29

**G29-01 - 7 Watt Surface Mounted COB**

|              |   |       |      |          |   |    |    |         |    |
|--------------|---|-------|------|----------|---|----|----|---------|----|
| G29-7W-3K-01 | 7 | 3000K | >0.9 | 16 x 152 | - | 24 | 80 | 2300.00 | 30 |
| G29-7W-4K-01 | 7 | 4000K | >0.9 | 16 x 152 | - | 24 | 80 | 2300.00 | 30 |
| G29-7W-5K-01 | 7 | 5000K | >0.9 | 16 x 152 | - | 24 | 80 | 2300.00 | 30 |

**G29-01 - 12 Watt Surface Mounted COB**

|               |    |       |      |          |   |    |    |         |    |
|---------------|----|-------|------|----------|---|----|----|---------|----|
| G29-12W-3K-01 | 12 | 3000K | >0.9 | 88 x 198 | - | 24 | 80 | 4100.00 | 20 |
| G29-12W-4K-01 | 12 | 4000K | >0.9 | 88 x 198 | - | 24 | 80 | 4100.00 | 20 |
| G29-12W-5K-01 | 12 | 5000K | >0.9 | 88 x 198 | - | 24 | 80 | 4100.00 | 20 |

**G29-02 - 12 Watt Surface Mounted COB**

|               |    |       |      |          |   |    |    |         |    |
|---------------|----|-------|------|----------|---|----|----|---------|----|
| G29-12W-3K-02 | 12 | 3000K | >0.9 | 87 x 164 | - | 24 | 80 | 4700.00 | 20 |
|---------------|----|-------|------|----------|---|----|----|---------|----|

**G29-03 - 7 Watt Surface Mounted COB**

|                    |   |       |      |          |   |    |    |         |    |
|--------------------|---|-------|------|----------|---|----|----|---------|----|
| G29-7W-3K-03-25-BG | 7 | 3000K | >0.9 | 60 x 250 | - | 24 | 80 | 4100.00 | 30 |
| G29-7W-3K-03-25-BW | 7 | 3000K | >0.9 | 60 x 250 | - | 24 | 80 | 4100.00 | 30 |



All dimensions in mm



G30-03



G30-06



G30-04



G29-03  
Surface  
Mounted  
COB



G29-02  
Surface  
Mounted  
COB



**SHINE**  
PREMIUM LUMINAIRES

PENDANT/  
SURFACE  
LIGHT



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | ANGLE | CRI | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-------|-----|-------|------|
|-----------|-------|----------|----|-----------|-----------|-------|-----|-------|------|

**G29-03 - 12 Watt Surface Mounted COB**

|                     |    |       |      |          |   |    |    |         |    |
|---------------------|----|-------|------|----------|---|----|----|---------|----|
| G29-12W-3K-03-50-BG | 12 | 3000K | >0.9 | 60 x 500 | - | 24 | 80 | 5300.00 | 20 |
| G29-12W-3K-03-50-BW | 12 | 3000K | >0.9 | 60 x 500 | - | 24 | 80 | 5300.00 | 20 |

**G29-03 - 18 Watt Surface Mounted COB**

|                     |    |       |      |          |   |    |    |         |    |
|---------------------|----|-------|------|----------|---|----|----|---------|----|
| G29-18W-3K-03-75-BG | 18 | 3000K | >0.9 | 60 x 750 | - | 24 | 80 | 6500.00 | 12 |
| G29-18W-3K-03-75-BW | 18 | 3000K | >0.9 | 60 x 750 | - | 24 | 80 | 6500.00 | 12 |

**G29-04 - 7 Watt Surface Mounted COB**

|                |   |       |      |           |   |    |    |         |    |
|----------------|---|-------|------|-----------|---|----|----|---------|----|
| G29-7W-3K-04-B | 7 | 3000K | >0.9 | 105 x 200 | - | 24 | 80 | 6300.00 | 20 |
| G29-7W-3K-04-W | 7 | 3000K | >0.9 | 105 x 200 | - | 24 | 80 | 6300.00 | 20 |

**G29-05 - 10 Watt Surface Mounted COB**

|                   |    |       |      |          |   |    |    |         |    |
|-------------------|----|-------|------|----------|---|----|----|---------|----|
| G-29-10W-3K-05-W  | 10 | 3000K | >0.9 | 80 x 126 | - | 24 | 80 | 1910.00 | 40 |
| G-29-10W-3K-05-B  | 10 | 3000K | >0.9 | 80 x 126 | - | 24 | 80 | 1910.00 | 40 |
| G-29-10W-3K-05-BC | 10 | 3000K | >0.9 | 80 x 126 | - | 24 | 80 | 1910.00 | 40 |

**G29-05 - 20 Watt Surface Mounted COB**

|                   |    |       |      |          |   |    |    |         |    |
|-------------------|----|-------|------|----------|---|----|----|---------|----|
| G-29-20W-3K-05-W  | 20 | 3000K | >0.9 | 80 x 126 | - | 24 | 80 | 2940.00 | 20 |
| G-29-20W-3K-05-B  | 20 | 3000K | >0.9 | 80 x 126 | - | 24 | 80 | 2940.00 | 20 |
| G-29-20W-3K-05-BC | 20 | 3000K | >0.9 | 80 x 126 | - | 24 | 80 | 2940.00 | 20 |

G30

**G30-01 - 7 Watt Pendant Light**

|              |   |       |      |          |   |    |    |         |    |
|--------------|---|-------|------|----------|---|----|----|---------|----|
| G30-7W-3K-01 | 7 | 3000K | >0.9 | 60 x 167 | - | 24 | 80 | 3600.00 | 20 |
|--------------|---|-------|------|----------|---|----|----|---------|----|

**G30-01 - 12 Watt Pendant Light**

|               |    |       |      |          |   |    |    |         |    |
|---------------|----|-------|------|----------|---|----|----|---------|----|
| G30-12W-3K-01 | 12 | 3000K | >0.9 | 88 x 217 | - | 24 | 80 | 5900.00 | 12 |
|---------------|----|-------|------|----------|---|----|----|---------|----|

**G30-02 - 7 Watt Pendant Light**

|              |   |       |      |          |   |    |    |         |    |
|--------------|---|-------|------|----------|---|----|----|---------|----|
| G30-7W-3K-02 | 7 | 3000K | >0.9 | 60 x 450 | - | 24 | 80 | 5300.00 | 12 |
|--------------|---|-------|------|----------|---|----|----|---------|----|

**G30-03 - 12 Watt Pendant Light**

|               |    |       |      |          |         |    |    |         |    |
|---------------|----|-------|------|----------|---------|----|----|---------|----|
| G30-12W-3K-03 | 12 | 3000K | >0.9 | 100 x 35 | 75 x 18 | 24 | 80 | 4000.00 | 30 |
|---------------|----|-------|------|----------|---------|----|----|---------|----|

**G30-03 - 18 Watt Pendant Light**

|               |    |       |      |          |         |    |    |         |    |
|---------------|----|-------|------|----------|---------|----|----|---------|----|
| G30-18W-3K-03 | 18 | 3000K | >0.9 | 150 x 40 | 75 x 18 | 24 | 80 | 5500.00 | 20 |
|---------------|----|-------|------|----------|---------|----|----|---------|----|

**G30-04 - 12 Watt Pendant Light**

|                 |    |       |      |          |                       |    |    |         |    |
|-----------------|----|-------|------|----------|-----------------------|----|----|---------|----|
| G30-12W-3K-04-B | 12 | 3000K | >0.9 | 150 x 40 | 105 x 200<br>105 x 70 | 60 | 80 | 7900.00 | 20 |
|-----------------|----|-------|------|----------|-----------------------|----|----|---------|----|



All dimensions in mm

**OPTIMUS**

| ITEM CODE                                     | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | ANGLE | CRI | MRP ₹ | PKG. |
|-----------------------------------------------|-------|----------|----|-----------|-----------|-------|-----|-------|------|
| <b>OPTIMUS - 5 Watt Pendant Light - White</b> |       |          |    |           |           |       |     |       |      |

|                |   |       |      |               |    |    |    |         |    |
|----------------|---|-------|------|---------------|----|----|----|---------|----|
| G30-5W-3K-06-W | 5 | 3000K | >0.9 | 90 x 90 x 125 | 20 | 24 | 80 | 1330.00 | 50 |
| G30-5W-4K-06-W | 5 | 4000K | >0.9 | 90 x 90 x 125 | 20 | 24 | 80 | 1330.00 | 50 |

**OPTIMUS - 10 Watt Pendant Light - White**

|                 |    |       |      |               |    |    |    |         |    |
|-----------------|----|-------|------|---------------|----|----|----|---------|----|
| G30-10W-3K-06-W | 10 | 3000K | >0.9 | 90 x 90 x 160 | 20 | 24 | 80 | 2040.00 | 30 |
| G30-10W-4K-06-W | 10 | 4000K | >0.9 | 90 x 90 x 160 | 20 | 24 | 80 | 2040.00 | 30 |

**OPTIMUS - 15 Watt Pendant Light - White**

|                 |    |       |      |               |    |    |    |         |    |
|-----------------|----|-------|------|---------------|----|----|----|---------|----|
| G30-15W-3K-06-W | 15 | 3000K | >0.9 | 90 x 90 x 210 | 20 | 24 | 80 | 2650.00 | 20 |
| G30-15W-4K-06-W | 15 | 4000K | >0.9 | 90 x 90 x 210 | 20 | 24 | 80 | 2650.00 | 20 |

**OPTIMUS - 5 Watt Pendant Light - Black**

|                |   |       |      |               |    |    |    |         |    |
|----------------|---|-------|------|---------------|----|----|----|---------|----|
| G30-5W-3K-06-B | 5 | 3000K | >0.9 | 90 x 90 x 125 | 20 | 24 | 80 | 1330.00 | 50 |
| G30-5W-4K-06-B | 5 | 4000K | >0.9 | 90 x 90 x 125 | 20 | 24 | 80 | 1330.00 | 50 |

**OPTIMUS - 10 Watt Pendant Light - Black**

|                 |    |       |      |               |    |    |    |         |    |
|-----------------|----|-------|------|---------------|----|----|----|---------|----|
| G30-10W-3K-06-B | 10 | 3000K | >0.9 | 90 x 90 x 160 | 20 | 24 | 80 | 2040.00 | 30 |
| G30-10W-4K-06-B | 10 | 4000K | >0.9 | 90 x 90 x 160 | 20 | 24 | 80 | 2040.00 | 30 |

**OPTIMUS - 15 Watt Pendant Light - Black**

|                 |    |       |      |               |    |    |    |         |    |
|-----------------|----|-------|------|---------------|----|----|----|---------|----|
| G30-15W-3K-06-B | 15 | 3000K | >0.9 | 90 x 90 x 210 | 20 | 24 | 80 | 2650.00 | 20 |
| G30-15W-4K-06-B | 15 | 4000K | >0.9 | 90 x 90 x 210 | 20 | 24 | 80 | 2650.00 | 20 |

**G28-06****G28-08****G30-04****G30-01**

G33

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | ANGLE | CRI | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-------|-----|-------|------|
|-----------|-------|----------|----|-----------|-----------|-------|-----|-------|------|

**G33-01 - 1X7 Watt COB Down Light**

|                   |     |       |      |                |   |    |    |         |    |
|-------------------|-----|-------|------|----------------|---|----|----|---------|----|
| G33-1X7W-3K-01-WB | 1X7 | 3000K | >0.9 | 171 X 45 X 125 | - | 24 | 80 | 4100.00 | 30 |
|-------------------|-----|-------|------|----------------|---|----|----|---------|----|

**G33-01 - 2X7 Watt Wall Light**

|                   |     |       |      |                |   |    |    |         |    |
|-------------------|-----|-------|------|----------------|---|----|----|---------|----|
| G33-2X7W-3K-01-WB | 2X7 | 3000K | >0.9 | 252 X 45 X 125 | - | 24 | 80 | 7200.00 | 20 |
|-------------------|-----|-------|------|----------------|---|----|----|---------|----|

**G33-01 - 3X7 Watt Wall Light**

|                   |     |       |      |                |   |    |    |          |    |
|-------------------|-----|-------|------|----------------|---|----|----|----------|----|
| G33-3X7W-3K-01-WB | 3X7 | 3000K | >0.9 | 422 X 45 X 125 | - | 24 | 80 | 10700.00 | 12 |
|-------------------|-----|-------|------|----------------|---|----|----|----------|----|

**G33-02 - 1X7 Watt Wall Light**

|                   |     |       |      |                |   |    |    |         |    |
|-------------------|-----|-------|------|----------------|---|----|----|---------|----|
| G33-1X7W-3K-02-WB | 1X7 | 3000K | >0.9 | 120 X 113 X 97 | - | 24 | 80 | 4100.00 | 20 |
|-------------------|-----|-------|------|----------------|---|----|----|---------|----|

**G33-02 - 2X7 Watt Wall Light**

|                   |     |       |      |                |   |    |    |         |    |
|-------------------|-----|-------|------|----------------|---|----|----|---------|----|
| G33-2X7W-3K-02-WB | 2X7 | 3000K | >0.9 | 160 X 113 X 97 | - | 24 | 80 | 6800.00 | 12 |
|-------------------|-----|-------|------|----------------|---|----|----|---------|----|

**G33-02 - 3X7 Watt Wall Light**

|                   |     |       |      |                |   |    |    |         |   |
|-------------------|-----|-------|------|----------------|---|----|----|---------|---|
| G33-3X7W-3K-02-WB | 3X7 | 3000K | >0.9 | 230 X 113 X 97 | - | 24 | 80 | 9900.00 | 8 |
|-------------------|-----|-------|------|----------------|---|----|----|---------|---|

**G33-01****G33-02****G33-02**

All dimensions in mm

50%  
Energy Saving  
over CFLsZERO  
maintenance4 times more  
life over CFLsZERO  
Mercury






GP 10024



GP 10029



GP 10031



GP 10033



GP 10026 - 6 Watt Indoor Pendant Light

**OUTSHINE**  
YOUR LEISURE TIME



GP 10024

| ITEM CODE                                                     | POWER | COL.TEMP | DIMENSION       | VOLTAGE | IP   | MRP ₹   | PKG. |
|---------------------------------------------------------------|-------|----------|-----------------|---------|------|---------|------|
| <b>GP 10024 - 3 Watt Indoor Wall Light (Wireless Charger)</b> |       |          |                 |         |      |         |      |
| GP 10024                                                      | 3     | 3000K    | 170 x 120 x 200 | DC380V  | IP20 | 6600.00 | 20   |



GP 10025

|                                                  |   |       |                 |        |      |         |    |
|--------------------------------------------------|---|-------|-----------------|--------|------|---------|----|
| <b>GP 10025 - 3 Watt Indoor Wall Light (USB)</b> |   |       |                 |        |      |         |    |
| GP 10025                                         | 3 | 3000K | 170 x 120 x 200 | DC380V | IP20 | 5100.00 | 20 |



GP 10026

|                                               |   |       |                  |        |      |         |   |
|-----------------------------------------------|---|-------|------------------|--------|------|---------|---|
| <b>GP 10026 - 6 Watt Indoor Pendant Light</b> |   |       |                  |        |      |         |   |
| GP 10026                                      | 6 | 3000K | 130 x 120 x 1500 | DC380V | IP20 | 3500.00 | 1 |



GP 10027

|                                            |   |       |                   |        |      |         |    |
|--------------------------------------------|---|-------|-------------------|--------|------|---------|----|
| <b>GP 10027 - 6 Watt Indoor Wall Light</b> |   |       |                   |        |      |         |    |
| GP 10027                                   | 6 | 3000K | 136 x 60.5 x 70.5 | DC380V | IP20 | 3450.00 | 12 |



GP 10028

|                                            |   |       |                |        |      |         |    |
|--------------------------------------------|---|-------|----------------|--------|------|---------|----|
| <b>GP 10028 - 6 Watt Indoor Wall Light</b> |   |       |                |        |      |         |    |
| GP 10028                                   | 6 | 3000K | 100 x 100 x 80 | DC380V | IP20 | 1250.00 | 12 |



GP 10029

|                                                    |     |       |                 |        |      |         |   |
|----------------------------------------------------|-----|-------|-----------------|--------|------|---------|---|
| <b>GP 10029 - 3+6 Watt Indoor Wall Light (USB)</b> |     |       |                 |        |      |         |   |
| GP 10029                                           | 3+6 | 3000K | 150 x 150 x 195 | DC380V | IP20 | 5900.00 | 8 |

| ITEM CODE                                    | POWER | COL.TEMP | DIMENSION      | VOLTAGE | IP   | MRP ₹   | PKG. |
|----------------------------------------------|-------|----------|----------------|---------|------|---------|------|
| <b>GP 10030 - 3+6 Watt Indoor Wall Light</b> |       |          |                |         |      |         |      |
| GP 10030                                     | 3+6   | 3000K    | 80 x 125 x 220 | DC380V  | IP20 | 5000.00 | 30   |



|                                              |     |       |                 |        |      |         |    |
|----------------------------------------------|-----|-------|-----------------|--------|------|---------|----|
| <b>GP 10031 - 3+6 Watt Indoor Wall Light</b> |     |       |                 |        |      |         |    |
| GP 10031                                     | 3+6 | 3000K | 130 x 130 x 116 | DC380V | IP20 | 4900.00 | 20 |



|                                              |     |       |                |        |      |         |    |
|----------------------------------------------|-----|-------|----------------|--------|------|---------|----|
| <b>GP 10032 - 6+3 Watt Indoor Wall Light</b> |     |       |                |        |      |         |    |
| GP 10032                                     | 6+3 | 3000K | 178 x 60 x 220 | DC380V | IP20 | 6100.00 | 12 |



|                                                |       |       |              |        |      |         |    |
|------------------------------------------------|-------|-------|--------------|--------|------|---------|----|
| <b>GP 10033 - 4 x 3 Watt Indoor Wall Light</b> |       |       |              |        |      |         |    |
| GP 10033                                       | 4 X 3 | 3000K | 99 x 99 x 52 | DC380V | IP20 | 3600.00 | 24 |



|                                                |       |       |               |        |      |         |    |
|------------------------------------------------|-------|-------|---------------|--------|------|---------|----|
| <b>GP 10034 - 2 X 8 Watt Indoor Wall Light</b> |       |       |               |        |      |         |    |
| GP 10034                                       | 2 X 8 | 3000K | 305 x 47 x 82 | DC380V | IP20 | 4000.00 | 12 |



|                                                 |        |       |               |        |      |         |    |
|-------------------------------------------------|--------|-------|---------------|--------|------|---------|----|
| <b>GP 10035 - 2 X 12 Watt Indoor Wall Light</b> |        |       |               |        |      |         |    |
| GP 10035                                        | 2 X 12 | 3000K | 505 x 47 x 82 | DC380V | IP20 | 5300.00 | 12 |



All dimensions in mm



# SMART TUNABLE LINEAR LIGHT



## 30w

Hand Infrared dimming with  
CCT changeable memory  
function module

**2**  
YEARS  
WARRANTY

**86\***  
SAVINGS

  
EXCELLENT  
CRI

[www.gmmodular.com](https://www.gmmodular.com) |     Energy Saving

## MIGO LIGHT

| ITEM CODE                                 | POWER | COL.TEMP | PF   | DIMENSION       | IP    | CUT. DIA. | CRI | MRP ₹   | PKG. |
|-------------------------------------------|-------|----------|------|-----------------|-------|-----------|-----|---------|------|
| <b>MIGO GM 10022 - 12 Watt Gate Light</b> |       |          |      |                 |       |           |     |         |      |
| GM 10022                                  | 12    | 3000K    | >0.9 | 150 x 150 x 161 | IP 65 | -         | 80  | 4100.00 | 8    |

**MIGO GM 10023 - 20 Watt Gate Light**

|          |    |       |      |                 |       |   |    |         |   |
|----------|----|-------|------|-----------------|-------|---|----|---------|---|
| GM 10023 | 20 | 3000K | >0.9 | 251 x 251 x 270 | IP 65 | - | 80 | 7850.00 | 2 |
|----------|----|-------|------|-----------------|-------|---|----|---------|---|



## PATH LIGHT

**PATH GM 10024 - 5 Watt Path Bollard Light**

|          |   |       |      |                 |       |   |    |         |   |
|----------|---|-------|------|-----------------|-------|---|----|---------|---|
| GM 10024 | 5 | 3000K | >0.9 | 120 x 100 x 600 | IP 54 | - | 80 | 5350.00 | 6 |
|----------|---|-------|------|-----------------|-------|---|----|---------|---|

**PATH GM 10025 - 6 Watt Path Bollard Light**

|          |   |       |      |                |       |   |    |         |   |
|----------|---|-------|------|----------------|-------|---|----|---------|---|
| GM 10025 | 6 | 3000K | >0.9 | 153 x 60 x 600 | IP 54 | - | 80 | 4300.00 | 6 |
|----------|---|-------|------|----------------|-------|---|----|---------|---|



## SMART LIGHT

**SMART GP 10039 - 30 Watt Tunable Linear Light**


|         |    |      |      |                |       |   |    |          |   |
|---------|----|------|------|----------------|-------|---|----|----------|---|
| GP10039 | 30 | 3in1 | >0.9 | 1200 x 34 x 76 | IP 20 | - | 80 | 18000.00 | 6 |
|---------|----|------|------|----------------|-------|---|----|----------|---|



MIGO GM 10023



PATH GM 10024



PATH GM 10025




All dimensions in mm

50%  
Energy Saving  
over CFLsZERO  
maintenance4 times more  
life over CFLsZERO  
Mercury



# FACADE LIGHTING

A modern, two-story house is shown at night. The building features a mix of materials, including dark vertical slats on the upper level and light-colored concrete on the lower level. Warm interior lights are visible through large windows and glass doors. The facade is illuminated with a combination of warm and cool tones, creating a sophisticated and modern look. The house is surrounded by lush greenery, including trees and various plants, which are also subtly lit. The overall atmosphere is serene and luxurious.

Makes living even  
more beautiful!

The mesmerizing façade lighting makes the building structure look all the more beautiful and gives you a luxurious feel as you get in the vicinity. It adds serenity to the delightful environment and altogether contributes in making your mind tranquil and your heart upbeat.

GP 10001



GP 10004



GP 10006



GP 10014



|                                                                                     | ITEM CODE                                               | POWER | COL.TEMP | DIMENSION      | VOLTAGE     | IP   | ANGLE | MRP ₹     | PKG. |
|-------------------------------------------------------------------------------------|---------------------------------------------------------|-------|----------|----------------|-------------|------|-------|-----------|------|
|    | <b>GP 10000 - 2 Watt Facade Flood Light</b>             |       |          |                |             |      |       |           |      |
|                                                                                     | GP 10000                                                | 2     | 3000K    | 51 x 32 x 71   | DC24V       | IP66 | 30    | 3500.00   | 1    |
|    | <b>GP 10001 - 5 Watt Facade Flood Light</b>             |       |          |                |             |      |       |           |      |
|                                                                                     | GP 10001                                                | 5     | 3000K    | 80 x 32 x 85   | DC24V       | IP66 | 30    | 5800.00   | 1    |
|    | <b>GP 10002 - 7 Watt Facade Flood Light</b>             |       |          |                |             |      |       |           |      |
|                                                                                     | GP 10002                                                | 7     | 3000K    | 100 x 32 x 85  | DC24V       | IP66 | 30    | 6975.00   | 1    |
|    | <b>GP 10003 - 10 Watt Facade Flood Light</b>            |       |          |                |             |      |       |           |      |
|                                                                                     | GP 10003                                                | 10    | 3000K    | 85 x 52 x 132  | DC24V       | IP66 | 30    | 8500.00   | 1    |
|    | <b>GP 10004 - 10 Watt Facade Flood Light</b>            |       |          |                |             |      |       |           |      |
|                                                                                     | GP 10004                                                | 10    | 3000K    | 55 x 55 x 95   | DC24V       | IP66 | 5     | 9600.00   | 1    |
|   | <b>GP 10005 - 10 Watt Facade Flood Light</b>            |       |          |                |             |      |       |           |      |
|                                                                                     | GP 10005                                                | 10    | 3000K    | 43 x 43 x 93   | DC24V       | IP66 | 45    | 8150.00   | 1    |
|  | <b>GP 10006 - 3 Watt Ground Light</b>                   |       |          |                |             |      |       |           |      |
|                                                                                     | GP 10006                                                | 3     | 3000K    | 46 x 46 x 72   | DC24V       | IP66 | 30    | 5400.00   | 1    |
|  | <b>GP 10007 TO GP 10010 - 6 Watt Facade Flood Light</b> |       |          |                |             |      |       |           |      |
|                                                                                     | GP 10007                                                | 6     | 3000K    | 78 x 78 x 134  | DC24V       | IP66 | 60    | 7350.00   | 1    |
|                                                                                     | GP 10008                                                | 6     | GREEN    | 78 x 78 x 134  | DC24V       | IP66 | 60    | 7350.00   | 1    |
|                                                                                     | GP 10009                                                | 6     | BLUE     | 78 x 78 x 134  | DC24V       | IP66 | 60    | 7350.00   | 1    |
|                                                                                     | GP 10010                                                | 6     | AMBER    | 78 x 78 x 134  | DC24V       | IP66 | 60    | 7350.00   | 1    |
|  | <b>GP 10011 - 15 Watt Master Controller 01</b>          |       |          |                |             |      |       |           |      |
|                                                                                     | GP 10011                                                | 15    | -        | 288 x 154 x 45 | AC220V±10V  | -    | -     | 135000.00 | 1    |
|  | <b>GP 10012 - 5 Watt Slave Controller 01</b>            |       |          |                |             |      |       |           |      |
|                                                                                     | GP 10012                                                | 5     | -        | 193 x 148 x 48 | AC100V-230V | -    | -     | 70000.00  | 1    |

\*\*All Pricing on project basis, to be advised.

All dimensions in mm

|          | ITEM CODE                                   | POWER | COL.TEMP | DIMENSION          | VOLTAGE | IP   | ANGLE   | MRP ₹    | PKG. |
|----------|---------------------------------------------|-------|----------|--------------------|---------|------|---------|----------|------|
| GP 10013 | <b>GP 10013 - 20 Watt Focus Light</b>       |       |          |                    |         |      |         |          |      |
|          | GP 10013                                    | 20    | RGBW     | 105 x 105 x 214    | DC24V   | IP66 | 60      | 13500.00 | 1    |
| GP 10014 | <b>GP 10014 - 20 Watt Focus Light</b>       |       |          |                    |         |      |         |          |      |
|          | GP 10014                                    | 20    | 3000K    | 133 x 133 x 111    | DC24V   | IP66 | 30      | 12800.00 | 1    |
| GP 10015 | <b>GP 10015 - 5 Watt Linear Light</b>       |       |          |                    |         |      |         |          |      |
|          | GP 10015                                    | 5     | 3000K    | 110 x 60.5 x 70.5  | DC24V   | IP66 | 3       | 10500.00 | 1    |
| GP 10016 | <b>GP 10016 - 7.5 Watt Linear Light</b>     |       |          |                    |         |      |         |          |      |
|          | GP 10016                                    | 7.5   | 3000K    | 136 x 60.5 x 70.5  | DC24V   | IP66 | 3       | 13200.00 | 1    |
| GP 10017 | <b>GP 10017 - 10 Watt Linear Light</b>      |       |          |                    |         |      |         |          |      |
|          | GP 10017                                    | 10    | 3000K    | 190 x 60.5 x 70.5  | DC24V   | IP66 | 3       | 17850.00 | 1    |
| GP 10018 | <b>GP 10018 - 12 Watt Linear Light</b>      |       |          |                    |         |      |         |          |      |
|          | GP 10018                                    | 12    | 3000K    | 229 x 60.5 x 70.55 | DC24V   | IP66 | 3       | 20000.00 | 1    |
| GP 10019 | <b>GP 10019 - 5 Watt Window Light</b>       |       |          |                    |         |      |         |          |      |
|          | GP 10019                                    | 5     | 3000K    | 100 x 43 x 50      | DC24V   | IP66 | 5 x 130 | 8500.00  | 1    |
| GP 10020 | <b>GP 10020 - 10 Watt Window Light</b>      |       |          |                    |         |      |         |          |      |
|          | GP 10020                                    | 10    | 3000K    | 170 x 43 x 50      | DC24V   | IP66 | 5 x 130 | 14750.00 | 1    |
| GP 10021 | <b>GP 10021 - 15 Watt Window Light</b>      |       |          |                    |         |      |         |          |      |
|          | GP 10021                                    | 15    | 3000K    | 270 x 43 x 50      | DC24V   | IP66 | 5 x 130 | 19800.00 | 1    |
| GP 10022 | <b>GP 10022 - 12 Watt Linear Light</b>      |       |          |                    |         |      |         |          |      |
|          | GP 10022                                    | 12    | 2700K    | 1000 x 20 x 20     | DC24V   | IP65 | 120     | 6200.00  | 1    |
| GP 10023 | <b>GP 10023 - 250 Watt Linear Driver 01</b> |       |          |                    |         |      |         |          |      |
|          | GP 10023                                    | 250   | -        | -                  | DC24V   | -    | -       | 12150.00 | 1    |



**\*\*All Pricing on project basis, to be advised.**

All dimensions in mm



# OUR CLIENTELE

Take a look at our amazing collaborative partners who've been with us consistently and added to our prosperity.







AND MANY MORE...



# THE SMART, MOST EFFICIENT AND WORLD'S FIRST.



**GM LED**  
ILLUMINATING INTELLIGENTLY

**BIS**  
BIS APPROVED

LED MODULAR LIGHTS | LED PANEL LIGHTS | COB DOWN LIGHTS | LED FITTINGS | LED BULBS  
LED STRIP LIGHTS | LED TRACK LIGHTS | LED FLOOD LIGHTS | LED SOLAR LIGHTS | LED STREET LIGHTS  
LED HIGH BAY LIGHTS | LED CHANDELIER LIGHTS



86%  
Saving

100  
Lumens  
per Watt

3  
Years  
Warranty

In-built  
Driver

Long  
Life

Robust  
Design

Fluctuation  
Proof

Eco  
Friendly

Excellent  
CRI

Anti-Glare  
Diffuser



Our  
exclusive  
experience  
centres

**Mumbai**

G-6, Laxmi Industrial Estate,  
Opp. Laxmi Chhaya Hotel,  
New Link Road, Andheri (W)  
Mumbai - 400 053, Maharashtra.  
Email: info@gmmmodular.com  
Contact: +91 8879918221

Shop No.1 Plot No. 151/153,  
Bhabha Building, Lohar Chawl,  
Mumbai - 400 002, Maharashtra.  
Email: info@gmmmodular.com  
Contact: 022 2206 6545

**Bengaluru**

460/ 20/ 1, 30th Cross,  
8th B Main Road,  
4th Block, Beside Jain Temple,  
Jayanagar  
Bengaluru - 560 011, Karnataka.  
Email: info@gmmmodular.com  
Contact: 080 4097 1188

**Belgaum**

Shop No. 571,  
Bhati Tower, Patil Galli,  
Belgaum - 590 001, Karnataka.  
Email: info@gmmmodular.com  
Contact: +91 99453 33107

**Hyderabad**

No. 5-5-84/87, Shop No. 2&3,  
Kalpakunj Apartment, Jambaug,  
Hyderabad - 500 012, Telangana.  
Email: info@gmmmodular.com  
Contact: 040 2473 4545

**Vijayawada**

K. S. Vyas Traffic Control Complex,  
Opp. Indira Gandhi Municipal Stadium,  
MG Road, Vijayawada - 520 010,  
Andhra Pradesh.  
Email:  
showroom.vijayawada@gmmmodular.com  
Contact: +91 86624 99945  
+91 74166 14545

**Jalore**

Near Kanchangiri Jain Temple,  
Opp. Haridev Joshi Circle,  
Bagoda Road,  
Jalore - 343 001, Rajasthan.  
Email: info@gmmmodular.com  
Contact: +91 79769 79283,  
02973-222288.

**Bhilwara**

G-4, Govindram Commercial  
Hub, Old RTO Road,  
Bhilwara - 311 001, Rajasthan.  
Email: info@gmmmodular.com  
Contact: +91 89550 48560

**Calicut**

GM Avenue, 2nd Floor,  
Red Cross Road,  
Calicut 673 032, Kerala.  
Email: info@gmmmodular.com  
Contact: 049 5277 3500

**Noida**

D-161, Sector 63,  
Near Hindustan Times Office,  
Noida - 201301, Uttar Pradesh.  
Email: info@gmmmodular.com  
Contact: 0120-4562087

**Kolkata**

39/40, Ezra Street,  
Ground Floor,  
Kolkata - 700 001,  
West Bengal.  
Email: info@gmmmodular.com  
Contact: +91 334060 2048

**Ranchi**

Mahavir Chowk, Upper Bazar,  
Ranchi - 834 001, Jharkhand.  
Email: info@gmmmodular.com  
Contact: +91 94715 55599

**Tirunelveli**

48, Raja Building,  
Tirunelveli - 627 001,  
Tamil Nadu.  
Email: info@gmmmodular.com  
Contact: +91 94431 51008

**Coimbatore**

22, Mill Road, Below ICICI  
Bank, Coimbatore - 641 001,  
Tamil Nadu.  
Email: info@gmmmodular.com  
Contact: +91 99523 07025

**Pondicherry**

GM Modular Private Limited  
No.298 J.N. Street  
L.M.: Opposite Sony Center  
Pondicherry - 605001  
Contact: 04134-500222

Technical data and illustrations are preliminary. Printing errors, mistakes and changes reserved at any time. Copyrights©GM Modular 2016.

Brand identity, styling, concept, design and copy ©GM Modular Pvt. Ltd.

No part of this brochure may be printed or duplicated without the consent of GM Modular Pvt. Ltd. Patent TM & Designs protected. Infringement is liable for prosecution. Imitation of graphics is a punishable offence.



OUTSHINE YOUR  
WORLD



[gmmodular.com](http://gmmodular.com)



GM MODULAR PVT. LTD. 203, Shalimar Morya Park, New Link Rd, Andheri (W), Mumbai-400053, Maharashtra, India. • Customer Care No.:1800 209 1215 • Email: [info@gmmodular.com](mailto:info@gmmodular.com)

