



ANCHOR

by **Panasonic**

ROMA
URBAN

SWITCH ON INSPIRATION



PRICELIST: JULY 2022



SLIM & SLEEK DESIGN

The special slim & sleek design of the new ROMA range is crafted for the modern generation who want their space to be more than just a space. The unique curve design of the cover plate gives these switches a smooth finish. The curved look makes the space classier and more glamorous.



SUPER GLOSSY FINISH

The super glossy finish gives these switches the ultimate premium look. They effortlessly complement the interior decoration of a space. Plus, the design also ensures that dust does not settle easily.

SWITCH TO THE WORLD OF GLAMOUR.




EXTRA SAFETY


Urea back and front PC of V0 grade material used provides extra safety. It has flame retardant properties, which makes the switches safer with a longer lifespan. It also has higher heat resistance properties as compared to PC of other grades and thermoplastics. In addition to this, the moulding of the switches is not easy. The technology used in developing the special designs and shapes involves high cost and hi tech infrastructure, which makes the duplication of the product very difficult.



TOGGLED TECHNOLOGY

The all new range of ROMAX is not only pleasing to the eyes but also to the ears. Toggle type mechanism is an advanced switch operation technique which provides soft sound. It makes the switches easy to operate and also increases the lifespan of the switch.






16A, 20A, 25A Switch not suggested for geyser load. Instead MCB/Motor Starter must be used.

Item	Description	HSN	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
SWITCHES, 10AX (ISI)					
66101	10AX, 1Way Switch, 1 Module	85361010	145	20	2900
66111	10AX, 1Way Switch with Indicator, 1 Module	85361010	159	20	3180
66102	10AX, 2Way Switch, 1 Module	85361010	160	20	3200
66103	10A, Bell Push Switch, 1 Module	85361010	160	20	3200
66133	10A, Bell Push Switch with Indicator, 1 Module	85361010	175	20	3500
66201	10AX, 1Way Switch, 2 Module	85361010	164	10	1640
66211	10AX, 1Way Switch with Indicator, 2 Module	85361010	187	10	1870
66202	10AX, 2Way Switch, 2 Module	85361010	187	10	1870
BELL PUSH (ISI)					
66203	10A, Bell Push Switch, 2 Module	85361010	187	10	1870
66233	10A, Bell Push Switch with Indicator, 2 Module	85361010	204	10	2040
66333	10A, Bell Push Switch with Indicator, 3 Module	85361010	232	5	1160
SWITCHES, 20A (ISI)					
66104	20A, 1Way Switch, 1 Module	85361020	182	20	3640
66144	20A, 1Way Switch with Indicator, 1 Module	85361020	216	20	4320
66105	20A, 2Way Switch, 1 Module	85361020	200	20	4000
66204	20A, 1Way Switch, 2 Module	85361020	224	10	2240
66244	20A, 1Way Switch with Indicator, 2 Module	85361020	247	10	2470
66205	20A, 2Way Switch, 2 Module	85361020	240	10	2400
66301	20A, 1Way Switch, 3 Module	85361020	277	5	1385
66311	20A, 1Way Switch with Indicator, 3 Module	85361020	347	5	1735
66302	20A, 2Way Switch, 3 Module	85361020	342	5	1710
POWER SWITCHES (ISI)					
66325	25A, S.P., 1Way Switch with Indicator, 1 Module	85361020	263	10	2630
66332	32A, D.P., 1Way Switch with Indicator, 2 Module	85361020	335	10	3350
MOTOR STARTER SWITCHES					
66020	20A, Motor Starter Switch, 2 Module	85361020	496	10	4960
66025	25A, Motor Starter Switch, 2 Module	85369010	496	10	4960
SOCKETS WITH SAFETY SHUTTER					
66401*	6A, 2Pin Uro Socket, 1 Module	85366910	126	20	2520
66402	6A, 3Pin Round Socket, 2 Module, ISI	85366910	169	10	1690
66403*	10A, Multi Socket, 2 Module	85366910	183	10	1830
66404	16A, 3Pin Round Socket, 2 Module, ISI	85366910	271	10	2710
66414*	25A, 3Pin Socket, 2 Module	85366910	315	10	3150
66455	6A/16A, Twin Socket, 2 Module, ISI	85366910	327	10	3270
66406	6A/16A, Twin Socket, 3 Module, ISI	85366910	342	5	1710
66407*	13A/10A/6A, Combi Socket for all Pins, 2 Module	85366910	303	10	3030

*Limited Stock, to be discontinued.



Item	Description	HSN	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
FAN REGULATORS & DIMMERS					
66501	100W, Step Fan Regulator, 1 Module	84149030	513	20	10260
66502	100W, Step Fan Regulator, 2 Module	84149030	686	10	6860
66503	100W, Step Fan Regulator, 2 Module (ISI)	84149030	697	10	6970
66504	100W, Step Fan Regulator (For High Speed Fans)	84149030	709	10	7090
66505	450W, Dimmer, 1 Module (Incandescent Lamp)	85365020	463	20	9260
66506	650W, Dimmer, 2 Module (Incandescent Lamp)	85365020	631	10	6310
66507	150W, Dimmer for LED 2 Module	85365090	1478	10	14780
SUPPORT MODULES					
66551	RJ11, Tel Jack, Single with Shutter, 1 Module	85366910	158	20	3160
66552	RJ11, Tel Jack, Double w/o Shutter, 1 Module	85366910	225	20	4500
66555	RJ45, Receptor With Shutter, 1 Module	85366910	159	20	3180
66556	RJ45, Computer Socket, Cat 5e, 1 Module	85366910	578	20	11560
66557	RJ45, Computer Socket, Cat 6, 1 Module	85366910	657	20	13140
66601	Cord Outlet with Grip, 1 Module	85366910	135	20	2700
66602	TV Socket Outlet, 1 Module	85365090	163	20	3260
66603	Buzzer,Dura, 2 Module	85318000	199	10	1990
66604	Blank Plate, 1 Module	85389000	40	40	1600
66644	Blank Plate, 2 Module	85389000	64	20	1280
66606	6A, Overload Protection - Manual Resettable Fuse, 1 Module	85361010	203	20	4060
66616	16A, Overload Protection - Manual Resettable Fuse, 1 Module	85361020	203	20	4060
66605R	Indicator - LED (Red), 1 Module	85395000	190	20	3800
66605N	Indicator - LED (Natural), 1 Module	85395000	190	20	3800
66605G	Indicator - LED (Green), 1 Module	85395000	190	20	3800
66608	Satellite Socket	85365090	284	10	2840
66709	USB-A Charger, Single Port(1A, 5V DC), 1 Module	85044090	1075	20	21500
66710	USB-A Charger, Double Port(2.0A, 5V DC), 2 Module (CRS Certified)	85044090	1735	6	10410
66715	USB-A Charger, Single Port(2.1A, 5V DC), 1 Module (CRS Certified)	85044090	1205	20	24100
66711	High-Definition Multimedia Interface, 1 Module	85444999	1137	10	11370
66712	Audio Video Socket, 1 Module	85366910	505	10	5050
66609	Bluetooth Speaker, 2 Module	85182900	2773	6	16638
66716	Projector Socket, 1 Module	85444999	1758	10	17580
66717	18W, USB Power Delivery Charger(USB-C), 1 Module	85365090	1411	20	28220
66718	18W, USB Type-A Fast Charger, 1 Module	85044090	1344	20	26880
HOSPITALITY RANGE					
66701	20A, Electronic Keycard Unit with 30 Sec time delay, 3 Module	85365090	2259	6	13554
66702	DND MMR Internal unit (DND Switch, MMR Switch), 2 Module	85365090	598	5	2990
66703	DND MMR External unit (DND Indicator, MMR Indicator & Bell Push Switch), 2 Module	85365090	800	5	4000
66704	20VA, Shaver Socket with Transformer (With 4 Module Curve Plate), White	85365090	2658	1	2658
66705	Bell Call Indicator, 1 Module	85318000	374	20	7480
66706	Foot Light,Led Based(Cool Day Light),3 Module	94054090	583	6	3498
66766	Foot Light,Led Based(Warm White Light),3 Module	94054090	583	6	3498
66778	Foot Light, Led Based (Warm White Light), 4 Module	94054090	639	6	3834
66779	Foot Light, Led Based (Warm White Light),4 Module	94054090	639	6	3834
66707	Foot Light with PIR (Cool Day Light) , 2 Module	94054090	4585	6	27510
66777	Foot Light with PIR (Warm White) , 2 Module	94054090	4585	6	27510
66607	Emergency LED Light Unit	94056010	935	6	5610
66708	PIR Sensor, 2 Module	90318000	3985	6	23910



66101B 66111B 66102B 66103B 66133B 66201B



66211B 66202B



66203B 66233B 66333B



66104B 66144B 66105B 66204B 66244B 66205B



66301B 66311B 66302B



66325B 66332B 66020B 66025B



66401B 66402B 66403B 66404B
66414B



66455B 66406B 66407B

16A,20A,25A Switch not suggested for geyser load. Instead MCB/Motor Stater must be used.

Item	Description	HSN	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
SWITCHES, 10AX (ISI)					
66101B	10AX, 1Way Switch, 1 Module	85361010	152	20	3040
66111B	10AX, 1Way Switch with Indicator, 1 Module	85361010	169	20	3380
66102B	10AX, 2Way Switch, 1 Module	85361010	164	20	3280
66103B	10A, Bell Push Switch, 1 Module	85361010	170	20	3400
66133B	10A, Bell Push Switch with Indicator, 1 Module	85361010	183	20	3660
66201B	10AX, 1Way Switch, 2 Module	85361010	172	10	1720
66211B	10AX, 1Way Switch with Indicator, 2 Module	85361010	197	10	1970
66202B	10AX, 2Way Switch, 2 Module	85361010	197	10	1970
BELL PUSH (ISI)					
66203B	10A, Bell Push Switch, 2 Module	85361010	197	10	1970
66233B	10A, Bell Push Switch with Indicator, 2 Module	85361010	214	10	2140
66333B	10A, Bell Push Switch with Indicator, 3 Module	85361010	244	5	1220
SWITCHES, 20A (ISI)					
66104B	20A, 1Way Switch, 1 Module	85361020	192	20	3840
66144B	20A, 1Way Switch with Indicator, 1 Module	85361020	228	20	4560
66105B	20A, 2Way Switch, 1 Module	85361020	209	20	4180
66204B	20A, 1Way Switch, 2 Module	85361020	236	10	2360
66244B	20A, 1Way Switch with Indicator, 2 Module	85361020	261	10	2610
66205B	20A, 2Way Switch, 2 Module	85361020	252	10	2520
66301B	20A, 1Way Switch, 3 Module	85361020	291	5	1455
66311B	20A, 1Way Switch with Indicator, 3 Module	85361020	365	5	1825
66302B	20A, 2Way Switch, 3 Module	85361020	360	5	1800
POWER SWITCHES (ISI)					
66325B	25A, S.P, 1Way Switch with Indicator, 1 Module	85361020	275	10	2750
66332B	32A, D.P, 1Way Switch with Indicator, 2 Module	85361020	351	10	3510
MOTOR STARTER SWITCHES					
66020B	20A, Motor Starter Switch, 2 Module	85361020	513	10	5130
66025B	25A, Motor Starter Switch, 2 Module	85369010	513	10	5130
SOCKETS WITH SAFETY SHUTTER					
66401B*	6A, 2Pin Uro Socket, 1 Module	85366910	135	20	2700
66402B	6A, 3Pin Round Socket, 2 Module, ISI	85366910	175	10	1750
66403B*	10A, Multi Socket, 2 Module	85366910	192	10	1920
66404B	16A, 3Pin Round Socket, 2 Module, ISI	85366910	282	10	2820
66414B*	25A, 3Pin Socket, 2 Module	85366910	332	10	3320
66455B	6A/16A, Twin Socket, 2 Module, ISI	85366910	343	10	3430
66406B	6A/16A, Twin Socket, 3 Module, ISI	85366910	360	5	1800
66407B*	13A/10A/6A, Combi Socket for all Pins, 2 Module	85366910	320	10	3200

*Limited Stock, to be discontinued.



Item	Description	HSN	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
FAN REGULATORS & DIMMERS					
66501B	100W, Step Fan Regulator, 1 Module	84149030	537	20	10740
66502B	100W, Step Fan Regulator, 2 Module	84149030	718	10	7180
66503B	100W, Step Fan Regulator, 2 Module (ISI)	84149030	730	10	7300
66504B	100W, Step Fan Regulator (For High Speed Fans)	84149030	746	10	7460
66505B	450W, Dimmer, 1 Module (Incandescent Lamp)	85365020	489	20	9780
66506B	650W, Dimmer, 2 Module (Incandescent Lamp)	85365020	660	10	6600
66507B	150W, Dimmer for LED 2 Module	85365090	1553	10	15530
SUPPORT MODULES					
66551B	RJ11, Tel Jack, Single with Shutter, 1 Module	85366910	164	20	3280
66552B	RJ11, Tel Jack, Double w/o Shutter, 1 Module	85366910	234	20	4680
66555B	RJ45, Receptor With Shutter, 1 Module	85366910	167	20	3340
66556B	RJ45, Computer Socket, Cat 5e, 1 Module	85366910	606	20	12120
66557B	RJ45, Computer Socket, Cat 6, 1 Module	85366910	692	20	13840
66601B	Cord Outlet with Grip, 1 Module	85366910	140	20	2800
66602B	TV Socket Outlet, 1 Module	85365090	168	20	3360
66603B	Buzzer,Dura, 2 Module	85318000	210	10	2100
66604B	Blank Plate, 1 Module	85389000	41	40	1640
66644B	Blank Plate, 2 Module	85389000	70	20	1400
66606B	6A, Overload Protection - Manual Resettable Fuse, 1 Module	85361010	214	20	4280
66616B	16A, Overload Protection - Manual Resettable Fuse, 1 Module	85361020	214	20	4280
66605R	Indicator - LED (Red), 1 Module	85395000	190	20	3800
66605N	Indicator - LED (Natural), 1 Module	85395000	190	20	3800
66605G	Indicator - LED (Green), 1 Module	85395000	190	20	3800
66608B	Satellite Socket	85365090	320	10	3200
66709B	USB-A Charger, Single Port(1A, 5V DC), 1 Module	85044090	1125	20	22500
66710B	USB-A Charger, Double Port(2.0A, 5V DC), 2 Module (CRS Certified)	85044090	1820	6	10920
66715B	USB-A Charger, Single Port(2.1A, 5V DC), 1 Module (CRS Certified)	85044090	1268	20	25360
66711B	High-Definition Multimedia Interface, 1 Module	85444999	1661	10	16610
66712B	Audio Video Socket, 1 Module	85366910	532	10	5320
66609B	Bluetooth Speaker, 2 Module	85182900	2913	6	17478
66716B	Projector Socket, 1 Module	85444999	1846	10	18460
66717B	18W, USB Power Delivery Charger(USB-C), 1 Module	85365090	1482	20	29640
66718B	18W, USB Type-A Fast Charger, 1 Module	85044090	1411	20	28220
HOSPITALITY RANGE					
66701B	20A, Electronic Keycard Unit with 30 Sec time delay, 3 Module	85365090	2372	6	14232
66702B	DND MMR Internal unit (DND Switch, MMR Switch), 2 Module	85365090	626	5	3130
66703B	DND MMR External unit (DND Indicator, MMR Indicator & Bell Push Switch), 2 Module	85365090	839	5	4195
66704B	20VA, Shaver Socket with Transformer (With 4 Module Curve Plate), White	85365090	2791	1	2791
66705B	Bell Call Indicator, 1 Module	85318000	394	20	7880
66706B	Foot Light,Led Based(Cool Day Light),3 Module	94054090	616	6	3696
66766B	Foot Light,Led Based(Warm White Light),3 Module	94054090	616	6	3696
66778B	Foot Light, Led Based (Warm White Light), 4 Module	94054090	675	6	4050
66779B	Foot Light, Led Based (Warm White Light),4 Module	94054090	675	6	4050
66707B	Foot Light with PIR (Cool Day Light) , 2 Module	94054090	4884	6	29304
66777B	Foot Light with PIR (Warm White) , 2 Module	94054090	4884	6	29304
66607B	Emergency LED Light Unit	94056010	985	6	5910
66708B	PIR Sensor, 2 Module	90318000	4252	6	25512

Also Available In Graphite Black Series



66101S 66111S 66102S 66103S 66133S 66201S



66211S 66202S



66203S 66233S 66333S



66104S 66144S 66105S 66204S 66244S 66205S



66301S 66311S 66302S



66325S 66332S 66202S 66025S

66401S 66402S 66403S 66404S
66414S

66455S 66406S 66407S

16A,20A,25A Switch not suggested for geyser load. Instead MCB/Motor Stater must be used.

Item	Description	HSN	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
SWITCHES, 10AX (ISI)					
66101S	10AX, 1Way Switch, 1 Module	85361010	152	20	3040
66111S	10AX, 1Way Switch with Indicator, 1 Module	85361010	169	20	3380
66102S	10AX, 2Way Switch, 1 Module	85361010	164	20	3280
66103S	10A, Bell Push Switch, 1 Module	85361010	170	20	3400
66133S	10A, Bell Push Switch with Indicator, 1 Module	85361010	183	20	3660
66201S	10AX, 1Way Switch, 2 Module	85361010	172	10	1720
66211S	10AX, 1Way Switch with Indicator, 2 Module	85361010	197	10	1970
66202S	10AX, 2Way Switch, 2 Module	85361010	197	10	1970
BELL PUSH (ISI)					
66203S	10A, Bell Push Switch, 2 Module	85361010	197	10	1970
66233S	10A, Bell Push Switch with Indicator, 2 Module	85361010	214	10	2140
66333S	10A, Bell Push Switch with Indicator, 3 Module	85361010	244	5	1220
SWITCHES, 20A (ISI)					
66104S	20A, 1Way Switch, 1 Module	85361020	192	20	3840
66144S	20A, 1Way Switch with Indicator, 1 Module	85361020	228	20	4560
66105S	20A, 2Way Switch, 1 Module	85361020	209	20	4180
66204S	20A, 1Way Switch, 2 Module	85361020	236	10	2360
66244S	20A, 1Way Switch with Indicator, 2 Module	85361020	261	10	2610
66205S	20A, 2Way Switch, 2 Module	85361020	252	10	2520
66301S	20A, 1Way Switch, 3 Module	85361020	291	5	1455
66311S	20A, 1Way Switch with Indicator, 3 Module	85361020	365	5	1825
66302S	20A, 2Way Switch, 3 Module	85361020	360	5	1800
POWER SWITCHES (ISI)					
66325S	25A, S.P, 1Way Switch with Indicator, 1 Module	85361020	275	10	2750
66332S	32A, D.P, 1Way Switch with Indicator, 2 Module	85361020	351	10	3510
MOTOR STARTER SWITCHES					
66020S	20A, Motor Starter Switch, 2 Module	85361020	513	10	5130
66025S	25A, Motor Starter Switch, 2 Module	85369010	513	10	5130
*16A, 20A, 25A Switch not suggested for geyser load. Instead MCB/Motor Stater must be used.					
SOCKETS WITH SAFETY SHUTTER					
66401S*	6A, 2Pin Uro Socket, 1 Module	85366910	135	20	2700
66402S	6A, 3Pin Round Socket, 2 Module, ISI	85366910	175	10	1750
66403S*	10A, Multi Socket, 2 Module	85366910	192	10	1920
66404S	16A, 3Pin Round Socket, 2 Module, ISI	85366910	282	10	2820
66414S*	25A, 3Pin Socket, 2 Module	85366910	332	10	3320
66455S	6A/16A, Twin Socket, 2 Module, ISI	85366910	343	10	3430
66406S	6A/16A, Twin Socket, 3 Module, ISI	85366910	360	5	1800
66407S*	13A/10A/6A, Combi Socket for all Pins, 2 Module	85366910	320	10	3200
*Limited Stock, to be discontinued.					



66501S 66502S 66503S 66505S 66506S
66504S 66507S



66551S 66552S 66555S 66601S 66602S 66603S
66556S
66557S



66604S 66644S 66606S 66605R 66605N 66605G
66616S



66608S 66709S 66710S 66715S 66711S 66712S



66609S 66716S 66717S 66718S



66701S 66702S 66703S
(Indoor Unit) (Outdoor Unit)



66704S 66705S 66706S / 66766S / 66607S



66778S / 66779S 66707S / 66777S 66708S

Item	Description	HSN	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
FAN REGULATORS & DIMMERS					
66501S	100W, Step Fan Regulator, 1 Module	84149030	537	20	10740
66502S	100W, Step Fan Regulator, 2 Module	84149030	718	10	7180
66503S	100W, Step Fan Regulator, 2 Module (ISI)	84149030	730	10	7300
66504S	100W, Step Fan Regulator (For High Speed Fans)	84149030	746	10	7460
66505S	450W, Dimmer, 1 Module (Incandescent Lamp)	85365020	489	20	9780
66506S	650W, Dimmer, 2 Module (Incandescent Lamp)	85365020	660	10	6600
66507S	150W, Dimmer for LED 2 Module	85365090	1553	10	15530
SUPPORT MODULES					
66551S	RJ11, Tel Jack, Single with Shutter, 1 Module	85366910	164	20	3280
66552S	RJ11, Tel Jack, Double w/o Shutter, 1 Module	85366910	234	20	4680
66555S	RJ45, Receptor With Shutter, 1 Module	85366910	167	20	3340
66556S	RJ45, Computer Socket, Cat 5e, 1 Module	85366910	606	20	12120
66557S	RJ45, Computer Socket, Cat 6, 1 Module	85366910	692	20	13840
66601S	Cord Outlet with Grip, 1 Module	85366910	140	20	2800
66602S	TV Socket Outlet, 1 Module	85365090	168	20	3360
66603S	Buzzer,Dura, 2 Module	85318000	210	10	2100
66604S	Blank Plate, 1 Module	85389000	41	40	1640
66644S	Blank Plate, 2 Module	85389000	70	20	1400
66606S	6A, Overload Protection - Manual Resettable Fuse, 1 Module	85361010	214	20	4280
66616S	16A, Overload Protection - Manual Resettable Fuse, 1 Module	85361020	214	20	4280
66605R	Indicator - LED (Red), 1 Module	85395000	190	20	3800
66605N	Indicator - LED (Natural), 1 Module	85395000	190	20	3800
66605G	Indicator - LED (Green), 1 Module	85395000	190	20	3800
66608S	Satellite Socket	85365090	320	10	3200
66709S	USB-A Charger, Single Port(1A, 5V DC), 1 Module	85044090	1125	20	22500
66710S	USB-A Charger, Double Port(2.0A, 5V DC), 2 Module (CRS Certified)	85044090	1820	6	10920
66715S	USB-A Charger, Single Port(2.1A, 5V DC), 1 Module (CRS Certified)	85044090	1268	20	25360
66711S	High-Definition Multimedia Interface, 1 Module	85444999	1661	10	16610
66712S	Audio Video Socket, 1 Module	85366910	532	10	5320
66609S	Bluetooth Speaker, 2 Module	85182900	2913	6	17478
66716S	Projector Socket, 1 Module	85444999	1846	10	18460
66717S	18W, USB Power Delivery Charger(USB-C), 1 Module	85365090	1482	20	29640
66718S	18W, USB Type-A Fast Charger, 1 Module	85044090	1411	20	28220
HOSPITALITY RANGE					
66701S	20A, Electronic Keycard Unit with 30 Sec time delay, 3 Module	85365090	2372	6	14232
66702S	DND MMR Internal unit (DND Switch, MMR Switch), 2 Module	85365090	626	5	3130
66703S	DND MMR External unit (DND Indicator, MMR Indicator & Bell Push Switch), 2 Module	85365090	839	5	4195
66704S	20VA, Shaver Socket with Transformer (With 4 Module Curve Plate), White	85365090	2791	1	2791
66705S	Bell Call Indicator, 1 Module	85318000	394	20	7880
66706S	Foot Light,Led Based(Cool Day Light),3 Module	94054090	616	6	3696
66766S	Foot Light,Led Based(Warm White Light),3 Module	94054090	616	6	3696
66778S	Foot Light, Led Based (Warm White Light), 4 Module	94054090	675	6	4050
66779S	Foot Light, Led Based (Warm White Light),4 Module	94054090	675	6	4050
66707S	Foot Light with PIR (Cool Day Light) , 2 Module	94054090	4884	6	29304
66777S	Foot Light with PIR (Warm White) , 2 Module	94054090	4884	6	29304
66607S	Emergency LED Light Unit	94056010	985	6	5910
66708S	PIR Sensor, 2 Module	90318000	4252	6	25512

COVER PLATE WITH BASE FRAME

(HSN Code - 85381090)



White

PURE

COLOUR	MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Square	9 Module Horizontal	12 Module	16 Module	18 Module
White Curve Design	CODE	66801WH	66802WH	66803WH	66804WH	66806WH	66808WH	66888WH	66809WH	66812WH	66816WH	66818WH
Unit Sale Price Rs per number		142	142	181	215	295	378	378	467	510	523	544
Maximum Retail Price (Inclusive of all taxes) Rs.		1420	1420	1810	2150	2950	3780	1890	4670	2550	2615	2720
Standards Packing Quantity (Number)		10	10	10	10	10	10	5	10	5	5	5


COVER PLATE WITH BASE FRAME

(HSN Code - 85381090)

BOLD



Black



COLOUR	MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Square	9 Module Horizontal	12 Module	16 Module	18 Module
Black Curve Design	CODE	66801BL	66802BL	66803BL	66804BL	66806BL	66808BL	66888BL	66809BL	66812BL	66816BL	66818BL
Graphite Black Curve Design	CODE	66801GB	66802GB	66803GB	66804GB	66806GB	66808GB	66888GB	66809GB	66812GB	66816GB	66818GB
Unit Sale Price Rs per number		151	151	188	219	307	397	397	487	535	549	568
Maximum Retail Price (Inclusive of all taxes) Rs.		1510	1510	1880	2190	3070	3970	1985	4870	2675	2745	2840
Standards Packing Quantity (Number)		10	10	10	10	10	10	5	10	5	5	5

COVER PLATE WITH BASE FRAME

(HSN Code - 85381090)



Silver

CLASSY

COLOUR	MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Square	9 Module Horizontal	12 Module	16 Module	18 Module
Silver Curve Design	CODE	66801SL	66802SL	66803SL	66804SL	66806SL	66808SL	66888SL	66809SL	66812SL	66816SL	66818SL
Unit Sale Price Rs per number		151	151	188	219	307	397	397	487	535	549	568
Maximum Retail Price (Inclusive of all taxes) Rs.		1510	1510	1880	2190	3070	3970	1985	4870	2675	2745	2840
Standards Packing Quantity (Number)		10	10	10	10	10	10	5	10	5	5	5

COVER PLATE WITH BASE FRAME

(HSN Code - 85381090)

SHEEN



Gold

Brushed Aluminum



METAL PLATE	MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Square	12 Module	16 Module	18 Module
Gold	CODE	66901GD	66902GD	66903GD	66904GD	66906GD	66908GD	66988GD	66912GD	66916GD	66918GD
Unit Sale Price Rs per number		922	922	1080	1266	1659	1892	1892	2762	3410	3547
Maximum Retail Price (Inclusive of all taxes) Rs.		4610	4610	5400	6330	8295	9460	9460	13810	17050	17735
Brushed Aluminum	CODE	66901BA	66902BA	66903BA	66904BA	66906BA	66908BA	66988BA	66912BA	66916BA	66918BA
Unit Sale Price Rs per number		785	785	918	1074	1410	1610	1610	2345	2899	3015
Maximum Retail Price (Inclusive of all taxes) Rs.		3925	3925	4590	5370	7050	8050	8050	11725	14495	15075
Standards Packing Quantity (Number)		5	5	5	5	5	5	5	5	5	5

Note : Do not use "Hard Cleaning Agent" for cleaning purpose.

COVER PLATE WITH BASE FRAME

(HSN Code - 85381090)

HUE



COLOUR	MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Square	9 Module Horizontal	12 Module	16 Module	18 Module
Sea Blue	CODE	66801SBG	66802SBG	66803SBG	66804SBG	66806SBG	66808SBG	66888SBG	66809SBG	66812SBG	66816SBG	66818SBG
Oriental Maroon	CODE	66801OMS	66802OMS	66803OMS	66804OMS	66806OMS	66808OMS	66888OMS	66809OMS	66812OMS	66816OMS	66818OMS
Cooper White	CODE	66801WHC	66802WHC	66803WHC	66804WHC	66806WHC	66808WHC	66888WHC	66809WHC	66812WHC	66816WHC	66818WHC
Lamp Black	CODE	66801LBC	66802LBC	66803LBC	66804LBC	66806LBC	66808LBC	66888LBC	66809LBC	66812LBC	66816LBC	66818LBC
Unit Sale Price Rs per number		196	196	250	287	401	510	510	630	702	708	740
Maximum Retail Price (Inclusive of all taxes) Rs.		980	980	1250	1435	2005	2550	2550	3150	3510	3540	3700
Woody	CODE	66801WDB	66802WDB	66803WDB	66804WDB	66806WDB	66808WDB	66888WDB	66809WDB	66812WDB	66816WDB	66818WDB
Unit Sale Price Rs per number		307	307	397	456	640	817	817	1007	1121	1133	1186
Maximum Retail Price (Inclusive of all taxes) Rs.		1535	1535	1985	2280	3200	4085	4085	5035	5605	5665	5930
Standards Packing Quantity (Number)		5	5	5	5	5	5	5	5	5	5	5



COVER PLATE WITH BASE FRAME

(HSN Code - 85381090)

CLEAR



GLASS PLATE	MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Square	12 Module	16 Module	18 Module
Pure White	CODE	66901GPW	66902GPW	66903GPW	66904GPW	66906GPW	66908GPW	66988GPW	66912GPW	66916GPW	66918GPW
Space Black	CODE	66901GSB	66902GSB	66903GSB	66904GSB	66906GSB	66908GSB	66988GSB	66912GSB	66916GSB	66918GSB
Aqua Blue	CODE	66901GAB	66902GAB	66903GAB	66904GAB	66906GAB	66908GAB	66988GAB	66912GAB	66916GAB	66918GAB
Unit Sale Price Rs per number		798	798	1028	1186	1693	2114	2114	2627	2953	3082
Maximum Retail Price (Inclusive of all taxes) Rs.		3990	3990	5140	5930	8465	10570	10570	13135	14765	15410
Standards Packing Quantity (Number)		5	5	5	5	5	5	5	5	5	5



Item	Description	HSN	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
WEATHERPROOF BOX, IP55					
66662	2M, Weatherproof Box (IP55), Grey Colour	85365090	1120	1	1120
66663	3M, Weatherproof Box (IP55), Grey Colour	85365090	1199	1	1199
66664	4M, Weatherproof Box (IP55), Grey Colour	85365090	1280	1	1280

Note: Do not use Hard Cleaning Agent for cleaning purpose.

Note: Antimicrobial series is also available through pre order





Roma Mini MCB SP



Roma Mini MCB DP



Roma Mini MCB SP



Roma Mini MCB DP



Roma Mini MCB SP




Roma Mini MCB DP




66770

Item	Description	HSN	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
ROMA MINI MODULAR SP MCB 'C' TYPE (WHITE)					
66151	ROMA 6A SP 'C' MINI MCB	85362030	293	12	3516
66152	ROMA 10A SP 'C' MINI MCB	85362030	293	12	3516
66153	ROMA 16A SP 'C' MINI MCB	85362030	293	12	3516
66154	ROMA 20A SP 'C' MINI MCB	85362030	293	12	3516
66155	ROMA 25A SP 'C' MINI MCB	85362030	293	12	3516
66156	ROMA 32A SP 'C' MINI MCB	85362030	293	12	3516
ROMA MINI MODULAR DP MCB 'C' TYPE (WHITE)					
66157	ROMA 6A DP 'C' MINI MCB	85362030	595	6	3570
66158	ROMA 10A DP 'C' MINI MCB	85362030	595	6	3570
66159	ROMA 16A DP 'C' MINI MCB	85362030	595	6	3570
66160	ROMA 20A DP 'C' MINI MCB	85362030	595	6	3570
66161	ROMA 25A DP 'C' MINI MCB	85362030	595	6	3570
66162	ROMA 32A DP 'C' MINI MCB	85362030	595	6	3570
ROMA MINI MODULAR SP MCB 'C' TYPE (BLACK)					
66151B	ROMA 6A SP 'C' MINI MCB (BLACK)	85362030	321	12	3852
66152B	ROMA 10A SP 'C' MINI MCB (BLACK)	85362030	321	12	3852
66153B	ROMA 16A SP 'C' MINI MCB (BLACK)	85362030	321	12	3852
66154B	ROMA 20A SP 'C' MINI MCB (BLACK)	85362030	321	12	3852
66155B	ROMA 25A SP 'C' MINI MCB (BLACK)	85362030	321	12	3852
66156B	ROMA 32A SP 'C' MINI MCB (BLACK)	85362030	321	12	3852
ROMA MINI MODULAR DP MCB 'C' TYPE (BLACK)					
66157B	ROMA 6A DP 'C' MINI MCB (BLACK)	85362030	640	6	3840
66158B	ROMA 10A DP 'C' MINI MCB (BLACK)	85362030	640	6	3840
66159B	ROMA 16A DP 'C' MINI MCB (BLACK)	85362030	640	6	3840
66160B	ROMA 20A DP 'C' MINI MCB (BLACK)	85362030	640	6	3840
66161B	ROMA 25A DP 'C' MINI MCB (BLACK)	85362030	640	6	3840
66162B	ROMA 32A DP 'C' MINI MCB (BLACK)	85362030	640	6	3840
ROMA MINI MODULAR SP MCB 'C' TYPE (SILVER)					
66151S	ROMA 6A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66152S	ROMA 10A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66153S	ROMA 16A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66154S	ROMA 20A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66155S	ROMA 25A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66156S	ROMA 32A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
ROMA MINI MODULAR DP MCB 'C' TYPE (SILVER)					
66157S	ROMA 6A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840
66158S	ROMA 10A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840
66159S	ROMA 16A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840
66160S	ROMA 20A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840
66161S	ROMA 25A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840
66162S	ROMA 32A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840
FLOOR JUNCTION BOX					
66770	18Module Floor Junction Box	85381090	7545	1	7545



Item	Description	HSN	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
MODULAR TOUCH SWITCH - WHITE					
71001	1Way 1 Switch, 400W, 240V ~	85365020	700	4	2800
71002	1Way 2 Switches, 400W, 240V ~	85365020	874	4	3496
71003	1Way 3 Switches, 400W, 240V ~	85361010	1095	4	4380
71004	1Way 4 Switches, 400W, , 240V ~	85365020	1242	4	4968
71005	2Way 1 Switch, 400W, 240V ~	85361020	847	4	3388
71006	1 Switch, 16A, 240V ~	84149030	948	4	3792
71007	1 Switch, 25A, 240V ~	85365020	1150	4	4600
71008	Fan Regulator, 100W, 240V ~	85365020	1334	4	5336
71009	Dimmer, 300W, 240V ~	85365020	1334	4	5336
71010	Curtain Control, 50W, 240V ~	85365090	1049	4	4196
71011	Bell Switch, 240V ~	85365090	727	4	2908
MODULAR TOUCH SWITCH - BLACK					
71001B	1Way 1 Switch, 400W, 240V ~	85365020	773	4	3092
71002B	1Way 2 Switches, 400W, 240V ~	85365020	966	4	3864
71003B	1Way 3 Switches, 400W, 240V ~	85361010	1206	4	4824
71004B	1Way 4 Switches, 400W, , 240V ~	85365020	1371	4	5484
71005B	2Way 1 Switch, 400W, 240V ~	85361020	939	4	3756
71006B	1 Switch, 16A, 240V ~	84149030	1049	4	4196
71007B	1 Switch, 25A, 240V ~	85365020	1270	4	5080
71008B	Fan Regulator, 100W, 240V ~	85365020	1472	4	5888
71009B	Dimmer, 300W, 240V ~	85365020	1472	4	5888
71010B	Curtain Control, 50W, 240V ~	85365090	1160	4	4640
71011B	Bell Switch, 240V ~	85365090	801	4	3204
MODULAR TOUCH SWITCH - SILVER					
71001S	1Way 1 Switch, 400W, 240V ~	85365020	773	4	3092
71002S	1Way 2 Switches, 400W, 240V ~	85365020	966	4	3864
71003S	1Way 3 Switches, 400W, 240V ~	85361010	1206	4	4824
71004S	1Way 4 Switches, 400W, 240V ~	85365020	1371	4	5484
71005S	2Way 1 Switch, 400W, 240V ~	85361020	939	4	3756
71006S	1 Switch, 16A, 240V ~	84149030	1049	4	4196
71007S	1 Switch, 25A, 240V ~	85365020	1270	4	5080
71008S	Fan Regulator, 100W, 240V ~	85365020	1472	4	5888
71009S	Dimmer, 300W, 240V ~	85365020	1472	4	5888
71010S	Curtain Control, 50W, 240V ~	85365090	1160	4	4640
71011S	Bell Switch, 240V ~	85365090	801	4	3204




71001-RC

71002-RC

71003-RC

71004-RC



71005-RC



71006-RC



71007-RC



71008-RC



71009-RC



71010-RC



71001B-RC



71002B-RC



71003B-RC



71004B-RC



71005B-RC



71006B-RC



71007B-RC



71008B-RC



71009B-RC



71010B-RC



71001S-RC



71002S-RC



71003S-RC



71004S-RC



71005S-RC



71006S-RC



71007S-RC



71008S-RC



71009S-RC



71010S-RC



71020-RC

Item	Description	HSN	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
MODULAR TOUCH SWITCH WITH REMOTE - WHITE					
71001-RC	1Way 1 Switch, 400W, 240V ~	85365020	828	4	3312
71002-RC	1Way 2 Switches, 400W, 240V ~	85365020	1035	4	4140
71003-RC	1Way 3 Switches, 400W, 240V ~	85361010	1242	4	4968
71004-RC	1Way 4 Switches, 400W, 240V ~	85365020	1380	4	5520
71005-RC	2Way 1 Switch, 400W, 240V ~	85361020	966	4	3864
71006-RC	1 Switch, 16A, 240V ~	84149030	1035	4	4140
71007-RC	1 Switch, 25A, 240V ~	85365020	1173	4	4692
71008-RC	Fan Regulator, 100W, 240V ~	85365020	1449	4	5796
71009-RC	Dimmer, 300W, 240V ~	85365020	1449	4	5796
71010-RC	Curtain Control, 50W, 240V ~	85365090	1104	4	4416
MODULAR TOUCH SWITCH WITH REMOTE- BLACK					
71001B-RC	1Way 1 Switch, 400W, 240V ~	85365020	916	4	3664
71002B-RC	1Way 2 Switches, 400W, 240V ~	85365020	1146	4	4584
71003B-RC	1Way 3 Switches, 400W, 240V ~	85361010	1376	4	5504
71004B-RC	1Way 4 Switches, 400W, 240V ~	85365020	1518	4	6072
71005B-RC	2Way 1 Switch, 400W, 240V ~	85361020	1068	4	4272
71006B-RC	1 Switch, 16A, 240V ~	84149030	1146	4	4584
71007B-RC	1 Switch, 25A, 240V ~	85365020	1298	4	5192
71008B-RC	Fan Regulator, 100W, 240V ~	85365020	1597	4	6388
71009B-RC	Dimmer, 300W, Black, 240V ~, Remote Controlled	85365020	1597	4	6388
71010B-RC	Curtain Control, 50W, 240V ~	85365090	1219	4	4876
MODULAR TOUCH SWITCH WITH REMOTE- SILVER					
71001S-RC	1Way 1 Switch, 400W, 240V ~	85365020	916	4	3664
71002S-RC	1Way 2 Switches, 400W, 240V ~	85365020	1146	4	4584
71003S-RC	1Way 3 Switches, 400W, 240V ~	85361010	1376	4	5504
71004S-RC	1Way 4 Switches, 400W, 240V ~	85365020	1518	4	6072
71005S-RC	2Way 1 Switch, 400W, 240V ~	85361020	1068	4	4272
71006S-RC	1 Switch, 16A, 240V ~	84149030	1146	4	4584
71007S-RC	1 Switch, 25A, 240V ~	85365020	1298	4	5192
71008S-RC	Fan Regulator, 100W, 240V ~	85365020	1597	4	6388
71009S-RC	Dimmer, 300W, 240V ~	85365020	1597	4	6388
71010S-RC	Curtain Control, 50W, 240V ~	85365090	1219	4	4876
MODULAR TOUCH SWITCH - REMOTE					
71020-RC	Remote control for Roma Urban Touch Switch	85365090	847	4	3388



TERMS AND CONDITIONS

- 1) Prices are in INR (₹).
- 2) All prices are subject to the general terms and conditions of our business.
- 3) Prices are subject to change without prior notice.
- 4) This price list supersedes all our previous price lists.
- 5) If any dispute should arise it will be subject to Thane jurisdiction.
- 6) Company reserves the right to issue amendments which may arise due to any errors in the price list.
- 7) Colour in images are for reference purpose only, please see product for actual colour.

Due to continuous improvements in product design and development and manufacturing methods, the product may differ in some aspects from the details provided herein.

PANASONIC LIFE SOLUTIONS INDIA PVT. LTD.

Corporate & Head Office: 3rd Floor, B Wing, I-Think Techno Campus,
Pokharan Road No.2, Thane (W), Thane - 400 607, Maharashtra.
Tel. 022 4222 8888 | Fax. 022 4222 8884

Customer Care no.: 022-41304130 | WhatsApp: 9136028606
Email: wecare@in.panasonic.com | www.lsin.panasonic.com

Registered Office: 12th Floor, Ambience Tower, Ambience Island,
NH-48, Gurugram - 122 002, Haryana.

Distributor / Dealer Stamp