

Dependable. Safe.
Reliable Protection.

CELEBRATING
★ **30** ★
★ *Years* ★

PRICE LIST

w.e.f. 1st October, 2022



Altech
Quality is our tradition

Altech Product Preview

CELEBRATING
★ 30 ★
Years

Altech was founded in 1992 with single minded purpose to manufacture absolutely the better switchgear products.


Altech provides profitable growth to customers through out the world by providing them with integrated electrical solutions with true added value. Our proven technology, comprehensive products application helps customers to improve their performances.

Innovation and quality are key values of Altech, which ensures clients with high standard products and services. We have in-house facilities, highly skilled, dedicated knowledge and expertise to develop better products, listening and working closely together with our clients to offer them customize solutions.

We warmly look forward to establishing, reinforcing and expanding a long term fruitful colla-boration relationship with the reliable clients all over the country.

We believe "ALTECH switch on the future"!

"The success of any business lies not only in the quality of its products or leadership, but in the entirety of the commitment and enthusiasm of every individual in the company. If we constantly strive to be better, success can be the only outcome."



Miniature Circuit Breaker (MCB)

IS/IEC 60898-1

CM/L-9328685

- ISI/CE Marked as per IS/IEC 60898-1.
- Rated Short-Circuit, Icn 10kA
- Degree of Protection IP 20
- Energy Limitation Class 3
- Biconnect Terminals
- Frequency: 50HZ
- Operating Voltage: 240V/415V AC, 60V DC per pole
- MCB 100A & 150A conforms to IEC 60947-2

**‘C’ Curve - Single Pole**

HSN Code 85362030

Rating (A)	Pack	Cat. Nos	Unit Price ₹
0.5-5A	1/12/144	AMBS1C 0.5-5	315
6-32A*	1/12/144	AMBS1C6-032	206
40A	1/12/144	AMBS1C40	257
50-63A	1/12/144	AMBS1C50	332
63A	1/12/144	AMBS1C63	332

*Rating: 6A, 10A, 16A, 20A, 25A, 32A

**‘C’ Curve - Single Pole Neutral**

HSN Code 85362030

Rating (A)	Pack	Cat. Nos	Unit Price ₹
0.5-5A	1/6/72	AMBS1C 0.5-5N	670
6A-32A*	1/6/72	AMBS1C6-032N	471
40A	1/6/72	AMBS1C40N	595
50A	1/6/72	AMBS1C50N	754
63A	1/6/72	AMBS1C63N	754

*Rating: 6A, 10A, 16A, 20A, 25A, 32A

**‘C’ Curve - Double Pole**

HSN Code 85362030

Rating (A)	Pack	Cat. Nos	Unit Price ₹
0.5-5A	1/6/72	AMBS2C 0.5-5	848
6A-32A*	1/6/72	AMBS2C6-032	520
40A	1/6/72	AMBS2C40	683
50A	1/6/72	AMBS2C50	819
63A	1/6/72	AMBS2C63	819
100A	1/6/72	AMBS2C100	1680
125A	1/6/72	AMBS2C125	1785

*Rating: 6A, 10A, 16A, 20A, 25A, 32A

**‘C’ Curve - Three Pole**

HSN Code 85362030

Rating (A)	Pack	Cat. Nos	Unit Price ₹
0.5-5A	1/4/48	AMBS3C 0.5-5	1195
6A-32A*	1/4/48	AMBS3C6-032	764
40A	1/4/48	AMBS3C40	959
50A	1/4/48	AMBS3C50	1295
63A	1/4/48	AMBS3C63	1295
100A	1/4/48	AMBS3C100	2520
125A	1/4/48	AMBS3C125	2678

*Rating: 6A, 10A, 16A, 20A, 25A, 32A

**‘C’ Curve - Three Pole Neutral**

HSN Code 85362030

Rating (A)	Pack	Cat. Nos	Unit Price ₹
0.5-5A	1/3/36	AMBS3C 0.5-5N	1483
6A-32A*	1/3/36	AMBS3C6-032N	1049
40A	1/3/36	AMBS3C40N	1356
50A	1/3/36	AMBS3C50N	1527
63A	1/3/36	AMBS3C63N	1527

*Rating: 6A,10A, 16A, 20A, 25A, 32A

**‘C’ Curve - Four Pole**

HSN Code 85362030

Rating (A)	Pack	Cat. Nos	Unit Price ₹
0.5-5A	1/3/36	AMBS4C 0.5-5	1865
6A-32A*	1/3/36	AMBS4C6-032	1105
40A	1/3/36	AMBS4C40	1404
50A	1/3/36	AMBS4C50	1650
63A	1/3/36	AMBS4C63	1650
100A	1/3/36	AMBS4C100	3360
125A	1/3/36	AMBS4C125	3570

*Rating: 6A,10A, 16A, 20A, 25A, 32A

DC Miniature Circuit Breaker (MCB)

- Conforms to IEC 60947-2
- Rated Short-Circuit, Icn 6kA
- Degree of Protection IP 20
- Energy Limitation Class 3
- Biconnect Terminals
- Up to 250V & 500V Supply

**Single Pole - DC MCB**

HSN Code 85362030

Rating (A)	Pack	Cat. Nos	Unit Price ₹
6-32A *	1/12/144	AMBS1DC6-32	276
40A	1/12/144	AMBS1DC40	326

*Rating: 6A,10A, 16A, 20A, 25A, 32A

**Double Pole - DC MCB**

HSN Code 85362030

Rating (A)	Pack	Cat. Nos	Unit Price ₹
6A-32A*	1/6/72	AMBS2DC6-32	640
40A	1/6/72	AMBS2DC40	800

*Rating: 6A,10A, 16A, 20A, 25A, 32A

Isolator

- Conforms to IEC 60947-3.
- Degree of Protection IP 20
- CE Marked



Double Pole - Isolator

HSN Code 85362030

Rating (A)	Pack	Cat. Nos	Unit Price ₹
40	1/6/72	AMBS2ISO40	440
63	1/6/72	AMBS2ISO63	475
100	1/6/72	AMBS2ISO100	650
125	1/6/72	AMBS2ISO125	800



Three Pole - Isolator

HSN Code 85362030

Rating (A)	Pack	Cat. Nos	Unit Price ₹
40	1/4/48	AMBS3ISO40	660
63	1/4/48	AMBS3ISO63	712
100	1/4/48	AMBS3ISO100	975
125	1/4/48	AMBS3ISO125	1200



Four Pole - Isolator

HSN Code 85362030

Rating (A)	Pack	Cat. Nos	Unit Price ₹
40	1/3/36	AMBS4ISO40	880
63	1/3/36	AMBS4ISO63	950
100	1/3/36	AMBS4ISO100	1300
125	1/3/36	AMBS4ISO125	1600

Two Way Centre Off MCB Changeover Switch

- In accordance with IEC 60947 – 3



Double Pole - Changeover

HSN Code 85362030

Rating (A)	Pack	Cat. Nos	Unit Price ₹
25	6	ACOS2P25A	630
32	6	ACOS2P32A	642
40	6	ACOS2P40A	645
63	6	ACOS2P63A	740



Four Pole - Changeover

HSN Code 85362030

Rating (A)	Pack	Cat. Nos	Unit Price ₹
25	3	ACOS4P25A	1230
40	3	ACOS4P40A	1250
63	3	ACOS4P63A	1475

IS: 12640-1

 CM/L-4053344

Residual Current Circuit Breaker (RCCB)

- ISI / CE MARKED as per IS/IEC 12640 – 1
- Frequency: 50Hz
- Degree of Protection IP 20
- Operating Voltage: 240V / 415V AC

Double Pole - RCCB

HSN Code 85362040



Rating (A)	Pack	Cat. Nos	Unit Price ₹
25	1/6/72	ARB2P25A30	1810
25	1/6/72	ARB2P25A100	1790
25	1/6/72	ARB2P25A300	1790
40	1/6/72	ARB2P40A30	1830
40	1/6/72	ARB2P40A100	1810
40	1/6/72	ARB2P40A300	1810
63	1/6/72	ARB2P63A30	1925
63	1/6/72	ARB2P63A100	1905
63	1/6/72	ARB2P63A300	1905

Four Pole - RCCB

HSN Code 85362040



Rating (A)	Pack	Cat. Nos	Unit Price ₹
25	1/3/36	ARB4P25A30	2490
25	1/3/36	ARB4P25A100	2470
25	1/3/36	ARB4P25A300	2470
40	1/3/36	ARB4P40A30	2500
40	1/3/36	ARB4P40A100	2480
40	1/3/36	ARB4P40A300	2480
63	1/3/36	ARB4P63A30	2600
63	1/3/36	ARB4P63A100	2570
63	1/3/36	ARB4P63A300	2570
100	1/3/36	ARB4P100A30	2970
100	1/3/36	ARB4P100A100	2950
100	1/3/36	ARB4P100A300	2950



Home Secure with MCB DP Switch

HSN Code 85362030

Rating (A)	Pack	Cat. Nos	Unit Price ₹
32	1/50	AMHSC32	540

Distribution Board

TV & Tel Socket DBs

HSN Code 85371000



CONSUMER UNIT	Ways	Incomer+Outgoing	Cat Ref.	Unit Price (₹)
• IP : 30 Protection • Mounting of TV & TEL socket is on right hand side of DB • Provision to fit KNONE type TV & TEL socket (mounting bracket provided) • Shrouded Neutral Bar and Bus Bar • Earth Bar • Door Earthing	SPN			
	6	2+6	ALTV 6 WAY	3370
	8	2+8	ALTV 8 WAY	3410
	10	2+10	ALTV 10 WAY	3630
	12	2+12	ALTV 12 WAY	3842
	14	2+14	ALTV 14 WAY	4250
	TPN			
	4	8+12	ALTVT 4 WAY	4985
	6	8+18	ALTVT 6 WAY	5640
	8	8+24	ALTVT 8 WAY	6396
	12	8+36	ALTVT 12 WAY	8185

Distribution Board

Laptop Series DBs - SPN

HSN Code 85371000

	SPN DBs - Double Door • IP 43 Protection • Shrouded Neutral Bar & Bus Bar • Door Earthing • Earthing Bar	Ways	Incomer+Outgoing	Cat Ref.	Unit Price (₹)
		6	6	ALTLS 6 WAY	1785
		8	8	ALTLS 8 WAY	1974
		12	12	ALTLS 12 WAY	2400
		16	16	ALTLS 16 WAY	2810

Laptop Series DBs - TPN

	TPN DBs - Double Door • IP 43 Protection • Shrouded Neutral Bar & Bus Bar • Door Earthing • Earthing Bar	Ways	Incomer+Outgoing	Cat Ref.	Unit Price (₹)
		4	8+12	ALTLS 4 WAY	4370
		6	8+18	ALTLS 6 WAY	4774
		8	8+24	ALTLS 8 WAY	5394
		12	8+36	ALTLS 12 WAY	6688

Textured Laptop Series DBs - SPN DD

HSN Code 85371000

	SPN DBs - Double Door • IP 43 Protection • Shrouded Neutral Bar & Bus Bar • Door Earthing • Earthing Bar	Ways	Incomer+Outgoing	Cat Ref.	Unit Price (₹)
		6	6	ALTLS 6 WAY	2260
		8	8	ALTLS 8 WAY	2519
		12	12	ALTLS 12 WAY	2994
		16	16	ALTLS 16 WAY	3582

Textured Laptop Series DBs - HTPN

	TPN DBs - Double Door • IP 43 Protection • Shrouded Neutral Bar & Bus Bar • Door Earthing • Earthing Bar	Ways	Incomer+Outgoing	Cat Ref.	Unit Price (₹)
		4	8+12	ALTLS 4 WAY	5650
		6	8+18	ALTLS 6 WAY	6173
		8	8+24	ALTLS 8 WAY	6956
		12	8+36	ALTLS 12 WAY	8778

Gold Line Series DBs - SPN

HSN Code 85371000

	SPN DBs - Double Door • IP 43 Protection • Shrouded Neutral Bar & Bus Bar • Door Earthing • Earthing Bar	Ways	Incomer+Outgoing	Cat Ref.	Unit Price (₹)
		4	4	ALGL 4 WAY	1355
		6	6	ALGL 6 WAY	1470
		8	8	ALGL 8 WAY	1670
		10	10	ALGL 10 WAY	1890
		12	12	ALGL 12 WAY	2110
		16	16	ALGL 16 WAY	2436

Gold Line Series DBs - TPN

	TPN DBs - Double Door • IP 43 Protection • Shrouded Neutral Bar & Bus Bar • Door Earthing • Earthing Bar	Ways	Incomer+Outgoing	Cat Ref.	Unit Price (₹)
		4	8+12	ALLT 4 WAY	3360
		6	8+18	ALLT 6 WAY	3800
		8	8+24	ALLT 8 WAY	4690
		12	8+36	ALLT 12 WAY	6005

Distribution Board

Vertical DBs - Double Door (VTPN) - MCB Incomer

HSN Code 85371000

	VERTICAL DBs- Double Door- VTPN • IP 43 Protection • Shrouded Neutral Bar & Pan assembly with flexible connecting link • Door Earthing	Ways	Incomer+Outgoing	Cat Ref.	DOUBLE DOOR (₹)
		4	8+12	ALVT 4 WAY	6333
		6	8+12	ALVT 6 WAY	7750
		8	8+24	ALVT 8 WAY	9400
		12	8+36	ALVT 12 WAY	10850

Eco Series DBs - SPN

HSN Code 85371000

	SPN Dbs Double Door • IP : 43 Protection • Door Earthing • Insulated Bus Bar • Neutral Linkraised for easy wiring	Ways	Incoming + Outgoing	Cat. Ref.	Unit Price (₹)
		4	4	ALEC 4 WAY	1280
		6	6	ALEC 6 WAY	1500
		8	8	ALEC 8 WAY	1830
		12	12	ALEC 12 WAY	2166
		16	16	ALEC 16 WAY	2600

Eco Series DBs - TPN

	TPN Dbs Double Door • IP : 43 Protection • Door Earthing • Insulated Bus Bar • Neutral Linkraised for easy wiring	Ways	Incoming + Outgoing	Cat. Ref.	Unit Price (₹)
		4	8+12	ALET 4 WAY	3560
		6	8+18	ALET 6 WAY	4200
		8	8+24	ALET 8 WAY	5200
		12	8+36	ALET 12 WAY	6600

Gold Line Phase Selector DBs Without Rotary Switch & Wiring

HSN Code 85371000

		Ways	Incomer+Outgoing	Cat Ref.	Unit Price (₹)
	PHS 04 Gold Line	4	4	ALPHSGL 4 WAY	4942
	PHS 06 Gold Line	6	6	ALPHSGL 6 WAY	6686

Gold Line Phase Selector DBs With Rotary Switch & Wiring

HSN Code 85371000

		Ways	Incomer+Outgoing	Cat Ref.	Unit Price (₹)
	PHS 04 Gold Line 40A	4	4	ALPHSGLW 4 WAY 40A	7252
	PHS 04 Gold Line 40A	4	4	ALPHSGLW1 4 WAY 40A	9126
	PHS 04 Gold Line 63A	4	4	ALPHSGLW 4 WAY 63A	7480
	PHS 04 Gold Line 63A	4	4	ALPHSGLW1 4 WAY 63A	9354
	PHS 06 Gold Line 40A	6	6	ALPHSGLW 6 WAY 40A	8958
	PHS 06 Gold Line 40A	6	6	ALPHSGLW1 6 WAY 40A	10822
	PHS 06 Gold Line 63A	6	6	ALPHSGLW 6 WAY 63A	9176
	PHS 06Gold Line 63A	6	6	ALPHSGLW1 6 WAY 63A	11050

Laptop Phase Selector DBs Without Rotary Switch & Wiring

HSN Code 85371000

		Ways	Incomer+Outgoing	Cat Ref.	Unit Price (₹)
	PHS 04 Laptop	4	4	ALPHSLT 4 WAY	5500
	PHS 06 Laptop	6	6	ALPHSLT 6 WAY	6900

Distribution Board

Laptop Phase Selector DBs With Rotary Switch & Wiring

HSN Code 85371000

		Ways	Incomer+Outgoing	Cat Ref.	Unit Price (₹)
	PHS 04 Laptop 40A	4	4	ALPHSLTW 4 WAY 40A	7979
	PHS 04 Laptop 40A	4	4	ALPHSLTW1 4 WAY 40A	9853
	PHS 04 Laptop 63A	4	4	ALPHSLTW 4 WAY 63A	8207
	PHS 04 Laptop 63A	4	4	ALPHSLTW1 4 WAY 63A	10081
	PHS 06 Laptop 40A	6	6	ALPHSLTW 6 WAY 40A	9356
	PHS 06 Laptop 40A	6	6	ALPHSLTW1 6 WAY 40A	11229
	PHS 06 Laptop 63A	6	6	ALPHSLTW 6 WAY 63A	9584
	PHS 06 Laptop 63A	6	6	ALPHSLTW1 6 WAY 63A	11457

SPN DBs - Single Door

HSN Code 85371000

	SPN DBs Single Door	Ways	Incoming + Outgoing	Cat. Ref.	Unit Price (₹)
	• IP : 30 Protection • Neutral Bar • Insulated Bus Bar	4	4	ASS 4 WAY	696
		6	6	ASS 6 WAY	800
		8	8	ASS 8 WAY	940
		12	12	ASS 12 WAY	1190
		16	16	ASS 16 WAY	1400

TPN DBs - Double Door

HSN Code 85371000

	TPN DBs Double Door	Ways	Incoming + Outgoing	Cat. Ref.	Unit Price (₹)
	• IP : 30 Protection • Neutral Bar • Insulated Bus Bar	4	4	ASTI 4 WAY	2470
		6	6	ASTI 6 WAY	2780
		8	8	ASTI 8 WAY	3298
		12	12	ASTI 12 WAY	4516

VTPN MCCB 125 A DB - Double Door

HSN Code 85371000

	Features	Ways	Outgoing	Cat. Ref.	Unit Price (₹)
	• IP : 43 Protection • Door Earthing • Insulated Bus Bar • Neutral Link raised for easy wiring	4	12	AL125MCCB 4 WAY	11713
		6	18	AL125MCCB 6 WAY	14534
		8	24	AL125MCCB 8 WAY	15066
		12	36	AL125MCCB 12 WAY	18513

VTPN MCCB 250 A DB - Double Door

HSN Code 85371000

	Features	Ways	Outgoing	Cat. Ref.	Unit Price (₹)
	• IP : 43 Protection • Door Earthing • Insulated Bus Bar • Neutral Link raised for easy wiring	4	12	AL250MCCB 4 WAY	19206
		6	18	AL250MCCB 6 WAY	20064
		8	24	AL250MCCB 8 WAY	23563
		12	36	AL250MCCB 12 WAY	24430

7 Segment (Phase Segregated) DBs

HSN Code 85371000

	DOUBLE DOOR	Ways	Incomer+Outgoing	Cat Ref.	Unit Price (₹)
	• IP 43 Protection	4	8+12+12	AL7S 004	7560
	• Neutral Bar	6	8+12+18	AL7S 006	9198
	• Shrouded Bus Bar	8	8+12+24	AL7S 008	12033
	• Door Earthing	12	8+12+36	AL7S 012	13293

Distribution Board

Silver Line DB's - SPN

HSN Code 85371000

	SPN DBs Single Door	Ways	Incoming + Outgoing	Cat. Ref.	Unit Price (₹)
	• IP : 30 Protection • Neutral Bar • Insulated Bus Bar	6	6	ALTSPNSLS 6 Way	1256
		8	8	ALTSPNSLS 8 Way	1460
		10	10	ALTSPNSLS 10 Way	1570
		12	12	ALTSPNSLS 12 Way	1695
		16	16	ALTSPNSLS 16 Way	2110

Silver Line DB's - HTPN

HSN Code 85371000

	HTPN DBs Double Door	Ways	Incoming + Outgoing	Cat. Ref.	Unit Price (₹)
	• IP : 30 Protection • Neutral Bar • Insulated Bus Bar	4	8+12	ALTHTPNSLS 4 Way	3480
		6	8+18	ALTHTPNSLS 6 Way	3930
		8	8+24	ALTHTPNSLS 8 Way	4730
		12	8+36	ALTHTPNSLS 12 Way	6150

Phase Selector DBs With Rotary Switch & Wiring

HSN Code 85371000

	Ways	Modules	Cat. Ref.	Unit Price 40A Sel. Switch	Unit Price 63A Sel. Switch
	4	4+12	ALPH04	11015	11500
	6	4+18	ALPH06	11590	12100
	8	8+24	ALPH08	12750	13500
	12	8+36	ALPH12	13950	14500

Flexy Tier DBs

HSN Code 85371000

	DOUBLE DOOR	Ways	Cat Ref.	Cat Ref.	Unit Price (₹)
	• IP 43 Protection • Neutral Bar • Bus Bar • Customised DBs • Door Earthing	2	2 Row x 14	ALFT 002	4134
		3	3 Row x 14	ALFT 003	5016
		4	4 Row x 14	ALFT 004	5438

NEW

Consumer Unit DBs - Plastic (Base & Cover)

HSN Code 85371000

	SPN DBs - Double Door	Ways	Incoming + Outgoing	Cat. Ref.	Unit Price (₹)
	• IP 30 Protection • Shrouded Neutral Bar & Bus Bar • Door Earthing • Earthing Bar	4	4	ALDLP 06	750
		6	6	ALDLP 08	928
		10	10	ALDLP 12	1250

NEW

Consumer Unit DBs - Metal (Base)

HSN Code 85371000

	SPN DBs - Double Door	Ways	Incoming + Outgoing	Cat. Ref.	Unit Price (₹)
	• IP 30 Protection • Shrouded Neutral Bar & Bus Bar • Door Earthing • Earthing Bar	4	4	ALDL 06	1160
		6	6	ALDL 08	1410
		10	10	ALDL 12	1780

AC Box / P&S Board**SPN**

HSN Code 85381090

	Sheet Steel Enclosure fitted with Plug & Socket (without MCB)	Model	Module	Cat Ref.	Unit Price (₹)
		SP 20A (Deluxe)	SP	ASPS (AC Box)	825
		SP 20A (Eco.)	SP	ASPS (Eco.)	830

TPN

HSN Code 85381090

	Sheet Steel Enclosure fitted with Plug & Socket (without MCB)	Module	Cat Ref.	Unit Price (₹)
		TP 20A	ASPS TP 20	1620
		TP 30A	ASPS TP 30	1930

PC/HIPS Enclosure - Cut-out Series (without Neutral)

HSN Code 85371000

	All Insulated (ABS) Enclosures	Pole	Cat Ref.	Unit Price (₹)	Ways	Cat Ref.	Unit Price (₹)
		1 & 2	APS 01	75	1	H-1 POLE	240
		3 & 4	APS 01	100	2	H-2 POLE	260
			Dummy Plate	14	4	H-4 POLE	360
					6	H-6 POLE	466

Combi Bell Switch

HSN Code 85365090

		Module	Cat. Ref.	Unit Price (₹)
	Weather Proof IP 55 Enclosure	1M	ALCBS	540

Industrial Plugs and Sockets - Three Phase

HSN Code 85369090

	Cat. Ref.	Deg. of Protection	Rating	Unit Price (₹)
	Industrial Plugs			
	AL-163P44	IP 44	16Amp	410
	AL-165P44	IP 44	16Amp	585
	AL-323P44	IP 44	32Amp	670
	AL-325P44	IP 44	32Amp	888
	AL-325P67	IP 67	32Amp	1018
	AL-635P44	IP 44	63Amp	3350
	AL-635P67	IP 67	63Amp	3700
	Industrial Socket / Wall Mounting Socket			
	AL-163WS44	IP 44	16Amp	726
	AL-165WS44	IP 44	16Amp	918
	AL-323WS44	IP 44	32Amp	1108
	AL-325WS44	IP 44	32Amp	1266
	AL-325WS67	IP 67	32Amp	1406
	AL-635WS44	IP 44	63Amp	3483
	AL-635WS67	IP 67	63Amp	4433
	Panel Angle Socket			
	AL-163PS44	IP 44	16Amp	540
	AL-165PS44	IP 44	16Amp	780
	AL-323PS44	IP 44	32Amp	866
	AL-325PS44	IP 44	32Amp	1030
	AL-325PS67	IP 67	32Amp	1200
	AL-635PS44	IP 44	63Amp	2700
	AL-635PS67	IP 67	63Amp	3000
	Connector			
	AL-163CS44	IP 44	16Amp	585
	AL-323CS44	IP 44	32Amp	888
	AL-325CS44	IP 44	32Amp	1130
	AL-325CS67	IP 67	32Amp	1300
	AL-635CS67	IP 67	63Amp	3800

Metal Clad Plug & Socket - Single Phase

HSN Code 85369090

	RATING	250V 2 POLE & EARTH	CAT No.	Std. Packing	Unit Price (₹)
	10A	10 Amp. Plug	AP - 10	30	160
	10A	10 Amp. Socket with Cap	AS - 10	30	166
	20A	20 Amp. Plug	AP - 20	20	172
	20A	20 Amp. Socket with Cap	AS - 20	20	195
	20A	20 Amp. Plug Insulated	Super - 63	20	130
	20A	20 Amp. Socket with Cap Insulated	Super - 63	20	142

Metal Clad Plug & Socket

HSN Code 85389000

	RATING	440V 3 POLE & EARTH	CAT No.	Std. Packing	Unit Price (₹)
	20A	20 Amp. Plug	BP - 20	20	233
	20A	20 Amp. Socket with Cap	BS - 20	20	262
	30A	30 Amp. Plug	BP - 30	10	451
	30A	30 Amp. Socket with Cap	BS - 30	10	476
	63A	63 Amp. Plug	BP - 63	6	2556
	63A	63 Amp. Socket with Cap	BS - 63	6	2605

Industrial Plugs & Sockets with Enclosure

HSN Code 85369090

	Description	Cat Ref.	Unit Price (₹) (Packaging 8pcs)
	16A 3 Pin Enclosure	ALIPSB316	1670
	16A 5 Pin Enclosure	ALIPSB516	2572
	32A 3 Pin Enclosure	ALIPSB332	2670
	32A 5 Pin Enclosure	ALIPSB532	3256
	63A 5 Pin IP 44 Enclosure	ALIPSB46344	8525
	63A 5 Pin IP 67 Enclosure	ALIPSB46367	10650

Moulded Case Circuit Breakers (MCCB)

HSN Code 85362020


	Breaking Capacity	No. of Poles	Rating	Unit Price (₹)
	10kA	DP	63Amp	1625
	10kA	TP	63Amp	2150
	10kA	TP	100Amp	2280
	25kA	TP	100Amp	4180
	25kA	TP	125Amp	4350
	35kA	TP	160Amp	6200
	35kA	TP	200Amp	6330
	35kA	TP	250Amp	6550
	50kA	TP	320Amp	12700
	50kA	TP	400Amp	13500
	10kA	FP	63Amp	2980
	10kA	FP	100Amp	3200
	25kA	FP	100Amp	5700
	25kA	FP	125Amp	5850
	35kA	FP	160Amp	8210
	35kA	FP	200Amp	8450
	35kA	FP	250Amp	8800
	50kA	FP	320Amp	14900
	50kA	FP	400Amp	15500
MCCB Enclosures			63~125Amp	2382
			160~250Amp	2788
			400Amp	4674

Spares for ALM1 - Spreader

HSN Code 85361090

	Description	Unit Price (₹) (Packaging 6pcs)	Unit Price (₹) (Packaging 8pcs)
	ALM1-TP100 & FP100 (10kA) Compact	385	530
	ALM1-TP125 & FP125 (10kA-50kA)	570	735
	ALM1-TP160 & FP160 (10kA-50kA)	1200	1580
	ALM1-TP200 & FP200 (10kA-50kA)	1200	1580
	ALM1-TP250 & FP250 (10kA-50kA)	1200	1580
	ALM1-TP320 & FP320 (10kA-50kA)	2800	3600
	ALM1-TP400 & FP400 (10kA-50kA)	2800	3700

Busbar Chamber - Powder Coated dully fitted with Bright Tin Plated Copper HSN Code 85361090

 Powder Coated Sheet Steel Enclosure Fitted With ETP Copper	Current Rating (A)	Cat. Ref.	Ways	Unit Price (₹)
	100 AMP	ABBC10004	4 Way	8900
		ABBC10006	6 Way	11900
		ABBC10008	8 Way	14900
	200 AMP	ABBC20004	4 Way	10135
		ABBC20006	6 Way	12600
		ABBC20008	8 Way	15800
	315 AMP	ABBC31504	4 Way	35560
		ABBC31504	6 Way	29866
		ABBC31504	8 Way	53333
	400 AMP	ABBC40004	4 Way	45575
		ABBC40004	6 Way	47290
		ABBC40004	8 Way	59707

COMBI BUSBAR

HSN Code 85381010

	Description	Prong busbars Unit Price (₹)	Fork busbars Unit Price (₹)
	1 pole 1 mod step, 56 mod	1056	1188
	2 pole 2 mod step, 56 mod	1703	1967
	3 pole 3 mod step, 57 mod	2112	2376
	4 pole 4 mod step, 56 mod	4013	4409

Cam Operated Rotary Switch

HSN Code 85389000

	- Quick Make, Quick Break - Range: 25A to 63A - Flexibility of number of position S. Switches angles (30°, 40°, 60° and 90°)	Rating (A)	Pack	Cat. Nos	Unit Price ₹
		25	40	ARS25	718
		40	40	ARS40	800
		63	40	ARS63	850

On-load Changeover Switches

• 63A to 630A, 415V AC, 50Hz

4 Pole

HSN Code 85361090



Rated Current (A)	Catalogue Reference	In Open Execution Unit Price ₹	In Sheet Steel Enclosure Unit Price ₹
63	ALOCS-63/00	4250	6450
100	ALOCS-100/00	4500	7215
125	ALOCS-125/01	7500	13160
160	ALOCS-160/01	8500	13250
200	ALOCS-200/01	9500	13500
250	ALOCS-250/02	20015	29194
320	ALOCS-320/03	28762	34580
400	ALOCS-400/03	29000	38420
630	ALOCS-630/03	34850	45500
800	ALOCS-800/03	66000	110690
1000	ALOCS-1000/03	72800	115190
1250	ALOCS-1250/03	78000	136190

Off-load Changeover Switch

HSN Code 85365090



Rating (A)	Catalogue Reference	Unit Price ₹
32	ALCS 32DP	2175
32	ALCS 32FP	3462
63	ALCS 63FP	6135
100	ALCS 100FP	9420
200	ALCS 200FP	21710
320	ALCS 320FP	26000
400	ALCS 400FP	39610

Switch Disconnecter Fuse Units

HSN Code 85365090



Rating (A)	Catalogue Reference	Unit Price ₹
100	ALSDF 100	14033
160	ALSDF 160	14540
250	ALSDF 250	20970
400	ALSDF 400	30451
630	ALSDF 630	65846

SFU

HSN Code 85365090

Rating (A)	Catalogue Reference	Unit Price ₹
32	ALSFU 32	2340
63	ALSFU 63	6370
100	ALSFU 100	11917
200	ALSFU 200	17983

DOL Starters

HSN Code 85365090



Descriptions	Catalogue Reference	Unit Price ₹
DOL Starter 3 HP	AL-MS-3	3000
DOL Starter 5 HP	AL-MS-5	3000
DOL Starter 7.5 HP	AL-MS-7.5	3000
DOL Starter 10 HP	AL-MS-10	3000
DOL Starter 15 HP	AL-MS-15	3584
DOL Starter 20 HP	AL-MS-20	4868

AC Contactors, 3 Pole

HSN Code 85361090



Model	Description	Rating	MRP ()	Std. Pack
ALC1-1D-910	Contactator	9Amp.	935	50
ALC1-1D-1210	Contactator	12Amp.	1066	50
ALC1-1D-1810	Contactator	18Amp.	1200	50
ALC1-1D-2510	Contactator	25Amp.	1634	36
ALC1-1D-3210	Contactator	32Amp.	2674	36
ALC1-1D-4011	Contactator	40Amp.	4170	16
ALC1-1D-5011	Contactator	50Amp.	6356	16
ALC1-1D-6511	Contactator	63Amp.	6510	16
ALC1-1D-8011	Contactator	80Amp.	9417	12
ALC1-1D-9511	Contactator	95Amp.	9811	12
ALC1-1D-15011	Contactator	150 Amp.	15500	2

Thermal Overload Relay

HSN Code 85361090

Suitable for ALC1-1D Contactors



Model	Relay Range	Contactator	MRP ()	Std. Pack
ALR2-13 0.4 to 0.63	0.4-0.63Amp.	9A	835	60
ALR2-13 0.63 to 1	0.63-1Amp.	9A	835	60
ALR2-13 1 to 1.6	1-1.6Amp.	9A	835	60
ALR2-13 1.25 to 2	1.25-2Amp.	9A	835	60
ALR2-13 1.6 to 2.5	1.6-2.5Amp.	9A	835	60
ALR2-13 2.5 to 4	2.5-4Amp.	9A	835	60
ALR2-13 4 to 6	4-6Amp.	9A	835	60
ALR2-13 5.5 to 8	5.5-8Amp.	9A	835	60
ALR2-13 7 to 10	7-10Amp.	9A	835	60
ALR2-13 9 to 14	9-14Amp.	12A	835	60
ALR2-13 12 to 18	12-18Amp.	18A	835	60
ALR2-13 14 to 22	14-22Amp.	18A	835	60
ALR2-13 17 to 25	17-25Amp.	25A	835	60

Auxiliary Contact Block

HSN Code 85361090

Suitable for ALC1-1D Contactors

Model	Description	MRP ()	Std. Pack
AL-DN20	2 NO	298	10
AL-DN02	2 NC	298	10
AL-DN11	1 NO + 1 NC	298	10
AL-DN40	4 NO	298	10
AL-DN04	4 NC	411	10
AL-DN13	1 NO + 3 NC	411	10
AL-DN31	3 NO + 1 NC	411	10
AL-DN22	2 NO + 2 NC	411	10

Spare Coil

HSN Code 85361090

Suitable for ALC1-1D Contactors

Model	Description	Voltage	MRP ()	Std. Pack
AL-X-D2	Spare Coil For SDVLC-1D 9A-18A	24V, 110V, 220V 415V	496	10
AL-X-D4	Spare Coil For SDVLC-1D 25A-32A	24V, 110V, 220V 415V	595	10
AL-X-D4	Spare Coil For SDVLC-1D 25A-32A	24V, 110V, 220V 415V	595	10

Spare Coil

HSN Code 85361090

Suitable DC Contactors

Model	Description	Voltage	MRP ()	Std. Pack
AL-XDC-D2	DC Contactor Spare Coil 9A-18A	220V DC	1959	10
AL-XDC-D4	DC Contactor Spare Coil 25A-32A	220V DC	2077	10

Stock availability:

- MCBs/Isolating switches are available till stock lasts

Dispatch lead time for non-stockable references:

- MCB/s RCCBs/ 1-2 weeks
- Distribution Boards 1-2 weeks
- Metal Clad Plug & Sockets 1 week
- Others 1-2 weeks

Terms & Conditions

- This price list supercedes all previous price list
- Price is ex-godown and in Indian Rupees (₹) & GST as applicable
- M.R.P. means maximum retail price
- Prices are subject to revision without notice. All dispatch will be as per price prevailing on the date of invoice
- Enclosures/Distribution Boards have the provision for fixing the component as shown in the photograph
- Warranty Policy
- All the products listed in the price list carry a warranty, against manufacturing defects for a period of 24 months form the date of manufacturing
- The warranty is however subject to provision of proper usage, efficient maintenance and does not cover defects arising out inefficient maintenance, faulty operation and willful or accidental damage including non-performance which is caused by an event constituting Force Majeure, i.e. including (but not limited to) pandemic, fire, floods, administrative orders etc
- Altech and / or manufacturer shall not be liable for any consequential loss, including personal injury or damages arising out of, or in connection with, defects in the Products including claim by third party
- Proof of purchase to be retained to avail warranty
- Liability limited to repair / replacement of the product only.



Electromech Industries

Plot No. 6, Sector - iidc,

Sidcul, Haridwar, U.K., India

E-mail: info@altechindia.in, sales@altechindia.in